

असाधारण EXTRAORDINARY

भाग III—खण्ड 4 PART III—Section 4

प्राधिकार से प्रकाशित PUBLISHED BY AUTHORITY

सं. 143] No. 143] नई दिल्ली, सोमवार, जून 4, 2012/ज्येष्ठ 14, 1934 NEW DELHI, MONDAY, JUNE 4, 2012/JYAISTHA 14, 1934

महापत्तन प्रशुल्क प्राधिकरण

अधिसूचना

मुम्बई, 28 मई, 2012

सं. टीएएमपी/30/2011-एमओपीटी.—महापत्तन न्यास अधिनियम, 1963 (1963 का 38) की धारा 48 द्वारा प्रदत्त शिक्तियों का प्रयोग करते हुए, महापत्तन प्रशुक्त प्राधिकरण एतद्द्वारा संलग्न आदेशानुसार, पोपविणकों/पलोटिंग क्रेनों के लिए कार्गो प्रहस्तन प्रभारों के निर्धारण हेतु मुरूगांव पत्तन न्यास से प्राप्त प्रस्ताव का निपटान करता है।

महापत्तन प्रशुल्क प्राधिकरण

मामला सं. टीएएमपी/30/2011-एमओपीटी

मुरूगांव पत्तन न्यास

आवेदक

आदेश

(मई, 2012 के 2रे दिन पारित)

यह मामला पोतवणिकों और फ्लोटिंग क्रेनों द्वारा कार्गो प्रहस्तन के लिए प्रभारों के निर्धारण हेतु मुरूगांव पत्तन न्यास (एमओपीटी) द्वारा दाखिल किए गए प्रस्ताव से संबंधित है।

- 2.1. एमओपीटी ने, वर्ष 2000 में अपने कार्गो संबंधित प्रभारों के संशोधन के दौरान, यह कहा था कि (तत्कालीन) पोत परिवहन मंत्रालय के अनुमोदन से पत्तन सीमाओं में पोतवणिक पोत (4 संख्या) परिचालन कर रहे हैं। इस संबंध में, इस प्राधिकरण ने अपने आदेश सं. टीएएमपी/4/2000—एमओपीटी दिनांक 2 जून 2000 के अनुच्छेद 13 (vii) में एमओपीटी को अलर्ट किया था कि पोतवणिक पोत परिचालन महापत्तन न्यास अधिनियम, 1963 की धारा 42 के परिदृश्य के अधीन आएंगे और टॉपिंग अप/प्राइमरी लोडिंग के लिए पोतवणिकों द्वारा प्रभारित प्रभारों को इस प्राधिकरण द्वारा विनियमित किए जाने की जरूरत है। तत्पश्चात, इस प्राधिकरण ने अपने आदेश सं. टीएएमपी/24/2001—एमओपीटी दिनांक 9 अगस्त 2001 में अनुच्छेद 9 (xxxix) द्वारा उस स्थिति को दोहराया था और धारा 42 के अधीन शामिल सभी सेवाओं, जिन्हें पत्तन द्वारा प्राधिकृत किया गया है, के लिए अधिकतम दरें निर्धारित करने हेतु प्रस्ताव लाने की सलाह दी गई थी।
- 2.2. मार्च 2005 में अधिसूचित प्रशुल्क दिशानिर्देशों के अध्याय 7 में एमपीटी एक्ट, 1963 की धारा 42 (3) के अधीन महापत्तन न्यास द्वारा अधिकृत विभिन्न सेवाओं के लिए प्रशुल्क के विनियमन से संबंधित प्रावधान दिए गए हैं। 2005 के प्रशुल्क दिशानिर्देशों के खंड 7.2 में कहा गया है कि ऐसे मामलों में जहां धारा 42 (3) के अधीन प्राधिकृत करने का करार बीओटी रियायत करार के माध्यम से इतर है, अधिकतम दरें संबद्ध पत्तनों पर, बिना वैयक्तिक सेवा प्रदाता का संदर्भ दिए, समान रूप से लागू होंगी। वर्ष 2006 और 2010 में एमओपीटी के दरमान की सामान्य संशोधन कार्यवाही करते समय भी इस प्राधिकरण ने पत्तन को प्रशुल्क दिशानिर्देशों के अध्याय 7 के संदर्भ में कार्रवाई शुरू करने की सलाह दी थी। वर्ष 2006 में एमओपीटी ने स्पष्ट किया था कि अध्याय 7 के अधीन दिशानिर्देशों का अनुपालन किया जा रहा है, वर्ष 2010 में, इसने बताया था कि अध्याय 7 के अधीन दिशानिर्देश उसके पत्तन पर लागू नहीं हैं।
- 2.3. तत्पश्चात, एमओपीटी ने इस प्राधिकरण को पृष्ठांकित प्रति के साथ मंत्रालय को संबोधित अपने पत्र सं. सीपीटी(98)/2010/800 दिनांक 15 अक्तूबर 2010 द्वारा सूचित किया था कि "लागत जमा" आघार पर प्रशुल्क का सही निर्धारण यहां पर स्पष्ट किए गए कारणों से पोतविणकों/फ्लोटिंग क्रेनों के मामले में संभव नहीं है। प्रत्युत्तर में, मंत्रालय ने अपने पत्र दिनांक पीटी—11033/46/2010—पीटी दिनांक 6 जनवरी 2011 द्वारा एमओपीटी को निदेश दिया। था कि एमपीटी एक्ट, 1963 और इस संबंध में टीएएमपी दिशानिर्देशों का अनुसरण करें।
- 3.1. मंत्रालय के उपर्युक्त पत्र में शामिल निदेशों के आधार पर, अपने पत्र दिनांक 28 जून 2011 द्वारा, पोतविणकों और निजी पक्षों के स्वामित्व तथा प्रबंधन वाली फ्लोटिंग क्रेन के माध्यम से प्रहस्तित कार्गों के लिए प्रभारों के निर्धारण हेतु प्रस्ताव दाखिल किया था। एमओपीटी द्वारा दाखिल किया गया प्रस्ताव ऐसे क्राफ्टों की परिचालन की लागत, पूंजी लागत, आदि पर पत्तन की ओर से कोई स्वतंत्र विश्लेषण किए बिना फ्लोटिंग क्रेन के मौजूदा सेवा प्रदाता और पोतविणक द्वारा भेजे गए लागत ब्योरों /स्थित पर विश्वास किया गया है। चूंकि मार्च 2005 के प्रशुक्क दिशानिदेशों का खंड 7.2 वैयक्तिक सेवा प्रदाता के संदर्भ के बिना समान अधिकतम दर के निर्धारण की मांग करता है, जैसांकि ऊपर बताया गया है, एमओपीटी को मौजूदा परिचालकों द्वारा प्रतिवेदित लागत स्थिति पर पूरी तरह से विश्वास करने की बजाय परिचालन की मानक लागत के लिए और क्राफ्टों की मानक क्षमता के संदर्भ में सुविश्लेषित प्रस्ताव दाखिल करे।
- 3.2. पत्र दिनांक 6 जुलाई 2011 में, तत्सबंधी पत्तन न्यास द्वारा प्राधिकृत सेवा प्रदाता द्वारा उपलब्ध करवाई गई हारबर मोबाइल क्रेन के किराया प्रभार के निर्धारण के लिए पारादीप पत्तन न्यास (पीपीटी), न्यू मेंगलूर पत्तन न्यास (एनएमपीटी) और वीओ चिदंबरनार पत्तन न्यास (वीओसीपीटी) द्वारा दाखिल किए गए प्रस्तावों के मामले में प्रशुल्क वैयक्तिक सेवा प्रदाता के संदर्भ के बिना प्रशुल्क दिशानिर्देशों के खंड 7.2 के अनुसार इस प्राधिकरण द्वारा निर्धारित किया गया है। इन मामलों में किराया प्रभारों की अधिकतम दर एचएमसी की मानक क्षमता के लिए निर्धारित की गई है और इस प्रयोजन के लिए उपस्कर की क्षमता और परिचालन लागत के निर्धारण के लिए 2008 के दिशानिर्देशों में निर्धारित प्रतिमानकों को इस दर पर पहुंचने के लिए प्रासंगिक स्तर तक विचार किया गया है।

- 4.1. इस परिप्रेक्ष्य में, एमओपीटी ने अपने पत्र दिनांक 19 अगस्त 2011 द्वारा पोतवणिकों और फ्लोटिंग क्रेन के लिए कार्गों प्रहस्तन प्रभारों के निर्धारण हेतु प्रस्ताव दाखिल किया है। पत्तन द्वारा कही गई मुख्य बातों का सार निम्नलिखित है:-
 - (i). उपस्कर की क्षमता और परिचालन लागत निर्धारित करने के लिए 2008 दिशानिर्देशों में निर्धारित प्रतिमानक प्रस्तावित दरों के परिकलन के लिए सुविचारित किए गए हैं।
 - (ii). पोतविणक (टीवी) और फ्लोटिंग क्रेनें (एफसी) दो अलग प्रकार के उपस्कर हैं और वैसे विभिन्न दरें प्रस्तावित की गई हैं। एमओपीटी ने टीवी तथा एफसी के बीच भिन्नता पर टिप्पणी दी है, जिसे नीचे दिया गया है:-

विवरण	फ्लोटिंग क्रेन	पोतवणिक
टोइंग और शुल्क साहित पूंजी लागत	रु० 6660.75 लाख	रु013370.00 लाख
क्रू की सं	26	24
ईंधन उपभोग	पूर्ण लोड जनरेटर 12 लिटर/घंटा पर 115 लिटर/घंटा	परिचालन १७५ लिटर / घंटा। जनरेटर ५० लिटर / घंटा।
लेबर लागत	रु० 101.16 लाख प्रतिवर्ष	रु० ४४०,०० लाख प्रतिवर्ष
कार्यनिष्पादन	औसत दैनिक दर 15,000 से 20,000 टन प्रतिदिन (एवीआर: 17,500 प्रतिदिन)	पोतों की लदाई और उतराई की क्षमता औसतन 30,000 टन प्रतिदिन की दैनिक दर है।
प्रौद्योगिकी	यह संकल्पना एकल क्रेन प्रणाली पर आधारित है जिसमें केवल 1 क्रेन पोन्टून पर चढ़ाई जाती है और क्रेन एक पोत से कार्गो को उठाती है और दूसरे पर लादती है। दोनों पोन्टून ऑन बोर्ड भंडारण सुविधा नहीं है। दोनों पोन्टून सेल्फ-प्रोपल्ड हैं।	पोत से कार्गों उतराई के लिए दो क्रेनों की संकल्पना, उसके हॉपर पर स्थानांतरण जो कन्वेयर प्रणाली, कन्वेयर प्रणाली और जलयान लोडर आर्म अथवा अंदासा होस्त

- (iii). दोनों उपस्कर के लिए पूंजी लागतें और तकनीकी विशेषताएं इस प्रयोजन के लिए प्राप्त की गई कोटेशनों के आधार पर सुविचारित किए गए हैं। एमओपीटी ने दिनांक 10 जुलाई 2011 की दोनों कोटेशनों की एक-एक प्रति भेजी है।
- (iv). चूंकि अक्तूबर से मई अवधि के दौरान दोनों उपस्कर लौह अयस्क की लदाई में विनियुक्त रहे हैं, इसलिए आठ महीनों के यातायात को प्रहस्तन प्रभारों के परिकलन के लिए लेखा में लिया गया है।
- (v). प्रस्तावित दरों पर पहुंचने के लिए पत्तन द्वारा भेजी गई गणनाओं का सार नीचे दिया गया है:--

क्र. सं.	विवरण	पोतवणिक पोत		फ्लोटिंग क्रेन	फ्लोटिंग क्रेन		
₩.		कार्यप्रणाली	राशि (रु0 लाखों में),	कार्यप्रणाली	राशि (रु० लाखों में)		
(1).	पूजी लागत	(अ.डा. 26 मिलियन x रू० 45 प्रति अ.डा.) + 10% सीमाशुल्क के लिए और 500 लाख टोइंग लागत के लिए	13370.00	(अ.डा. 12.85 मिलियन x रू० 45 प्रति अ.डा.) + 10% सीमाशुल्क के लिए और 300 लाख टोइंग लागत के लिए	6660.75		
(II).	क. परिकलित क्षमता	1.					
	उपलब्ध पारियां प्रतिवर्ष	365 * 3	1095.00	365 * 3	1095,00		
	उपलब्ध कार्य पारियां प्रतिवर्ष (85%)	310 * 3	930.75	310 * 3	930.75		
	उपयोगिता के प्रतिमानक		60%		60%		
	क्षमता पारियों में प्रतिवर्ष	930.75 * 60%	558.45	930.75 * 60%	558.45		
	सभावित घटों की संख्या प्रतिवर्ष	558.45 * 8	4467.60	558 * 8	4467.60		
	साफ मौसम में 8 महीनों के लिए कार्यघंटों की संभावित संख्या	558.45 * 8 * 8 /12	2978.40	4467.60 *8/ 12	2978.40		
	दरित क्षमता प्रति घटा (टर्नो में)	30000/24	1250.00	17500/24	729.17		
	दरित क्षमता प्रतिवर्ष		10950000		6387500		
	दर की गणना के लिए सुविचारित मात्रा (टन) (8माह)	टीपीएच • 4467.6	3723000	TPH * 2978.40	2171750		

파.	विवरण पोतविणक प			फ्लोटिंग क्रेन	
₹і.		कार्यप्रणाली	राशि (रु0 लाखों में)	कार्यप्रणाली	राशि (रु० लाखों में)
(iii).	परिचालन लागत				
	(क). ईंधन लागत @ रु० 43.22				
	: कार्य (175) * 2978.40 +	225.27 + 189.30	414.57	148.04 + 45.43	193.47
	निष्क्रिय (50) * 24 * 365				Art of
	(ख) मरम्मत और अनुरक्षण लागत पूंजी लागत का 5		668.5 0		333.04
	प्रतिशत	7	:	4.7	
	(ग). पूंजी लागत का 1 प्रतिशत बीमा		133.70		66.61
	(घ) मूल्यहास @ 10.34%		1293.04		688.72
	(ड) पत्तन प्रमार		9.70		5.71
	(च). प्रत्यक्ष लेबर		440.00		101.16
	(छ). परिचालन व्ययो सिवाय मूल्यहास और पत्तन प्रमार पर 10 प्रतिशत की दर से प्रबंधन		165.68		69.43
	तथा प्रशासन उपरिव्यय	· · · · · · · · · · · · · · · · · · ·	3125.19	·	445040
	4301 143 (1 (0)	<u></u>			1458.13
(iv).	पूजी लागत का 16 प्रतिशत आरओसीई		2139.20		1065.72
(v).	कुल लागत जमा निवेश पर प्रतिलाभ		5264.39		2523.85
(vi)	किराया प्रभार प्रति टन (विदेशी)		141.40		116.21
(vii)	किराया प्रभार प्रति टन (तटीय)		84.84		69.73

4.2. एमओपीटी ने निम्नलिखित प्रभार प्रस्तावित किए हैं-

(दर प्रति टन)

		(41 7111 01)
	पोतवणिक	फ्लोटिंग
विदेशी कार्गी	रु० 141/-	₹0 116/-
तटीय कार्गी	रु० 85/-	रु० 70/-

- 5. निर्धारित परामर्श प्रक्रिया के अनुसार, एगओपीटी से प्राप्त प्रस्ताव दिनांक 19 अगस्त 2011 संबद्ध उपयोक्ताओं / उपयोक्ता संगठनों तथा पत्तन द्वारा प्रेषित अतिरिक्त उपयोक्ताओं को उनकी टिप्पणियों के लिए परिचालित किया गया था। उपयोक्ताओं / उपयोक्ता संगठनों से प्राप्त टिप्पणियां एगओपीटी को प्रतिपुष्टि सूचना के रूप में भेजी गई थीं। एमओपीटी ने उपयोक्ताओं / उपयोक्ता संगठनों की टिप्पणियों पर अपनी अभ्यक्तियां भेजी हैं।
- 6. प्रस्ताव की प्राथमिक संवीक्षा के आधार पर, एमओपीटी से हमारे पत्र दिनांक 25 नवंबर 2011 द्वारा अतिरिक्त सूचना /स्पष्टीकरण भेजने का अनुरोध किया गया था। एमओपीटी ने अपने पत्र दिनांक 5 जनवरी 2012 द्वारा 19 जनवरी 2012 को अपना जवाब जमा किया है। उढ़ाए गए प्रश्नों और उनपर एमओपीटी द्वारा प्रेषित जवाब नीचे दिए गए हैं:—

क्र.स.	उठाए गए प्रश्न	एमओपीटी द्वारा प्रेषित जवाब
(i).	पत्तन ने अपने प्रस्ताव में कहा है कि 2008	एमओपीटी ने कोई प्रत्युत्तर नहीं मेजा है।
	दिशानिर्देशों में निर्धारित प्रतिमानक मिड्-स्ट्रीम	
	में लौह अयस्क प्रहस्तन परिचालनों के लिए	
	पोतवणिक और फलोटिंग क्रेन के किराये के	
İ	लिए प्रस्तावित प्रभार पर पहुंचने के लिए क्षमता,	
	परिचालन लागत, आदि का अनुमान लगाने के	
	लिए उधार लिए गए हैं। चूंकि 2008	
	दिशानिर्देश फ्लोटिंग क्रेन/पोतवणिक द्वारा	
	इसी परिचालन के लिए कोई विशिष्ट प्रतिगानक	
	निर्धारित नहीं किए गए हैं, इसलिए गणना	
	विशेषतः क्राफ्ट की प्रहस्तन दर के संदर्भ में,	

	the state of the second	. A Section 12 (1997) 11						
i	अंगीकृत विभिन्न पैरामीटरों की उपयुक्तता			14 6	13.55	17 1/16	A Gray	
	क्राफ्ट की क्षमता एवं ईंघन उपभोग की गणन		440.0	d: 7	40.3	sa sak	in the Maria	Age of the
	के लिए क्राफ्ट द्वारा परिचालन के घंटों की	laki, ku nye	e iga i g	De a			i Barren de la primi	illocia
: .	संख्या और पत्तन द्वारा परिकल्पित अन्य लागत	ba mheyam			da Wa	41 (A) (B)		
: :	मदों को पोत परिवहन मंत्रालय के जरूरी	Francisco San						
	अनुमोदन के साथ बताए गए पत्तन द्वारा						. 15 1 45 중앙 과 55	
	प्राधिकृत सेवा प्रदाताओं द्वारा चलाए जाने वाले	resident der State					W. A. F. C. S.	2. \$121
	समान परिचालनों के लिए अर्जित वास्तविक		er i i i Tulkan i i					
	पैरामीटरों के संदर्भ में तर्कसंगत ठहराए जाने		Marking.					·
	की जरूरत है। अल्लाहर अंग्रेडिया व्यक्ति क	n rijivirani, na me	ana unva					*
(ii)					<u> </u>			· · · · · ·
""	द्वारा वर्तमान में परिचालित पोतवणिकों तथा		भा हारा	वतमान	म पारच	ालत पात	वाणक तथ >	ग फ्लाटिंग
	फ्लोटिंग क्रेनों की संख्या, प्रत्येक क्राफ्ट की	क्रेनों पर आ		गए ह	. एमआपार	ा द्वारा प्रा	षतः ब्यारः न	वि सारबद्ध
	भूरताटन क्रमा का संख्या, प्रत्यक क्राफ्ट का	किए गए हैं:-						
	क्षमता और आयु, वर्ष में परिचालन के घटों की	पोतवणिक /	क्षमता	2000	2008-08	2809-10	2019-11	2011-12
	संख्या और इन क्राफ्ट द्वारा प्रहस्तित लौह	क्रेनों का	प्रतिवर्ष प्रतिवर्ष	आयु	2000-00	1 2005-10	2018.11	(दिसंबर
	अयस्क यातायात प्रत्येक क्रॉफ्ट के लिए वर्ष	नाम	(एमएन)					2011तिक}
1	2008-09, 2009-10, 2010-11 और 2011-12		124 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		प्रहतिस्तत मात्रा	प्रहतिस्तत गाना	प्रहतिस्तत	प्रहतिस्तत
	(अक्तूबर 2011 तक) भेजें। सांख्यिकी आंकड़ें	उड़ीसा (बी	3.00	31	4147271	मात्रा 4716013	मात्रा 3702243	मात्रा 2485288
	पत्तन द्वारा उन् सेवा प्रदाताओं से प्राप्त किए	77)	1.50	-	044000	<u>. 65. 11</u>		18.3
	जाएं जो यह सेवा पहले से प्रदान कर रहे हैं,	मराठा दीप (बी 75)	1.50	38	911260	815494	1108507	309739
1 1	जहां कहीं आवश्यक हो।	स्वाति रानी	1.50	38	1748811	1321792	1211940	509852
· : :	↓ 大学的、特别的表演会员接到各种的。	(বী73)	1 11 1	my de la				
	↓ In the Policy to Applicate Chipping and the	प्रियवदा	1.50	38	1284029	2166070	1624930	890183
		(बी 74) बल्क	2 00	4	£ 2.5	95185	2028255	1001440
	pare in the first believe with the date.	प्रोसपेरिटी	11.					
1	Programme and the control of the con	(बी 79)	111		<u>, 148</u> 1	7424 <u>J</u>	67 J. / T. Y	mask III
	<u>'</u>	फ्लोटिंग केने •		Tanki II	1490128	2294121	2776589	2288871
		फ़्लोटिंग क्रेने "	मरीना लायरा	ो ।" और "मे	ोरामार को न	विस्तर २०११ से	तैनात किया	गा के जीव
	医乳球性 医乳性神经 医乳性性	। पाउला क अलावा	1 1 1 1 1 1 1	un errich				
1		(एमओपीटी	ने प्रत्येक	वर्ष में	क्राफ्टों र	र्गे परिचाल	न के घंटों	की संख्या
<u> </u>		नहीं भेजी है)	1 :	<u> </u>	- 13 3 c	y Goran	4 4 A	agrada de la composição d La composição de la composição
1 1	(ख). मौजूदा वित्तीय वर्ष 2011-12	वर्ष 2014—15	ंतक पो	तवणिक	तथा फ्र	गेटिंग क्रेन	िद्वारा प्रह	स्तित किए
	(अक्तूबर 2011 तक वास्तविक और शेष अवधि	जाने के लिए	अनुमानि	त लौह	अयस्क र	गतायात भे	जा गया है	। दो और
	के लिए अनुमान) में पोतवणिकों तथा फ्लोटिंग	फ्लोटिंग क्रेने	मै0 मरी	न इंफ्रा	स्ट्रक्चर (ग	ोवा) प्रा. ति	ते. द्वारा नव	ग्वर 2011
	क्रेनों द्वारा प्रहस्तित किए जाने वाले अनुमानित	से आगे जोड़ी	ाई हैं।	वर्ष 20	13-14 औ	र 20141	15 के लिए	पोतवणिक
1 : "	लौह अयस्क यातायात और वर्ष 2012—13 से	के मामले में	संभावित ः	यातायाः	त सेवा प्रव	ताओं द्वार	त नहीं भेज	। गया है।
1	2014—15 के अनुमान परिकल्पित	लौह अयस्क						
	पोतविणकों / फ्लोटिंग क्राफ्ट की संख्या और	ऑपरेशन पर						
:	उत्पादकता के ब्योरों के साथ भेजें।	जाएगा।					n Talanda Na Talanda	
1		-	1.5	5-15	El general	1870 14	a Bereit	19 400
		तत्पश्चात, एम	ओपीटी	ने अपने	पत्र दिना	क 14 माच	र्व 2012 हा	रा कहा है
		कि वर्ष 2013	—14 औ	₹ 2014	−15 के	लिए पोतव	णिकों द्वार	। प्रहस्तित
		किए जाने वाट	ने अनुमान	नेत यात	ायात १.५०	मिलियन	टन प्रतिवर	[g]
4	·				1977 2015 1978 1978 1978 1978 1978 1978 1978 1978	TET IV THE	in a state of	
		एमओपीटी द्वा					₹-	year 1
	·	पोत का प्रकार		दिसंबर 11 तक	2011-12	2012-13	2013-14	2014-16
		प्रकार पोत्रवणिक		11 तक 0.01,440	11,00,000	5,00,000	15,00,000	15,00,000
		फ्लोटिंग क्रेने	3 7	62.415	15,00,000	30,00,000	30,00,000	30,00,000
(iii).	क्षमताः	 		<u> </u>			. .	
	(क). पिछले तीन वर्षों 2008–09 से	सेवा प्रदाताओं	द्वारा ब्यो	रे अभी	तक नहीं	भेजे गए है	i.	
	2010-11 और 2011-12 (अक्तूबर 2011 तक)							e de les
,	में 30 टन पोतवणिक और 32 टन फुलोटिंग	(एमओपीटी ने	अपेक्षित	ब्योरे ना	हीं भेजे हैं)	ky is the	k ji Li	
	क्रेन द्वारा ट्नों / घंटा में लौह अयस्क प्रहस्तन	and the state of t	andrije Jerejaan	Ale Ngjara		a dipological	en en Shiri. Notae ingen	
	के लिए अर्जित औसत उत्पादकता दर भेजें।	<u> </u>		<u> </u>		e de la companya de La companya de la co	er er en 1. Grævig	

(ख). क्षमता गणना में 729.17 टन/घंटा पर फ्लोटिंग क्रेन और 1250 टन/घंटा पर पोतविणक के लिए क्षमता अंगीकृत करने का आधार स्पष्ट करें और वर्ततान में परिचालन में समान क्राफ्टों द्वारा अर्जित वास्तविक उत्पादकता के संदर्भ में औचित्य बताएं। पोतविणिकों तथा फ्लोटिंग क्रेनों की दिरत क्षमता 1250 टन / घंटा और 729.17 टन / घंटा पर सुविचारित की गई है। विस्तृत गणना इस प्राधिकरण को हमारे समसंख्यक पत्र 19 अगस्त 2011 द्वारा भेजी गई थी। (एमओपीटी द्वारा सुविचारित वार्षिक सर्वोत्तम क्षमता पर पहुंचने के लिए गणनाओं को समाहित किए पत्र दिनांक 19 अगस्त 2011 जिसमें प्रति घंटा दित क्षमता गणनाओं में सुविचारित पैरामीटरों में से एक है। उक्त पत्र में पत्तम द्वारा सुविचारित दित प्रति घंटा क्षमता के लिए कोई गणनाएं नहीं दी गई हैं)।

तत्पश्चात, एमओपीटी ने अपने पत्र दिनांक 14 मार्च 2012 द्वारा कहा था कि 30,000 टन प्रतिदिन और 32,000 टन प्रतिदिन की दरित क्षमता प्राप्त की गई कोटेशनों में दिए गए तकनीकी ब्योरों के आधार पर सुविचारित किए गए हैं।

(पोतविणक के लिए 1250 टन/घंटा की दिरत क्षमता कोटेशन में निर्दिष्ट 30,000 टन/दिन की दिरत क्षमता के आघार पर पाई गई है। तथापि, फ्लोटिंग क्रेन के मामले में, एमओपीटी द्वारा प्रेषित कोटेशन में दैनिक उत्पादकता के रूप में दिरत क्षमता नहीं दर्शाई गई है)।

(ग). एमओपीटी 30 टन/32 टन पर तैनात किए जाने वाले क्राफ्ट की क्षमता सीमित करने के कारण स्पष्ट करें। पुष्टि करें कि क्या यह भारत में अथवा विश्व में किन्हीं अन्य पत्तनों में इस तरह के परिचालनों के लिए तैनात की जाने वाली पोतवणिक/फ्लोटिंग क्रेन की मानक क्षता है। उच्चतर क्षमता क्राफ्ट संभवतः उच्चतर उत्पादकता अर्जित कर सकता है। एमओपीटी स्पष्ट करे कि क्या उच्चतर क्षमता क्राफ्ट तैनात करना तकनीकी रूप से साह्य है।

फ्लोटिंग क्रेनें बीच समुद्र में 5 से 7 नॉटिकल मील पर परिचालित की जाती हैं, जहां फोर्स पोत पर कार्य करती हैं और उपस्कर मौसम परिस्थितियों के अनुसार भिन्न हो सकता है। इस तरह सुरक्षा के नजरिये से, समुद्र में कार्य करने वाली क्रेन का डिजाइन अधिकतम 32 टन निर्धारित किया गया था। तथापि, पोतवणिक के पास उच्चतर क्षमता की क्रेनें हो सकती हैं, यदि, पोतवणिक को बार्ज फीड दर कम रहती है, और उच्चतर क्षमता वाली क्रेनों को संस्थापित करने को व्यावसायिक रूप से तर्कसंगत नहीं उहराया गया है।

न्यू मेंगलूर पत्तन न्यास (एनएमपीटी), वी.ओ. चिदम्बरनार पत्तन न्यास (वीओसीपीटी), पारादीप पत्तन न्यास (पीपीटी) और कांडला पत्तन न्यास (केपीटी) पर अधिकृत सेवा प्रदाता द्वारा हारबर मोबाइल क्रेन (एचएमसी) की तैनाती से संबंधित प्रशुल्क निर्धारण मामलों में, प्राधिकरण ने 100 टन क्षमता की एचएमसी की मानक क्षमता के लिए प्रशुल्क निर्धारित किए हैं और देखभाल के लिए क्रेन के निष्पादन से संबंधित प्रशुल्क निर्धारित किए हैं यदि सेवा प्रदाता द्वारा तैनात की गई क्रेन की वास्तविक क्षमता एचएमसी की मानक क्षमता के दायरे में मिन्न रहती है। एचएमसी मामलों में निर्णयों से लेते हुए, पोतवणिक तथा फ्लोटिंग क्रेन के लिए प्रशुल्क निर्धारित करने हेतु मौजूदा मामले में पर भी एमओपीटी क्राफट की मानक क्षमता के लिए प्रशल्क प्रस्तावित करने पर विचार कर सकता है और प्रशुल्क को स्थिति को ध्यान में रखते हुए क्राफट की मानक उत्पादकता से जोड़ सकता है यदि क्राफट वैयक्ति सेवा प्रदाता द्वारा वास्तव में तैनात किए गए क्राफ्ट इन क्राफ्ट की मानक क्षमता की सीमा के भीतर भिन्न रहता है।

सेवा प्रदाताओं ने उत्पादकता क्षमता के लिए मानक क्षमता अभी तक नहीं भेजी है।

एमओपीटी ने अपने पत्र दिनांक 14 मार्च 2012 द्वारा अपनी स्थिति को दोहराया है कि पूर्व कार्यनिष्पादन आंकड़ों के अभाव में, पत्तन उत्पाकदता के तलचिहन स्तरों तक ईएलटीएस लिंकिंग प्रशुक्क पर योजना तैयार नहीं की है।

(ङ). 2008 के दिशानिर्देशों में निर्धारित फार्मूला के अनुसार, कार्य घंटों की संख्या 6132 (अर्थात 365 दिन x 70% उपयोगिता x 24 घंटे) होगी। पत्तन ने बीच समुद्र में टीवी तथा फ्लोटिंग क्रेनों द्वारा लौह अयस्क प्रहस्तन परिचालन पेक्यूलर किया है। यह परिचालन साफ मौसम के दौरान, अक्तूबर से माई तक वर्ष में केवल 8 महीने, होता है। यह

2008 के दिशानिर्देश क्षमता निर्धारित करने के समय कार्य घंटों की संख्या पर पहुंचने के लिए प्रत्येक पैरामीटारों में कुशन निर्धारित नहीं करते हैं। 2008 के दिशानिर्देशों में उपर्युक्त स्थिति के विपरीत, एमओपीटी ने प्रत्येक क्राफ्ट अर्थात पोतवणिक तथा फलोटिंग क्रेन की क्षमता पर पहुंचने के लिए 2978.40 कार्य घंटों पर विचार किया है। इस प्रयोजन के लिए, एमओपीटी ने 310 दिन प्रतिवर्ष पर विचार किया है, तब 60 प्रतिशत उपयोगिता प्रतिमानक लागू किया है और 558.45 पारियों (अर्थात 310 दिन x 60% x 3 पारियां प्रतिवर्ष) पर पहुंचे हैं। तब स्वीकार करते हुए कि कार्गी प्रहस्तन परिचालन एक दिन में केवल 8 घंटे होगा और वह केवल मई से अक्तूबर (अर्थात 12 महीनों में से 8 महीने) साफ मौसम के दौरान होगा, इसे और कम करके कार्यदिवसों को 2978.40 घंटे (अर्थात 558.45 पारियां x 8 घंटे x 8/12 माह) किया गया है।

इस प्रकार यह प्रकट होता है कि पत्तन ने दिशानिर्देशों में परिकल्पित नहीं किए गए कार्य घटों की संख्या पर पहुंचने के लिए विभिन्न स्थानों पर कुशन उपलब्ध करवाए हैं। पत्तन उपर्युक्त टिप्पणी के आलोक में पोतवणिक तथा फ्लोटिंग क्राफट की क्षमता गणना की समीक्षा करे और इन क्राफ्ट द्वारा लौह अयस्क परिचालनों के पेक्यूलिएरटी के मददेनजर उपलब्ध करवाए जाने वाले मत्ते, यदि कोई हो, का पिछले तीन वित्तीय वर्षों में पत्तन में अर्जित वास्तविक पैरामीटरों के संदर्भ में औचित्य बताए।

एमओपीटी के पत्र दिनांक 28 जून (ঘ). 2011 के कवर के अधीन अनुबंध- ॥ रूप में संलग्न एमओपीटी को संबोधित सीजीयू लोजिस्टिक लिमिटेड (पोतवणिक के मौजूदा सेवा प्रदाताओं में से एक) के पत्र दिनाक 28 अप्रैल में कहा गया है कि उक्त सेवा प्रदाता ने वर्ष 2010-11 के दौरान 14000 टन प्रतिदिन (अर्थात 8 कार्य घंटे) पर पोतवणिक के लिए औसत लदाई दर अर्जित की है। सेवा प्रदाता द्वांरा उपलब्ध करवाए गए सांख्यिकीय आंकड़े भी पोतवृणिक द्वारा अर्जित सकल उत्पादकता दर नवम्बर 2010से मार्च 2011 तंक की अवधि के लिए ज्यादातर मौकों पर 11000 से 14000 टन/दिन की सीमां में है। यह उल्लेखनीय है कि मौजूदा सेवा प्रदाता द्वारा तैनात किए गए पोतवणिक पुराने क्राफ्ट हो सकते हैं जबकि पत्तन द्वारा प्रस्तावित प्रशुल्क नए क्राफुट (पूंजी लागत अनुमानन के अनुसार) के संदर्भ में है। प्रौद्योगिकी और नए उपस्कर में उन्नति पुराने प्रयुक्त क्राफ्ट की अपेक्षा उच्चतर उत्पादकता देने की संभावना है। उपर्युक्त टिप्पणी के आलोक में, 1250 टन/घंटा (अर्थात 10,000

परिचालन बीच समुद्र में मौसम परिस्थितियों की वजह से भी प्रभावित होता है। पत्तन द्वारा प्रेषित गणना उपयुक्त है। वर्ष 2010–11 के दौरान और दिसंबर 2011 तक पोतविणकों तथा फ्लोटिंग क्रेनों द्वारा प्रहस्तित वास्तिवक मात्रा भेजी गई है। (इस संबंध में एमओपीटी द्वारा प्रेषित ब्योरे उपर्युक्त पैरा (ii) (क) में पहले ही दिए गए हैं।)

तत्पश्चात, एमओपीटी द्वारा अपने पत्र दिनांक 14 फरवरी 2012 (संयुक्त सुनवाई के बाद) द्वारा प्रेषित संशोधित लागत पत्रक में, वर्ष 2010 और 2011 में मानसून अवधि के दौरान ऐसे क्राफ्टों द्वारा प्रहस्तित वास्तविक यातायात के आधार पर मानसून अवधि के लिए पोतविणक तथा फ्लोटिंग क्रेन के लिए क्रमशः 2 लाख टन प्रतिवर्ष और 3 लाख टन प्रतिवर्ष की अतिरिक्त क्षमता पर विचार किया है। इसके अलावा, एमओपीटी ने अपने पत्र दिनांक 14 मार्च 2012 द्वारा पोतविणकों तथा फ्लोटिंग क्रेनों के लिए वार्षिक क्षमता को 2008 के दिशानिर्देशों में निर्धारित 70 प्रतिशत उपयोगिता मानक अंगीकृत करते हुए क्रमशः 39.23 लाख टन और 24.72 लाख टन से 53.10 लाख टन और 32.81 लाख टन संशोधित किया है।

प्राधिकरण द्वारा दिए गए सुझाव अनुसार, उत्पादकता पैरामीटर सेवा प्रदाताओं से वास्तविक आंकड़े प्राप्त होने के बाद संशोधित किए जाएंगे।

(पत्तन ने इस मामले को अंतिम रूप दिए जाने तक इस संबंध में कोई और ब्योरे नहीं भेजे थे और उत्पादकता पैरामीटर भी संशोधित नहीं किए हैं।)

	टन/दिन पत्तन द्वारा परिकल्पित 8 घंटे	
	परिचालन के लिए) की समीक्षा किए जाने की	
	जरुरत है और ऊध्वर्मुखी पुननिर्धारण किया	(1945-1947) (1945-1947) (1945-1947) (1945-1947) (1945-1947) (1945-1947) (1945-1947) (1945-1947) (1945-1947)
	I to the second of the second	
<u> </u>	जाए।	32 टन फ्लोटिंग क्रेन 15,000 से 20,000 टन/प्रतिदिन की औसत
		दैनिक दर से पोत की लदाई और उतराई करने में समर्थ है। औसत
	क्षमता 17500 टन प्रतिदिन परिकल्पित करने का	17,500 टन प्रतिदिन परिगणित होती है।
	आधार स्पष्ट करें। मिड-स्ट्रीम लौह अयस्क	17,500 टन प्रातादन पारगागत हाता है।
	प्रहस्तन करने के लिए पत्तन में तैनात की गई	
10 To	समान आकार की फ्लोटिंग क्रेन द्वारा अर्जित	
·,	वास्तविक उत्पादकता वर्ष 2008-09 से	
	2010-11 और 2011-12 (सितम्बर 2011 तक)	
	के लिए भेजें। पिछले प्रश्न में स्पष्ट किए गए	
	कारणों से, पुरानी फलोटिंग क्रेन द्वारा अर्जित	
٠.	उत्पादकता यह विचार करते हुए अपग्रेड की	
4.1	जाए कि नया क्रॉफ्ट पुराने से उच्चतर	
	उत्पादकता दे सकता है।	alena kan arak la la Parthi la Parthi <u>la la</u>
(iv)	परिचालन लागतः	
(iv).	(क). ईंधन लागत	
	(क). इंचन लागत	एमओपीटी ने अपने पत्र दिनांक 14 फरवरी 2012 द्वारा प्रेषित लागत
	(i). इन क्राफ्ट के कार्य घंटों के दौरान	पत्रक में कार्य घंटों के लिए फ़्लोटिंग क्रेन के ईंघन उपभोग को 96
i	115 लिटर/घंटा पर फ्लोटिंग क्रेन और 175	लिटर प्रति घटा कर दिया है। इसके अलावा, एमओपीटी ने अपने पत्र
	लिटर/घंटा पर पोतवणिक के लिए और	दिनांक 14 मार्च 2012 द्वारा कहा है कि सेवा प्रदाताओं ने अपने पूर्व
	निष्क्रिय अवधि के दौरान पोत्तवणिक के लिए 50	्रित्निक 14 मीच 2012 द्वारा करा है कि राज अवस्थान करें के दिया कार्यात
	लिटर/दिन और फ्लोटिंग क्राफ्ट के लिए 12	अनुभव के आधार पर पोतवणिक तथा फ्लोटिंग क्रेन के लिए कार्यगत
	लिटर/घंटा ईंधन उपभोग का अनुमान लगाने	तथा निष्क्रिय घटों के लिए ईंघन उपभोग नहीं भेजा है।
	का आधार स्पष्ट करें।	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
-	(ii). इन क्राफ्टों के परिचालन के दौरान	सेवा प्रदाता द्वारा ईंधन उपभोग पर ब्योरे नहीं भेजे गए हैं।
	और निष्क्रिय स्थिति में समान क्षमता के	and the second s
į	पोतवणिक और फुलोटिंग क्रेन द्वारा औसत	तत्पश्चात, एमओपीटी ने अपने पत्र दिनांक 14 मार्च 2012 द्वारा कहा है
ŀ	वास्तविक ईंधन उपभोग पिछले तीन वर्षों	कि टीवी / एफसी द्वारा ईंघन उपभोग पर आंकड़े, प्राधिकरण द्वारा यथा
	2008-09 से 2010-11 तथा 2011-12 (सितंबर	अपेक्षित, सेवा प्रदाताओं द्वारा व्यवस्थित नहीं किए जाते हैं। तथापि, सेवा
l	2011 तक) के लिए सेवा प्रदाताओं से प्राप्त करें	प्रदाताओं ने अपने पूर्व अनुभव के आधार पर पोतवणिक और फलोटिंग
ŀ	और गणना में पत्तन द्वारा परिकल्पित ईंधन	किन के लिए कार्यगत तथा निष्क्रिय घंटों के लिए अलग-अलग ईंधन ।
	उपभोग का औचित्य बताए।	उपभोग भेजे हैं। एमओपीटी ने फलोटिंग क्रेन के मामले में वर्ष
		2010-11 के लिए इंधन उपमोग के ब्योरे दर्शाते हुए विवरण भेजा है।
<u> </u>		(विवरण में एमओपीटी द्वारा प्रेषित ब्योरे पत्तन द्वारा सुविचारित फ्लोटिंग
	一一点是"大大","我们都是这样,我们还是	केन के लिए कार्य घंटों तथा निष्क्रिय घंटों के लिए क्रमशः 96 लिटर
	. De ferit de la marchament d'été de	तथा 12 लिटर प्रति घटा के ईंधन उपमोग से नहीं जोड़कर देखा जा
ŀ		सकता।)
<u> </u>		
]	(iii) क्राफ्ट की निष्क्रिय अवधि के दौरान	
la la	ईंधन लागत 365 दिन गुणा 24 घंटो अनुमानित	
ľ	किया गया है। चूंकि क्राफट के साफ मौसम	उपलब्ध करवाने, सुरक्षा लाइट, और एअर कंडीशिनिंग आदि के लिए
ŀ	(अर्थात वर्ष में 8 माह) के लिए 8 घंटे प्रतिदिन	चौबीसी घट कार्य करना पड़ता है। निष्क्रिय अवधि के दारान इयन
ľ	परिचालन में रहने की संभावना है जिसके लिए	उपभाग अलग से सुविचारित किया गया है और लागत तथा इधन का
	ईंधन लागत गणना में पहले से अनुमानित की	दोहरीकरण नहीं है।
	गई है। एमओपीटी पुष्टि करे कि क्या निष्क्रिश	
1	अवधि के लिए ईंधन लागत के अनुमानन में	ं। (तत्पश्ची पत्र दिन्।क १४ मधि २०१२ हारा प्रापत संसाधित लागत पत्रप
	कोई दोहराकरण हुआ है।	ी में एमुआपाटा ने कार्य घटा के अलावा, पार्तवाशक राजा मुखाएं र अन्य
1	and are an area of the same of	के लिए निष्क्रिय घटों को संशोधित कर 2628 घंटे कर दिया है)।
	(iv) पुष्टि करें कि ईंधन लागत का	इंघन प्रति लिटर की वास्तविक दर रु० 42.63 है, जिसकी प्रति भेजी
	अनुमान लगाने के लिए अंगीकृत रू० 43.22	
]:	प्रति लिटर की ईंधन दर प्रचलित दर है और	
	इसे अद्यतन बिल की प्रति द्वारा प्रमाणित करें।	(ईंधन की इकाई दर को पत्तन द्वारा अपने पत्र दिनांक 14 मार्च 2012
-	इस अध्यत्न ।वल का आरा धारा अनाम्नर करा	द्वारा प्रेषित संशोधित लागत पत्रक में संशोधित कर रु० 42.67 किया
		गया है)।
1: .	The second secon	TML 611

मरम्मत तथा अनुरक्षण लागत पोतवणिक के लिए रु० 668.50 लाख और फ्लोटिंग क्रेन के लिए रू० 333.04 लाख पर प्रासंगिक पूंजी लागत के 5 प्रतिशत पर अनुमानित की ग़ई है। यह लागत मद मौजूदा पुराने पोतवणिकं के मामले में रू० 484.45 लाख की वास्तविक मरम्मत एवं अनुरक्षण लागत और इसके, पत्र दिनांक 28 जून 2011 द्वारा प्रेषित लागत विवरण में वर्ष 2010-11 के लिए पत्तन द्वारा निर्दिष्ट फ्लोटिंग क्रेन के लिए रु० 88.50 लाख की तुलना में उच्चतर प्रकट होती है। मरम्मत तथा अनुरक्षण लागत का अनुमानन पिछले तीन वर्षों 2008-09 से 2010-11 और 2011-12 (अक्तूबर 2011 तक) के लिए परिचालन में समान क्राफ्ट के लिए प्रोद्भूत वास्तविक मरम्मत एवं अनुरक्षण लागत के संदर्भ में औचित्य बताएं।

मरम्मत और अनुरक्षण लागत अनुमान प्रशुल्क दिशानिर्देशों के अनुसार पूंजी लागत पर 5 प्रतिशत की दर से हैं। हालांकि, वर्ष 2010—11 के लिए मरम्मत एवं अनुरक्षण पर वास्तविक व्यय अनुमानों की अपेक्षा कम था, परन्तु क्राफ्ट की टूटफूट की वजह से इस लागत में बाद में बढ़ोतरी होगी।

(ग). 'पत्तन प्रभार' की नामपद्धति के अधीन अनुमानित व्यय की प्रकृति स्पष्ट करें। इस लागत मद का अनुमान लगाने का आधार गणनाओं के साथ स्पष्ट करें। कृपया पुष्टि करें कि यह व्यय सेवा प्रदाता द्वारा पत्तन को देय रॉयल्टी अथवा राजस्व हिस्सेदारी का भाग नहीं है।

पत्तन प्रमार नामपद्धित के अंतर्गत अनुमानित व्यय दरमान के अनुसार पत्तन को देय पत्तन देयताएं तथा लंगरगाह प्रभार हैं। यह पुष्टि की गई है कि सेवा प्रदाता द्वारा देय रॉयल्टी या राजस्व हिस्सेदारी पत्तन प्रभारों के अधीन शामिल नहीं की गई है।

(घ). पत्तन ने पोतविणक् के लिए रु० 440 लाख और फ्लोटिंग क्रेन के लिए रु० 101.16 लाख के प्रत्यक्ष लेबर लागत का अनुमान लगाया है। इसके अलावा, इन तत्संबंधी क्राफटों के परिसंपत्ति मूल्य के 10 प्रतिशत पर प्रबंधन तथा सामान्य उपरिव्यय अलग से अनुमानित किए गए हैं। इस संबंध में, निम्नलिखित बिन्दु स्पष्ट करें:—

(i). लिक्विड बल्क के अलावा लौह अयस्क टर्मिनल एवं अन्य कार्गों टर्मिनल के लिए दिशानिर्देश अन्य व्यय का अनुमान लगाने के लिए सकल परिसंपत्ति मूल्य का 5 प्रतिशत का प्रतिमानक निर्धारित करते हैं। उपर्युक्त स्थिति के विपरीत, परिसंपत्ति मूल्य के 10प्रतिशत पर अन्य व्यय का अनुमानन दिशानिर्देश प्रावधान के अनुसार नहीं है। निर्धारित प्रतिमानक से विपथन के कारण, यदि कोई हों, स्पष्ट करें।

(ii). 2008 के दिशानिर्देशों के अनुसार, सकल परिसंपत्ति मूल्य के 5 प्रतिशत के निर्धारित प्रतिशानक पर अन्य व्यय के अनुमानन में परिचालन तथा अनुरक्षण स्टाफ के वेतन और मजदूरी तथा प्रबंधन एवं प्रशासन स्टाफ और अन्य विविध व्यय शामिल है।

प्रत्यक्ष लेबर लागत एवं प्रबंधन तथा सामान्य उपरिव्ययों का अनुमान लगाने के लिए पत्तन द्वारा अंगीकृत दृष्टिकोण कर्मचारी लागत के दोहरीकरण के लिए अलग से राशियां दिशानिर्देशों के अनुसार नहीं पाई गई हैं। लेबर पेतविणक के मामले में दर प्रित टन की परिगणना के लिए कार्य पत्रक में, हमने मरम्मतों तथा अनुरक्षण के लिए रु० 668.50 लाख (पूंजी लागत का 5 प्रतिशत), रु० 440.00 लाख प्रत्यक्ष लेबर और रु० 165.68 लाख, प्रबंधन तथा सामान्य उपरिव्यय (मूल्यहास तथा पत्तन प्रभारों के सिवाय परिचालन व्यय का 10 प्रतिशत) पर विचार किया है। कुल रु० 1274.17 लाख परिगणित होता है। पारादीप पत्तन न्यास के मामले में, टीएएमपी ने मरम्मतों एवं अनुरक्षण और अन्य व्ययों के लिए पूजी लागत पर 5-5 प्रतिशत स्वीकृत किया है। टीवी का सकल मूल्य रु० 13,370 लाख परिगणित होता है, जोिक हमारे द्वारा अनुमानित व्यय की अपेक्षा अधिक है। लेबर लागत पर व्यय का कोई दोहरीकरण नहीं है जैसा प्राधिकरण द्वारा देखा गया है।

	तथा स्टाफ के मजदूरी लागत में दोहरीकरण	
	को उपर्युक्त टिप्पणी के आलोक में अनुमानित	
	1 7	
	किए जाने की जरूरत है।	1 0 0 1
1	(ङ). मौजूदा दरमान पोतवणिक के माध्यम	द्रमान में निर्धारित लौह अयस्क की प्राथमिक लदाई तथा अप-टॉपिंग
	से लौह अयस्क की प्राथमिक लदाई तथा	के मौजूदा प्रभार पोतविणकों द्वारा मुगतान किए जाने जारी रहेंगे।
	अपटॉपिंग की वसूली निर्धारित करते हैं जो	
	Order chart an added thanks are a	·
1	सितम्बर 1996 में भारत के उच्चतम न्यायालय	
	के समक्ष सहमति शर्तों के माध्यम से दोनों पक्षों	
ĺ	हारा यथा सहमत क्रमश रु० ७.०२ और रु० ३	
ļ	51 प्रति टन की दर से पोतवणिक पोत स्वामी	
1	से वसूल किया जाएगा। अब प्रस्तावित व्यवस्था	
ļ		·
j	के अधीन सेवा प्रदाता द्वारा परिचालित	
	पोतवणिक / फ्लोटिंग क्रेन के माध्यम से लौह	
	अयरक के प्रहस्तन के लिए समेकित दर	
ł	निर्धारित की जानी है। इस परिदृश्य में स्पष्ट	
		·
1	करें कि क्या दरमान में निर्धारित प्राथमिक	
Ì	लदाई और लौह अयस्क अप–टॉपिंग का	
	मौजूदा प्रभार जारी रहेगा और यदि हां तो कब	
1	से यह प्रशुल्क वसूल किया जाएगा।	
60	पंजी लागतः	
(v).		क्रिक केर की गाँगी जगान भागाम मोगानान नेरिक विज्यानन
	(क). एमओपीटी द्वारा 32 टन फ्लोटिंग क्रेन	फ्लोटिंग क्रेन की पूंजी लागत आवास, प्रोपल्सन, इंजिन डिजाइन,
İ	के लिए उपलब्ध करवाई गई कोटेशन 128.50	उपस्करों तथा क्रेन प्रणाली संस्थापन, आदि जैसी विशिष्टताओं पर
	लाख अमेरिकी डॉलर (अर्थात् 1 अमेरिकी डॉलर	आधारित है। बजटीय कोटेशनें सेवा प्रदाताओं द्वारा नहीं भेजी गई हैं।
1	- रु० 45 की विनिमय दर परिकल्पित करते	,
	हुए रू० 5782.50 लाख) की आधार दर दर्शाती	(तत्पश्चात, एमओपीटी ने अपने द्वारा सुविचारित पूंजी लागत प्रमाणित
	हुए १० 5/82,50 लाख) का आवार पर पराता	करने के लिए फ्लोटिंग क्रेन "एम.वी. मीरामार" के मामले में प्रवेश के
	है। बार्ज प्रहस्तन सुविधा के लिए अपफ्रंट	सीमाशुक्क बिल की प्रति अपने पत्र दिनांक 14 फरवरी 2012 द्वारा मेजी
	प्रशुल्क निर्घारण से संबंधित कांडला पत्तन	, ,
	न्यास से प्राप्त दूसरे प्रस्ताव में, पत्तन ने	थी।)
	फलोटिंग क्रेन की तैनाती परिकल्पित की है	
	और 24.75 लाख यूरो (अर्थात 1 यूरो – रूo	
1	317 24.75 MM 471 (MAIN 1 471 - 50	
İ	71.08 की प्रचलित यूरो दर पर विचार करते	
}	हुए रु० 1901.39 लाख) के जेनसैट, ग्रैब के	
į	साथ लाइमेर की 36 टन फ्लोटिंग क्रेन की	
1	कोटेशन भेजी है। एमओपीटी द्वारा अनुमानित	•
1	पूंजी लागत में देखे गए बड़े अन्तर के	
	W	·
	मद्देनजर, पत्तन को सलाह दी जाती है कि	
	अन्य आपूर्तिकर्ताओं से दोनों क्राफ्ट के लिए	·
1	बजटीय कोटेशन और पूंजी लागत की उपयुक्त	·
	निर्धारण प्राप्त करे जोकि प्रशुल्क के निर्धारण में	·
	महत्वपूर्ण इनपुट है तथा तदनुसार पूंजी लागत	
L	अद्यतन करें।	
	(ख). पूंजी लागत अनुमान अमेरिकी डॉलर	पूंजी लागत अनुमान सेवा प्रदाताओं से बजटीय कोटेशनें प्राप्त होने के
	की मौजूदा विनिमय दर से अद्यतन करें।	बाद संशोधित किए जाएंगे। (एमओपीटी ने बजटीय कोटेशनें नहीं भेजी
		हैं।)
-		
		(तत्पश्चात एमओपीटी ने अपने पत्र दिनांक 14 मार्च 2012 द्वारा प्रेषित
1	1	
1		संशोधित लागत पत्रक में विनिमय दर को अद्यतन कर रू० 49.49 प्रति
		अमेरिकी डॉलर किया है।)
	(ग). अनुमानों में सुविचारित क्राफ्ट पर	सेवा प्रदाताओं द्वारा सूचित किया गया है कि ईपीसीजी के अधीन उन्हें
	ग्रीमाशक्क को यह गावि करने के बाद समीधा	
-	सीमाशुल्क को यह प्राप्त करने के बाद समीक्षा	1 9
	किए जाने की जरूरत है कि क्या इस शुल्क में	
1	कोई रियायत / छूट ईपीसीजी, आदि के अधीन	(एमओपीटी ने फ्लोटिंग क्रेन "एम.वी. मीरामार" के मामले में मुगतान
	[3/6 1/4 4/1\2007 6 4 1/11/4/ ent 1 2 1 1 1	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	इस तरह के आयातकों को उपलब्ध है।	की गई सीमाशुल्क डयूटी के समर्थन में प्रवेश के सीमाशुल्क बिल की
		की गई सीमाशुल्क डयूटी के समर्थन में प्रवेश के सीमाशुल्क बिल की प्रति अपने पत्र दिनांक 14 फरवरी 2012 द्वारा मेजी है।)

(घ). 2005 के प्रशुक्क दिशानिर्देशों के अनुसार, इस प्राधिकरण द्वारा अनुमोदित प्रशुक्क की वैधता तीन वर्ष होगी। इस प्रावधान से लेते हुए, परिसंपत्ति मूल्य पर प्रतिलाम पीपीटी, एनएमपीटी, वीपीटी और वीओसीपीटी पर एचएमसी का किराया निर्धारित करते समय तीन वर्षों की अविध के लिए एचएमसी की औसत लिखित मूल्य पर स्वीकृत की गई है। मौजूदा मामले में यही दृष्टिकोण अनुसरित किए जाने की जरूरत है।

प्राधिकरण द्वारा दी गई सलाह अनुसार, प्रति टन दर का परिकलन संशोधित किया जाएगा।

(एमओपीटी द्वारा अपने पत्र दिनांक 14 मार्च 2012 द्वारा प्रेषित संशोधित लागत पत्रक टिप्पणी का अनुपालन करते हैं।)

जैसाकि हमारे समसंख्यक पत्र दिनांक 6 जुलाई 2011 द्वारा पहले बताया गया है, घोतवणिक तथा फ्लोटिंग क्रेन के लिए प्रशुल्क का निर्धारण 2005 के प्रशुल्क दिशानिर्देशों के खंड 7.2 द्वारा शासित किया जाएगा जिसमें कहा गया है कि उन मामलों में जहां प्राधिकरण व्यवस्था धारा 42 (3) के अधीन बीओटी रियायत करार से इतर है, अधिकतम दरें वैयक्तिक सेवा प्रदाता के संदर्भ के बिना संबद्ध पत्तन पर समान रूप से लागू की जाने वाली ऐसी सेवाओं के लिए निर्धारित की जाएंगी। मार्च 2005 के प्रशुल्क दिशानिर्देशों का खंड 5.9 प्रशुल्क को उत्पादकता के तलचिहन स्तरों से जोड़ने बेहतर निष्पादन के लिए प्रोत्साहन प्रदान करने और तलचिह्न स्तरों से कम कार्यनिष्पादन के लिए हतोत्साहन की अनुशंसा करता है। इसके मद्देनजर कि उपर्युक्त पैरा 3(iii)(घ) में स्पष्ट किए गए कारणों सं पोतवणिक / फुलोटिंग क्रेन की मानक क्षमता के लिए उत्पादकता के तलचिहन स्तर के संदर्भ में इन उपस्करों के लिए कार्यनिष्पादन संबंधित प्रशुल्क प्रस्तावित करें।

पेतविणकों / फ्लोटिंग क्रेनों की मानक क्षमता के लिए उत्पादकता के तलियहन स्तर के संदर्भ में उपस्करों के लिए कार्यनिष्पादन संबंधित प्रशुक्क पर निर्णय लेने के लिए इनपुट सेवा प्रदाताओं से अभी प्राप्त नहीं हुए हैं।

तत्पश्चात, अपने पत्र दिनांक 14 मार्च 2012 द्वारा कहा है कि पूर्व कार्यनिष्पादन आंकड़ों के अभाव में, पत्तन उत्पादकता के तलचिहन स्तरों से ईएलटीएस लिकिंग प्रशुक्क पर योजना तैयार नहीं कर सका है।

(vii). हालांकि पत्तन ने तटीय कार्गो के लिए रियायती प्रहस्तन दर का प्रस्ताव किया है, परन्तु प्रस्तावित दरों पर पहुंचने के समय ऐसी रियायत स्वीकृत करने के राजस्व प्रभाव पर विचार नहीं किया गया है। तटीय कार्गो का परिकल्पित राजस्व प्रभाव, यदि कोई हो, लेने के लिए गणनाओं को संशोधित करना होगा। विदेशी/तटीय कार्गो की हिस्सेदारी पर विचार करने का आधार स्पष्ट करें और पत्तन में समान परिचालनों के लिए पूर्व वारतविक आंकड़ों के संदर्भ में औचित्य बताए।

सेवा प्रदाताओं द्वारा यह पुष्टि की गई है कि, वे केवल विदेशगामी पोतों का प्रहस्तन करते हैं और इसलिए तटीय कार्गों के लिए दरें निर्धारित करने की आवश्यकता नहीं है।

- 7.1. इस मामले में संयुक्त सुनवाई 19 जनवरी 2012 को निर्धारित की गई थी और तदनुसार स्टेकहोल्डरों को संयुक्त सुनवाई का नोटिस जारी किया गया था। प्रत्युक्तर में, जीएमओईए ने अपने पत्र दिनांक 9 जनवरी 2012 द्वारा बताया था कि स्पष्टीकरण जैसे उनके पूर्ववर्ती पत्र दिनांक 28 अक्तूबर 2011 द्वारा मांगे गए दिशानिर्देशों के दायरे तथा अनुप्रयोज्यता, आदि उनसे प्राप्त नहीं हुए थे और, इसलिए, 19 जनवरी 2012 को होने वाली संयुक्त सुनवाई को टालने का सुझाव दिया गया था।
- 7.2. इस संबंध में, पत्र दिनांक 11 जनवरी 2012 द्वारा जीएमओईए को सूचित किया गया था कि एमओपीटी द्वारा दाखिल किया गया विषय प्रस्ताव मार्च 2005 के प्रशुल्क दिशानिर्देशों के खंड 7.2 द्वारा शासित किया जाएगा और इस मामले में संयुक्त सुनवाई यथा निर्धारित आयोजित की जाएगी। जीएमओईए को यह भी सूचित किया गया था कि इसके द्वारा अपने पत्र दिनांक 28 अक्तूबर 2011 द्वारा प्रेषित टिप्पणियां एमओपीटी को उसकी अभ्युक्तियों के लिए पहले ही अग्रेषित किया गया था; और, एमओपीटी ने जीएमओईए की टिप्पणियों पर अपनी टिप्पणियां मेजी हैं।

- 8.1. इस मामले में संयुक्त सुनवाई 19 जनवरी 2012 को एमओपीटी परिसर में आयोजित की गई थी। एमओपीटी ने अपने प्रस्ताव का पावर प्वाइंट प्रस्तुतीकरण दिया था। जीएमओईए ने एमओपीटी के प्रस्ताव पर अपने मतों का पावर प्वाइंट प्रस्तुतीकरण दिया था। संयुक्त सुनवाई में, एमओपीटी और संबद्ध उपयोक्ताओं/संगठन निकायों ने अपने निवेदन प्रस्तुत किए थे।
- 8.2. जीएमओईए ने अपने पावर प्वाइंट प्रस्तुतीकरण में, उपर्युक्त 8.1 में उल्लिखित, अतिरिक्त निवेदन किए थे जिन्हें नीचे सारबद्ध किया गया है:-
 - (i). पोतविणक निजी पक्षों के कुल निवेश हैं। बर्थ सं 9 के शुरू होने से पहले वे परिचालन में रहे हैं। ये सुविधाएं पत्तन परिचालनों को कॉम्पलीमेंट करते हैं और पत्तन को मात्राओं तथा राजस्वों को बढ़ाते हैं।
 - (ii). जीएमओईए को अधिकतम दर निर्धारित किए जाने पर कोई आपत्ति नहीं है।
 - (iii). मौजूदा पोतविणक करार विनिर्दिष्ट की जाने वाली अधिकतम दर के लिए हैं।
 - (iv), इन करारों में से कुछ करार बर्थ सं. 9 प्रहस्तन प्रभार की अधिकतम सीमा उपलब्ध व्हारवाते हैं।
 - (v). यदि आवश्यक हो तो बर्थ सं. 9 प्रहस्तन प्रभारों को टी/वी/एफ/सी के लिए अधिकतम दर के रूप में लिया जा सकता है (सिवाय पोतविणक लदाई पर एमओपीटी को देय वसूलियां/प्रमार जोकि एक अतिरिक्त लागत है तथा प्रशुक्क वसूल करेगा)। एमओएचपी बी/9 एक तट—आधारित सुविधा होने के नाते, लागतें काफी कम होंगी। इसके अलावा, बी/9 के पास पत्तन द्वारा उपलब्ध करवाई गई गारंटीशुदा कार्गो मात्रा है, जो टीवी/एफसी द्वारा लदाई के लिए किसी पोत को अनुमति देने से पहले एमओएचपी, यदि निकिय रहता है, को पोतों को निदेश देता है।
 - (vi). एमओपीटी के साथ कुछ पोतविणक करारों के अनुसार पोतविणक प्रमारों की योजना को माननीय सुप्रीम कोर्ट में सहमत शर्तों के अधीन दाखिल किया गया है। किन्हीं बदलावों की विधिक विवीक्षाएं हो सकती हैं जिनपर विचार किए जाने की जरूरत है।
 - (vii). एमओपीटी पहले से पोतविणक लेवी, सीएचएलडी लेवी और घाटशुक्क के द्वारा पोतविणक लदाई पर प्रभारों को वसूल करता है और सीआरसी जैसे पाइलटेज, लंगरगाह प्रभार, खादि द्वारा राजस्व भी अर्जित करता है। अतः पोतविणक लदाई प्रशुक्क पर एमओपीटी को अतिरिक्त राजस्व हिस्सेदारी का कोई औचित्य नहीं है।
 - (Viii). क्षमता, उपस्कर, सुरक्षा, स्पष्टीकरण/श्रेणी, पोनदून/पोत जिसपर उपस्कर संस्थापित किया जाता है के आधार पर विमिन्न टीवी/एफसी के बीच पूंजी और परिचालनात्मक लागतों में काफी मिन्नता है। इसलिए, लागतों के मानकीकरण में मुश्किल है। किसी भी मामले में, पत्तन को लागतें टीवी/एफसी स्वामियों द्वारा उपलब्ध करवाई जाती रही हैं।
 - (ix). टीएएमपी द्वारा मांगे गए ताजे आंकड़ों (जैसे संशोधित प्रशुक्क प्रस्ताव) अथवा प्रशुक्क निर्धारित करने के आधार में महत्वपूर्ण बदलाव के मामले में, हम टीएएमपीसे अनुरोध करते हैं कि टीएएमपी हमें सूचित करे और हमें टिप्पणियां करने का अवसर प्रदान करे।
- 9.1. संयुक्त सुनवाई में लिए गए निर्णयों के आधार पर, कार्रवाई शुरू करने और हमारे पत्र दिनांक 24 जनवरी 2012 द्वारा अपेक्षित सूचना/स्पष्टीकरण भेजने की सलाह दी गई थी। एमओपीटी ने अपने पत्र दिनांक 14 फरवरी 2012 द्वारा अपना प्रत्युत्तर भेजा था। संयुक्त सुनवाई में लिए गए निर्णयों और एमओपीटी के प्रतिसाद को नीचे तालिकाबद्ध किया गया है:--

क्र.स	संयुक्त सुनवाई में लिए गए निर्णय	एमओपीटी का प्रतिसाद
(i).	एमओपीटी द्वारा प्रेषित जवाब दिनांक 5 जनवरी 2012	प्राधिकरण द्वारा दी गई सलाह के अनुसार, पोतविणक तथा
	में अंगीकृत प्रतिमानकों के लिए औचित्यों, पूंजी जागत,	फ़्लोटिंग क्रेन के मामले में प्रति टन दर के परिकलन के
	क्षमता निर्धारण आदि जैसे महत्वपूर्ण मुद्दों को संबोधित	लिए लागत पत्रकों पर दोबारा कार्य किया गया है। फ्लोटिंग
	नहीं किया गया है। पत्तन को अपने प्रतिसाद पर	क्रेन की पूंजी लागत सेवा प्रदाता द्वारा प्रस्तुत किए गए
	विस्तार से पुनर्विचार करना चाहिए और उठाए गए	प्रवेशबिल दस्तावेजों के अनुसार सुविचारित किया गया है।
	प्रश्नों पर प्रत्युत्तर भेजना चाहिए।	(एमओपीटी ने फ़्लोटिंग क्रेन की पूँजी लागत के समर्थन में
		32 टन फ्लोटिंग क्रेन ''एम.वी. मीरामार'' के आयात के संबंध
		में प्रवेश के सीमाशुल्क बिल दिनांक 14 अक्तूबर 2011 की
		प्रति भेजी है।) पोतवणिक/फ्लोटिंग क्रेन का क्षमता निर्धारण

(iii)

(ii). पत्तन को यह सुनिश्चित करने के लिए प्रशुल्क गणनीं को दोबारा देखना चाहिए कि पोतविणकों/फ्लोटिंग क्रेनों द्वारा देय सभी पत्तन प्रभार अधिसूचित दरमान के अनुसार विधिवत् लागू किए जाएं।

पत्तन पुष्टि करे कि प्रश्नाधीन पोतविणक / फ्लोटिंग क्रेनें वर्ष में केवल 8 माह के लिए प्रचालन कर सकती हैं और उन्हें शेष 4 महीनों के दौरान कहीं भी प्रचालन की अनुमित नहीं दी जा सकती। इस सबंध में, कुछ उपयोक्ताओं ने उन परिचालनों के बारे में संयुक्त सुनवाई के दौरान कहा था जो पत्तन कोटेशन आमंत्रित करते हुए तदर्थ प्रशुक्क आधार पर मूरिंग डॉलिंफनों पर चलाता है। पत्तन इस संबंध में बोलीकरण के आधार पर पत्तन द्वारा वसूल किए गए प्रशुक्क, यदि कोई हो, की सांविधिक वैधत स्पष्ट करते हुए विस्तृत नोट भेजे।

पिछले वर्ष की मानसून अवधि (जून से सितम्बर) के दौरान वास्तविक कार्य घंटों को ध्यान में रखते हुए संशोधित किया गया है। पोतवणिक तथा फ्लोटिंग क्रेन द्वारा प्रहस्तित किए जाने की संभावना वाले मीट्रिक टन में अतिरिक्त मात्रा मानसून अवधि के दौरान क्रमशः 2 लाख मीट्रिक टन और 3 लाख मीट्रिक टन होगी। इसे जून 2010 से सितम्बर 2010 तक और जून 2011 से सितम्बर 2011 तक मानसून अवधि के दौरान पोतंवणिक तथा फ्लोटिंग क्रेन द्वारा प्रहस्तित वास्तविक मात्रा पर विचार करते हुए अंगीकृत किया गया है। ट्रायल आधार पर वर्ष 2010 के दौरान, पत्तन ने टी.वी. बल्क प्रोस्पेरिटी, टी.वी. प्रियंवदा तथा फ्लोटिंग क्रेन डोना पाउला की अनुमति दी थी। इन पोतों ने क्रमशः 97,690 टन, 69,015 टन और 1,85,360 टन की कुल मात्रा प्रहस्तित की थी क्योंकि पोतों को रोटेशन आधार पर परिचालन करने की अनुमित दी गई थी। वर्ष 2011 में, मानूसन के दौरान मूरिंग डॉल्फिन पर परिचालन के लिए केवल फ़्लोटिंग क्रेन डोना पाउला को अनुमति दी गई थी जिने कुल 2,89,301 मी.ट. की कुल मात्रा प्रहस्तित की थी।

पोतविणिक के संशोधित लागत विवरण में, सभी पत्तन प्रभारों नामतः पत्तन देयताएं / लंगरमाड़ा (रु० 15.37 लाख), पोतविणिक प्रभार (रु० 220.79 लाख) (प्राइमरी तथा अपटॉपिंग प्रभार) सीएचएलडी लेवी (रु० 463.31 लाख) और फ्लोटिंग क्रेन के मामले में पत्तन देयताएं (रु० 5.42 लाख) पोतविणिक प्रभार (रु० 139.11 लाख) सीएचडी लेवी (रु० 291.91 लाख) को लेखा में लिया गया है और तदनुसार दर प्रति टन परिगणित की गई है।

(तत्पश्चात, एमओपीटी ने अपने पत्र दिनांक 14 मार्च 2012 द्वारा पोतवणिकों तथा फलोटिंग क्रेनों के परिकलन में सुविचारित पत्तन प्रभारों को संशोधित किया है। एमओपीटी द्वारा प्रेषित ब्योरे अनुवर्ती अनुच्छेद में दिए गए हैं।

खराब मौसम परिस्थितियों की वजह से मानसून अवधि के दौरान, यह संभव नहीं है कि मिड-स्ट्रीम / वैस्ट ऑफ ब्रेक बॉटर में लौह अयस्क यातायात का प्रहस्तन किया जाए और इसलिए मूरिंग डॉल्फिनों पर लौह अयस्क यातायात का प्रहस्तन करने के लिए ट्रेड से मांग की गई है। 2011 के मानसून मौसम के दौरान, पत्तन ने फ्लोटिंग क्रेन डोना पाउला को मूरिंग डॉल्फिन पर परिचालन के लिए अनुमति दी गई थी जिसने कुल 2,89,301 मी.ट. की कुल मात्रा प्रहस्तित की थी। लौह अयस्क कार्गो की अनुपलब्बता और अन्य प्रतिबंधों की वजह से, यह साध्य नहीं है कि 4 महीनों की मानसून अवधि के दौरान पोतविणकों द्वारा लौह अयस्क यातायात के प्रहस्तन की अनुमति दी जाए। अतः मानसून अविध के दौरान लौह अयस्क के प्रहस्तन के लिए 3 महीनों पर विचार किया गया है और तदनुसार पोतवणिक / फुलोटिंग क्रेन की क्षमता संशोधित विवरणों में बढ़ाई गई है, जैसाकि उपर्युक्त (i) पर जवाब में उल्लिखित किया गया है।

मूरिंग डॉल्फिन पर लौह अयस्क के प्रहस्तन के लिए पत्तन द्वारा तदर्थ प्रशुल्क की वसूली पर उपयोक्ताओं द्वारा कही गई बातों के संदर्भ में, एमओपीटी ने विस्तृत नोट भेजा है। एमओपीटी द्वारा उक्त नोट में कही गई मुख्य बातों को नीचे सारबद्ध किया गया है:—

 लौह अयस्क एमओपीटी में चार भिन्न-भिन्न स्थानों अर्थात् अभियांत्रिक अयस्क प्रहस्तन संयत्र (एमओएचपी)

बर्ध सं. 9, मूरिंग डॉल्फिनों, पोतविणक / फ्लोटिंग क्रेनों और बाह्य लगरगाहों (डब्ल्यूओबी) पर जलयान के अपने गियरों द्वारा लदाई की जा रही है।

 मानसून अवधि (जून से सितम्बर) के दौरान पोतवणिक/फ्लोटिंग क्रेन परिचालन और जलयान के

अपने लदाई बाह्य लंगरगाह पर बन्द हैं।

 बाह्य लंगरगाह परिचालनों के बन्द होने की वजह से मांग को पूरा करने के लिए, ओपरेबल पोतविणकों/फ्लोटिंग क्रेनों को रुठ 65/- प्रति टन जिसमें सीएचएलडी लेवी, घाटशुल्क और पोतविणक प्रभार शामिल हैं, का समेकित प्रभार वसूल करते हुए जून 2010 से मूरिंग डॉल्फिनों पर कार्गो परिचालनों के लिए अनुमति दी गई थी।

पत्र सं. सीपीटी(98) / 2010 / 1335 द्वारा प्रस्ताव टीएएमपी
को मंजूरी के लिए प्रस्तुत किया गया था। प्राधिकरण
द्वारा मांगे गए स्पष्टीकरण हमारे समसंख्यक पत्र सं. 78

दिनांक 24 नवम्बर 2010 द्वारा भेजे गए थे।

 पत्तन उपयोक्ताओं अर्थात् सीजीय् लोजिस्टिक्स लि0, मै0 प्राइम मिनरल एक्सपोटर्स प्राठ लि0, मै0 फोमेन्टो इंडस्ट्रीज प्राइवेट लिमिटेड और मै0 हीरालाल एंड कम्पनी लि0 पत्तन द्वारा तत्समय निर्धारित प्रशुक्क से सहमत थे।

लगातार मांग के मद्देनजर, एमओपीटी ने दो अतिरिक्त
मूरिंग डॉल्फिनों अर्थात् एमडी4एंडऽ और एमडी5एंड६ के
निर्माण की कार्रवाई की है जो क्रमंशः 8 मार्च 2011 और
11 मई 2011 को पूरा हो गया था। जलयान दिवस
आउटपुंट बढ़ाने के लिए, नए एमडी स्थानों पर
पोतविणिकों /फ्लोटिंग क्रेनों द्वारा परिचालनों की अनुमति
देने का निर्णय लिया गया था।

 राजस्त हिस्सेदारी आघार पर अनुवर्ती मानसून अवधि (17 जून 2010 से 16 अक्तूबर 2010) के लिए एमडी4एंड5 (एमडी4एंड5 शामिल नहीं किया गया है क्योंकि निकर्षण पूरा नहीं हुआ था) के परिचालनों के लिए टेंडर आमंत्रित

किए गए थे।

 सफल बोलीदाता मैं मरीन इंफ्रास्ट्रक्चर (गोवा) प्रा0 ति0 ने सीएचएलडी लेवी तथा पोतविणक प्रभारों के अलावा एमडी4एंड5 पर उसकी फ्लोटिंग क्रेन एम.वी. डोरा पाउला के परिचालनों के लिए रु0 34.95 की अधिकतम राजस्व हिस्सेदारी उद्धिरत की थी। (एमओपीटी ने कहा था कि सफल बोलीदाता से प्राप्त पत्र की प्रति संदर्भ के लिए संलग्न की गई है। तथापि, एमओपीटी के पत्र दिनांक 14 फरवरी 2012 के साथ ऐसा संलग्नक हमें प्राप्त नहीं हुआ था।)

 इसी बीच, टीएएमपी दिशानिर्देशों का अनुसरण करते हुए फ्लोटिंग क्रेन और पोतविणक के परिचालनों के लिए कार्गो प्रहस्तन प्रभार परिगणित किया गया था और इसके अनुमोदन के लिए प्राधिकरण को अग्रेषित किया गया था।

इसके अलावा, 17 जून 2011 से 16 अक्तूबर 2011 तक पिछले मानसून मौसम के लिए टीएएमपी को भेजे गए प्रस्तावित कार्गो प्रहस्तन प्रभारों के आधार पर राजस्व हिस्सेदारी आधार पर एमडी4एंड5 और एमडी5एंड6 पर फ्लोटिंग क्रेन तथा पोतविणक के परिचालनों के लिए टेंडर आमंत्रित किया गया था, परन्तु इस टेंडर को कोई प्रतिसाद नहीं मिला था।

- (iv). पत्तम ने जल्लेख किया है कि वर्तमान में पोतवणिकों / फ्लोटिंग क्रेनों से कुछ प्रमारों की वसूली पहले माननीय उच्चतम न्यायालय के समक्ष दर्ज किए गए सहमति शर्तों पर आधारित हैं। पत्तन इस संबंध में एक विस्तृत नोट भेजे और पुष्टि करे कि वर्तमान प्रस्ताव उक्त सहमत शर्तों में किसी तरह का बदलाव नहीं करता है।
- (क). विचाराधीन प्रस्ताव, पोतवणिकों / फलोटिंग क्रेन परिचालकों द्वारा पोतविणकों से वसूल किए जाने वाले कार्गी प्रहस्तन प्रभारों के लिए अधिकतम दर के निर्वारण के लिए ही है। दरमान के अनुसार, मौजूदा दरें अर्थात प्राथमिक लदाई के लिए प्रभार और पोतवणिकों के माध्यम से लौह अयस्क का अपटॉपिंग पोतवणिक पोत/फुलोटिंग क्रेन स्वामियों से क्रमशः 🕏 7.02 और रू० 3.51 प्रति टन की दर से वसूल किया जाएगा। उपर्युक्त दरों पर पोतवणिक स्वामियों और पत्तन के बीच सितम्बर 1996 के दौरान भारत के माननीय उच्चतम न्यायालय क्रे समझ सहमति थी। तथापि, पोतवणिकों के परिचालन के लिए मौजूदा लाइसेंसों की समीक्षा की जाएगी और टेंडर के माध्यम से नया लाइसेंस दिया जाएगा, राजस्व हिस्सेदारी एकमात्र अवरोध है ताकि परिचालक के चयन में पारदर्शिता हो।
- 9.2. एमओपीटी ने संयुक्त सुनवाई में लिए गए निर्णयों के अपने प्रत्युत्तर के साथ पौतवणिक तथा फ्लोटिंग क्रेन के लिए संशोधित लागत पत्रक भी भेजे हैं। संशोधित लागत पत्रक में एमओपीटी द्वारा किए गए मुख्य संशोधन नीचे सारबद्ध किए गए हैं...
 - (i). पोतविणक तथा फ्लोटिंग क्रेन की सर्वोत्तम क्षमता में मानूसन अविध के दौरान अनुमानित कार्गो प्रहस्तन को शामिल किए जाने की वजह से क्रमशः 2 लाख टन प्रतिवर्ष और 3 लाख टन प्रतिवर्ष की वृद्धि की है।
 - (ii). फ्लोटिंग क्रेन की पूजी लागत अक्तूबर 2011 के दौरान आयातित 32 टन फ्लोटिंग क्रेन ''एम.वी. मीरामार'' की वास्तविक लागत के अधार पर क्रमशः रूठ 66.61 करोड़ से रूठ 70.64 करोड़ संशोधित की गई हैं।
 - (iii). ईंघन लागत के अनुमानन में, प्रत्येक पोतविणक और फ्लोटिंग क्रेन के कार्य घंटे 2978.40 घंटों से बढ़ाकर 4095. 30 घंटे किए गए हैं जो पत्तन द्वारा सुविचारित वर्धित क्षमता के आधार पर दिखाई देती है। फ्लोटिंग क्रेनके मामले में निक्किय घंटों को 8760 घंटों से घटाकर 2628 घंटे किया गया है।
 - (iv). ईंधन की इकाई दर को संशोधित कर रू० 43.22 प्रति लिटर से रू० 42.67 प्रति लिटर किया गया है।
 - (v). पोतवणिक के मामले में पत्तन प्रभारों को, पत्तन देयताओं / लंगरगाह प्रभारों, प्राथमिक लदाई तथा अपटॉपिंग प्रभारों, सीएचएलडी लेवी, आदि को शामिल करते हुए रु० 9.70 लाख से बढ़ाकर रु० 699.47 लाख किया गया है। इसी प्रकार, फ्लोटिंग क्रेन के मामले में पत्तन प्रभारों को रु० 5.71 लाख से बढ़ाकर रु० 436.45 लाख किया गया है।
 - (vi). पोतविष्मक के प्रबंधन तथा प्रशासन उपरिव्यय संशोधित परिचालन व्यय घटाव मूल्यहास तथा पत्तन प्रभार के 10 प्रतिशत के आधार पर रू० 165.68 लाख से रू० 173.49 लाख किया गया है। इसी प्रकार, फ्लोटिंग क्रेन के प्रबंधन तथा प्रशासनिक उपरिव्यय रू० 69.43 से संशोधित कर रू० 70.77 लाख किए गए हैं।
 - (Vii). संशोधित लागत पत्रकों के अनुसार, एमओपीटी ने पोतविणक तथा फ्लोटिंग क्रेन के मामले में रु० 141/- तथा रु० 116/- प्रति टन की पूर्व प्रस्तावित दरों की तुलना में क्रमशः रु० 154/- और रु० 124/- प्रति टन की दर से प्रहस्तन दरों का प्रस्ताव किया है।
- 10.1. संयुक्त सुनवाई में, उपयोक्ताओं को विषय प्रस्ताव पर एमओपीटी को पृष्ठांकित प्रति के साथ इस प्राधिकरण को अपनी लिखित टिप्पणियां, यदि कोई हों, भेजने के लिए एक सप्ताह का समय दिया गया था। सीजीयू लॉजोस्टिक्स लि0 और गोवा मिनरल ऑर एक्सपोटर्स एसोसिएशन ने अपनी टिप्पणियां भेजी है। एमओपीटी ने भी अपना प्रतिसाद भेजा है।
- 10.2. गोवा मिनरल ऑर एक्सपोटर्स एसोसिएशन (जीएमओईए) ने अपने पत्र दिनांक 13 मार्च 2012 द्वारा अपने पत्र दिनांक 14 फरवरी 2012 द्वारा एमओपीटी के प्रतिसाद पर और टिप्पणियां भेजी थीं।

- 11. एमओपीटी परिसर में टीएएमपी अधिकारी के साथ अधिकारी स्तरीय बैठक के बाद, एमओपीटी ने अपने पत्र दिनांक 14 मार्च 2012 द्वारा अतिरिक्त सूचना/स्पष्टीकरण भेजी थी और लागत पत्रकों को भी संशोधित किया था। लागत पत्रक में किए गए संशोधनों के साथ अतिरिक्त सूचना/स्पष्टीकरण नीचे सारबद्ध किए गए हैं:--
 - (i). वर्ष 2013—14 और 2014—15 के लिए पोतविणकों द्वारा प्रहस्तित किए जाने के लिए अनुमानित लौह अयस्क यातायात 1.5 मिलियन टन प्रति है।
 - (ii). पोतविणकों तथा फ्लोटिंग क्रेन की रेटिड क्षमता क्रमशः 30000 टन प्रतिदिन और 32000 टन प्रतिदिन है। यह क्षमता प्राप्त की गई कोटेशनों के आधार पर सुविचारित की गई है।
 - (iii). पोतविषक तथा फ्लोटिंग क्रेन की सर्वोत्तम क्षमता वर्ष 2010—11 के लिए 20.28 लाख टन (बल्क प्रोसपेरिटी) और 22.77 लाख टन (डोना पाउला) की वास्तविक क्षमता की अपेक्षा प्रतिमानकों में मिर्घारित 70 प्रतिशत उपयोगिता के अधार पर संशोधित कर क्रमशः 53.10 लाख टन और 32.81 लाख टन की गई है।
 - (iv). यह प्राधिकरण एनएमपीटी, पीपीटी तथा केपीटी पर हारबर मोबाइल क्रेन के साथ इस पत्तन पर तैनात की गई पोतवणिक/फ्लोटिंग क्रेनों की तुलना कर रहा है। यह सूचित किया गया है कि ये क्रेनें एमओपीटी पर परिचालित होने वाली विभिन्न विशिष्टकरण हैं। इन उपस्करों के लिए उत्कृष्ट कार्य परिस्थितियों की आवश्यकता होती है, और इसलिए इसकी तुलना नहीं की जा सकती।
 - (v). पोतविणक (बल्क प्रोसपेरिटी) और फ्लोटिंग क्रेन (डोना पाउला) के मामले में वर्ष 2010–11 के लिए वास्तविक पोत संबंधित प्रभारों अर्थात पत्तन देयताएं, पाइलटेज, लंगरगाह, स्थानांतरण प्रभार, बर्थ किसवा, आदि अंगीकृत किया गया है। इसी तरह, कार्गी संबंधित प्रभारों अर्थात पोतविणक लेवी (सीएचएलडी लेवी), प्राइमरी/अपटॉपिंग प्रभारों, उनपर लेवी सिहत, के मामले में पत्तन प्रभारों के रूप में विचार किया गया है। कार्गी प्रहस्तन प्रभारों के परिकलन में सुविचारित पत्तन प्रभारों के ब्योरे नीचे दिए गए हैं:--

(रू० लाखों में) फुलोटिंग क्रेन पोतवणिक विवरण 32.81 53.10 सर्वोत्तम क्षमता (लाख टर्ना में) पोत सबंधित प्रभार पत्तन देयताएं, लंगरगाह प्रमार आदि (वर्ष 2010-11 के वास्तविकताओं के 15.37 5.42 कार्गो संबंधित प्रभार 387.47 (i). पोतवणिक अकार्ड लेवी (सीएचएलडी लेवी) @ रु011.81 प्रति टन 627.11 172.57 279.31 (ii). प्राथमिक लदाई तथा अपटॉपिंग प्रभार @ रु० 5.26 प्रति टन (औसत) 19.55 12.08 (iii). पेंशन लेवी @ 7% उपर्युक्त (ii) पर 577.54 941.34

- (vi). पोतविणक / फ्लोटिंग क्रेन द्वारा ईंधन उपभोग पर आंकड़ें सेवा प्रदाताओं द्वारा व्यवस्थित नहीं किए जाते हैं। तथापि, सेवा प्रदाताओं ने अपने पूर्व अनुभव के आधार पर पोतविणक तथा फ्लोटिंग क्रेन के लिए कार्य तथा निष्क्रिय घंटों के लिए अलग—अलग ईंधन उपमोग भेजे हैं। एमओपीटी ने फ्लोटिंग क्रेन के मामले में वर्ष 2010—11 के लिए ईंधन उपभोग के ब्योरे दर्शाते हुए विवरण की प्रति भेजी है। पोतविणकों तथा फ्लोटिंग क्रेनों के मामले में ईंधन उपभोग के लिए कार्य घंटे सर्वोत्तम क्षमता तथा प्रहस्तन दर प्रति घंटा के आधार पर सुविचारित किए गए हैं। ईंधन उपभोग के लिए निष्क्रिय घंटे पोतविणक तथा फ्लोटिंग क्रेन के प्रत्येक के लिए 2628 घंटों पर विचार किया गया है।
- (vii). दोनों क्राफ्टों के लिए पहले जमा की गई बजटीय कोटेशनों पर प्रशुल्क निर्धारण के प्रयोजन से विचार किया जाए। फ्लोटिंग क्राफ्ट की पूंजी लागत 32 टन क्षमता की हाल ही में आयातित फ्लोटिंग क्रेन के आधार पर अद्यतन की गई है। पूंजी लागत भी रू० 49.49/अमेरिकी डॉलर की मौजूदा विनिमय दर से अद्यतन किया गया है।
- (viii). आरओसीई के प्रयोजन के लिए, 3 वर्षों के लिए औसत लिखित मूल्य प्राधिकरण द्वारा यथा सुझाव के अनुसार सुविचारित की गई है।

- (ix). उत्पादकता के तलचिहन स्तर से प्रशुल्क को जोड़ने के संबंध में, पूर्व निष्पादन आंकड़ों के अमाव में, पत्तन ईएलटीएस पर योजना तैयार नहीं कर सकता।
- (x). एमओपीटी ने पोतविणक और फ्लोटिंग क्रेन के लिए संशोधित लागत पत्रक भेजे हैं। प्रस्तावित दरों पर पहुंचने के लिए पत्तन द्वारा भेजी गई संशोधित गणना नीचे दी गई है:--

죠.	विवरण	पोत्वणिक पोत	(30 टीपीडी)	फ्लोटिंग क्रे	फ्लोटिंग क्रेन (32 टन)		
₹.	\$	गणना	राशि (रु0 लाखों में)	गणना	राशि (रु० लाखों में)		
(1)	कुल पूजी लागत	(अ.डा. 26 मिलियन	14654.14	(अ.डा.118.90	7050.00		
		x ₹0 49,49 प्रति		मिलियन x रु0			
		अ.डा) + 10%		49.49 प्रति अ.			
	,	सीमाशुल्क और	1. 4	डा.) + रु0	,		
		रु० ५०० लाख		937.34 लाख			
		टोइंग लागत के	,	सीमाशुल्क के			
		लिए		लिए + रु0			
			:	251.28 लाख			
				टोइंग लागत			
	i .		2 .	के लिए + रु०			
				13.02 लाख			
·	<u>i</u>			बीमा के लिए			
(ii).	क. परिकलित क्षमता		·	<u> </u>			
	उपलब्ध पारियां प्रतिवर्ष	365 * 3	1095.00	365 * 3	1095.00		
	उपयोगिता के प्रतिमानक		70%		70%		
	क्षमता पारियों में प्रतिवर्ष	1095 * 70%	766.50	1095 * 70%	766.50		
	कार्य घंटों की संभावित संख्या	766.50 * 8	6132.00	766.50 * 8	6132.00		
	। प्रतिवर्ष			- 1			
	साफ मौसम में 8 महीनों के लिए	6132 * 8/12	4088.00	6132 *8/12	4088.00		
	कार्य घंटों की संभावित संख्या	·]			
	दरित क्षमता प्रति घटा (टनों में)	30000/24	1250.00	17500/24	729.17		
	दरित क्षमता प्रतिवर्ष	30000 * 365	10950000	17500 * 365	6387500		
	दर की गणना के लिए स्विचारित			729.17			
	मात्रा (टन) (8 महीने)	1250 टीपीएच • 4088	5110000	टीपीएच •	2980833		
	जोड़े मानसून अवधि			4088			
	(जून-सितम्बर) में प्रहस्तित किया		000000				
	जाने वाला यातायात		200000	-	. 300000		
	कुल मात्रा		E240000				
(iii).	परिचालन लागत		5310000		3280833		
· ·	TO VALLET VIEW			(96) * (4088 +	·		
		(175) * (4088 +		411 मानसून			
	·	160 मानसून		परिचालन घंटे			
	- to	परिचलालन घटे) +	•) + निष्क्रिय @ू			
i	(क). ईंधन लागत @ रु042.67	निष्क्रिय @ ₹42.67	373.28	₹0 42.67 * 12	197.75		
- 1	·	* 50 * 2628		* 2628			
ļ		= 317.21 + 56.07		= 184.29 +			
	(ख). मरम्मत और अनुरक्षण लागत		732.71	13.46	352.50		
- 1	पूंजी लागत का 5 प्रतिशत						
	(ग). बीमा पूंजी लागतों का 1		146.54		70.50		
	प्रतिशत		j				
. [(घ). मूल्यहास @ 10.34%		1417.23		728.97		
	(ङ) पत्तन प्रभार		941.34		577.54		
- !	(6),9(0),91(1		· , I	977.04		

	(छ). प्रबंधन तथा प्रशासन उपरिव्यय मूल्यहास तथा पत्तन प्रभारों के सिवाय परिचालन व्ययों पर 10 प्रतिशत की दर से	·	169.25		72.19
	कुल (क) से (छ)		4220.35		2100.61
(īv).	आरओसीई — पूंजी लागत का 16 प्रतिशत	-	1924.35	-	829.15
(v).	कुल लागत जमा निवेश पर प्रतिलाम		6144.70		2929.76
(vi).	किराया प्रभार प्रति टन (विदेशी)		116.72	_	89.30

- 12. इस मामले में परामर्श से संबंधित कार्यवाहियां इस प्राधिकरण के कार्यालय में अमिलेखों में उपलब्ध हैं। प्राप्त हुई टिप्पणियों और संबद्ध पक्षों द्वारा की गई टिप्पणियों का सार प्रासंगिक पक्षों को अलग से मेजा जाएगा। ये ब्योरे हमारी वेबसाइट http://tariffauthority.gov.in पर भी उपलब्ध करवाए जाएंगे।
- 13. इस मामले की कार्यवाही के दौरान प्राप्त की गई समग्र सूर्वेंना के संदर्भ में, निम्नलिखित स्थिति प्रकट होती हैं-
 - (i). एमओपीटी ने केंद्रीय सरकार के अनुमोदन से ऐसे क्रॉफ्टों के स्वामियों के साथ करार करते हुए वर्ष 1981 से पत्तन सीमाओं के भीतर बाह्य लंगरगाह में लौह अयस्क की लदाई के लिए पोतविणक पोत (टीवी) की तैनाती की अनुमति दी थी। जब यह स्थिति थी कि पोतविणक स्वामी पोतों की टॉपिंग के लिए मिडस्ट्रीम में उपलब्ध करवाई गई सेवाओं के लिए आयातकों से प्रभार वसूल करते थे को वर्ष 2000 में एमओपीटी में दरमानों के सामान्य संशोधन से संबंधित कार्यवाहियों के दौरान इस प्राधिकरण के नोटिस में लाया गया था, इस प्राधिकरण ने तत्काल एमओपीटी को अलर्ट किया था कि ये सेवाएं एमपीटी एक्ट, 1963 की धारा 42 (3) के दायरे में आती हैं और पोतविणकों द्वारा प्रभारित प्रभारों को इस प्राधिकरण द्वारा विनियमित किया जाना है। मार्च 2005 प्रशुक्क दिशानिर्देशों की अधिसूचना के बाद, एमओपीटी को दोबारा सूचित किया गया था कि पोतविणक परिचालनों के लिए प्रभार उक्त दिशानिर्देशों के खंड 7.2 के अनुसार निर्धारित किए जाने हैं। एमओपीटी ने वर्ष 2011 में मिडस्ट्रीम में पोतविणक परिचालनों के लिए इस प्राधिकरण द्वारा दर के निर्धारण के लिए अपने प्रस्ताव अंततः दाखिल किया था कि इस संबंध में पोत परिवहन मंत्रालय से इसके द्वारा निरंश प्राप्त होने के बाद मी था।
 - (ii). धारा 48 के साथ पिठत महापत्तन न्यास अधिनियम, 1963 की धारा 42(4) अपेक्षा करती है कि यह प्राधिकरण एमपीटी एक्ट की धारा 42 (3) के अधीन प्राधिकृत व्यक्तियों द्वारा उपलब्ध करवाई गई चिहिनत सेवाओं के मामले में दरें निर्धारित करे। ऐसे मामलों में जहां धारा 42 (3) के अधीन अधिकरण करार बीओटी रियायत करार के तरीके से इतर है, मार्च 2005 के प्रशुक्क दिशानिर्देशों का खंड 7.2 इस प्राधिकरण से अपेक्षा करता है कि वैयक्तिक सेवा प्रदाता के संदर्भ के बिना संबद्ध पत्तनों पर समान रूप से लागू की जाने वाली ऐसी सेवाओं के लिए अधिकतम दरें निर्धारित करे। एमओपीटी और पोतविणक/फ्लोटिंग क्रेन परिचालकों के बीच करार बोओटी करार नहीं बतायों गया है। परन्तु, पोतांतरण परिचालनों का प्रावधान एमपीटी एक्ट की धारा 42 के अधीन सूचीबद्ध सेवाओं में से एक है और, इसलिए, पोतांतरण सेवाएं उपलब्ध करवाने के लिए प्रशुक्त को इस प्राधिकरण द्वारा विनियमित किए जाने की जरूरत है। इस स्थिति में कोई बदलाव नहीं होगा भले ही स्वयं पत्तन ने यह सेवा उपलब्ध करवाई हो अथवा निजी परिचालक को ऐसा करने की अनुमित दी हो। अतः मार्च 2005 के प्रशुक्क दिशानिर्देशों के खंड 7.2 का अनुसरण करते हुए पोतविणक/फ्लोटिंग क्रेने इस्तेमाल करते हुए मिडस्ट्रीम में कार्गी प्रहस्तन सेवाओं के लिए अधिकतम दरों के निर्धारण हेतु इस मामले को लिया गया है।
 - (iii). मार्च 2005 के प्रशुक्क दिशानिर्देशों का खंड 24.1. पत्तन परिचालनों के प्रत्येक घटक की मानक लागत इवोल्व करने के प्रयासों के लिए हैं। चूंकि खंड 24.1 के अधीन ऐसे मानक इवोल्व नहीं किए गए हैं, अभी तक एमओपीटी ने 2008 के प्रशुक्क दिशानिर्देशों में निर्धारित प्रतिमानकों और पैरामीटरों को उधार लिए जाने की सीमा तक ही अपना प्रस्ताव तैयार किया है, जहां कहीं क्राफ्टों और परिचालन लागत की क्षमता निर्धारित करने के लिए प्रासंगिक हो। यहां पर यह उल्लेख करना प्रासंगिक है कि इस प्राधिकरण ने मार्च 2005 के प्रशुक्क दिशानिर्देशों के खंड 7.2 के अधीन महापत्तन न्यासों जैसे पारादीप पत्तन न्यास, वीओ. चिदम्बरनार पत्तन न्यास, न्यू मेंगलूर पत्तन न्यास, विशाखापत्तनम पत्तन न्यास पर प्राधिकृत सेवा प्रदाताओं द्वारा तैनात की गई हारबर मोबाइल क्रेनों के प्रयोग के लिए किराया प्रभारों के निर्धारण में यही दृष्टिकोण अंगीकृत किया हैं। इसके अलावा, इस प्राधिकरण ने प्रशुक्क आदेश दिनांक 30 दिसम्बर 2009 में यथा प्रतिवेदित, जेएनपीटी के सीएफएस और बफर यार्ड में निजी प्राधिकृत सेवा प्रदाता द्वारा प्रदत्त सेवाओं के लिए प्रशुक्क के निर्धारण से संबंधि तमामले में मार्च 2005 के प्रशुक्क दिशानिर्देशों के खंड 7.2 के अनुसार प्रशुक्क निर्धारित करने का निर्णय लिया है।

- (iv). इस मामले की कार्यवाही के दौरान पत्तन द्वारा प्रेषित अतिरिक्त सूचना / स्पष्टीकरण और अपने पत्र दिनांक 14 मार्च 2012 द्वारा पत्तन द्वारा प्रेषित संशोधित लागत पत्रकों के साथ अगस्त 2011 में एमओपीटी द्वारा दाखिल प्रस्ताव पर इस विश्लेषण में विचार किया गया है।
- (v). अगस्त 2011 में एमओपीटी द्वारा दाखिल प्रस्ताव पर प्रासंगिक उपयोक्ताओं के साथ विचार किया गया था। संयुक्त सुनवाई में, जीएमओईए ने, साथ ही साथ, अनुरोध किया था कि उसे अवसर दिया जाना चाहिए यदि एमओपीटी संशोधित प्रस्ताव दाखिल करता है अथवा प्रशुक्क निर्धारित करने के आधार में महत्वपूर्ण बदलाव है। संयुक्त सुनवाई के बाद, एमओपीटी ने सर्वोत्तम क्षमता में वृद्धि करने वाला उपयोगिता कारक, ईधन उपभोग, ईधनदर, सीएचडी लेवी जैसे पत्तन प्रभारों सहित के अलावा, अधिकतम दर के परिकलन में सीएचडी लेवी, प्राइमरी लदाई/अपटॉपिंग प्रभारों का संशोधित किया है। चूंकि एमओपीटी द्वारा अपने प्रस्ताव में किए गए बदलावों से प्रस्तावित अधिकतम दरों की कटौती हुई है, इसलिए इससे उपयोक्ताओं के हित अभावित नहीं होंगे।
- (vi). जीएमओईए ने कार्यवाही के दौरान कहा था कि मूरिंग डॉल्फिन पर प्रभारित प्रमार तदर्थ है और इस प्राधिकरण से दर निर्धारित करने का अनुरोध किया है। जब उपर्युक्त रिश्वित स्पष्ट करने का अनुरोध किया गया था तो एमओपीटी ने, साथ ही साथ, कहा था कि उसने वर्ष 2010 की मानसून अविध के दौरान मूरिंग डॉल्फिन पर पोतवणिक / फ्लोटिंग के उपयोग के लिए कार्गो प्रहस्तन प्रभारों हेतु दर के निर्धारण ने लिए एक प्रस्ताव दाखिल किया था। इस संबंध में, यह बताया गया है कि पत्तन द्वारा दाखिल किया गया उक्त प्रस्ताव स्टेटयूट में परिकल्पित प्रशुक्त निर्धारण व्यवस्थाको पूर्ण विषधन में था जिसे पत्तन द्वारा उल्लिखित किया गया था और पत्तन से सुविश्लेषित प्रस्ताव दाखिल करने का अनुरोध किया गया ग्या अ। अनुरोध पर प्रत्युत्तर देते समय, एमओपीटी ने अपने पत्र दिनांक 24 नवम्बर 2010 द्वारा स्वीकार किया था कि उसका प्रस्ताव प्रशुक्क दिशानिर्देशों के अनुसार नहीं था। एमओपीटी को यह सुनिश्चित करना चाहिए कि भूरिंग डॉल्फिनों के लिए उपयोग के लिए प्रशुक्क शीध निर्धारित किया जाए।
- (vii). इस मामले की कार्यवाहियों के दौरान, उपयोक्ताओं ने अनुरोध किया था कि एमओपीटी को सेवा प्रदाताओं के अधिकरण के लिए राजस्व हिस्सेदारी माडल को हल नहीं करना चाहिए क्योंकि यह अधिकरण बीओटी करार के माध्यम से नहीं है। यह भी बताया गया है कि चूंकि पत्तन पारदर्शिता लेवी (प्राथमिक लदाई /अपटॉपिंग प्रभार), सीएचएलडी लेवी तथा घाटशुक्क जैसे प्रभारों की वसूली कर रहा है और पोत संबंधित प्रभार भी वसूल करता है, पोतविषक लवाई आशुक्क पर एसओपीटी को अतिरिक्त राजस्व हिस्सेदारी औचित्यपरक नहीं है। जीएमओईए इस हद तक भी दावा कर चुका है कि उसने संयुक्त सुनवाई में पुष्टि की थी कि एमओपीटी को राजस्व बाटने की अनुमित नहीं होगी क्योंकि प्रशुक्क मार्च 2005 के दिशानिर्देशों का अनुसरण करते हुए निर्धारित किया जाता है, जोकि तथ्यात्मक नहीं है। इस मामले में कार्यवाहियों का दा पर एमओपीटी की पत्तन सीमाओं के भीतर मिडस्ट्री कार्यों परिचालनों के लिए तैनात की गई पोतविणक /फ्लोटिंग क्रेन के लिए समान अधिकतम दर के निर्धारण तक सीमित किया गया है और मार्च 2005 के प्रशुक्क दिशानिर्देशों के खंड 2.8.1 में यथा विनिर्दिष्ट, रॉयल्टी /राजस्व हिस्सेदारी अधिकतम दर के परिकलन में पास—थू रूप में स्वीकार नहीं किया जाएगा। यह एमओपीटी पर है कि प्रचलित सरकारी निदेशों /निर्देशों के अनुसार वैयक्तिक पोतविणक /फ्लोटिंग क्रेन परिचालकों के प्रभाजन के लिए कार्यप्रणाली /मोडेल्टीज का अनुसरण करे।
- (viii). पोतवणिक / फ्लोटिंग क्रेन परिचालमों के लिए समान अधिकतम दर के निर्धारण के लिए, एमओपीटी ने 30 टन पोतवणिक और 32 टन फ्लोटिंग क्रेन की मानक क्षमता पर विचार किया है, बताया गया है कि बार्ज फीड दर, मौसम परिस्थितियाँ आदि को लेखा में लिया गया है जैसािक पहले बताया गया है। एमओपीटी द्वारा प्रतिवेदित स्थिति पर विश्वास किया गया है और यह विश्लेषण 30टन पोतवणिक और 32 टन फ्लोटिंग क्रेन के लिए समान अधिकतम दर निर्धारित करने की कार्यवाही है।
- (ix). एमओपीटी ने कुछ परिकर्त्यित मानकों तथा पैरामीटरों के आधार पर 30 टन पोतविणक और 32 टन फ्लोटिंग क्रेन की सर्वोत्तम वार्षिक क्षमता का क्रमशः 37.23 लाख टन और 21.72 लाख टन अनुमान लगाया था। तत्पश्चात, 14 मार्च 2012 को भेजे गए संशोधित लागत पत्रक में, पत्तन ने उठाए गए प्रश्नों के आधार पर कुछ प्रतिमानकों और अनुमानों द्वारा क्रमशः पोतविणक तथा फ्लोटिंग क्रेन के लिए 53.10 लाख टन और 32.80 लाख टन की ऊर्ध्वर्पुखी सर्वोत्तम वार्षिक क्षमता संशोधित की है। 14 मार्च 2012 के संशोधित लागत पत्रक में पत्तन द्वारा अविचारित सर्वोत्तम क्षमता पर नीचे चर्चा की गई है:-
 - (क). एमओपीटी ने सर्वोत्तम क्षमता के परिकलन में फ्लोटिंग क्रेन के लिए पोतवणिक हेतु 1250 टन प्रति घंटा और फ्लोटिंग क्रेन के लिए 729.17 टन प्रति घंटे की प्रहस्तन दर पर विचार किया है। 2008 के प्रशुक्क दिशानिर्देश पोतवणिकों और फ्लोटिंग क्रेनों के मामले में प्रहस्तन दर के लए प्रतिमानक निर्धारित नहीं करते हैं। विशिष्ट अनुरोध के बावजूद, पत्तन ने पूर्व अविध के दौरान समान क्षमता क्रेनों के वास्तविक

निष्पादन के संदर्भ में इसके द्वारा सुविचारित प्रहस्तन दरों का औचित्य नहीं बताया है। तथापि, पत्तन ने बताया है कि उसने बजटीय कोटेशन में उल्लिखित तकनीकी विशिष्टताओं के आधार पर प्रहस्तन दरों पर विचार किया है।

पोतविणक के लिए (30,000 टन प्रतिदिन की दैनिक उत्पादकता के आधार पर निर्धारित) 1250 टन प्रति घंटे की प्रहस्तन दर पत्तन द्वारा प्रेषित बजटीय कोटेशन की प्रति में दर्शाए गए तकनीकी विशेषता द्वारा समर्थित की गई है। फ्लोटिंग क्रेन के मामले में, 32 टन क्रेन के लिए बजटीय कोटेशन में क्रेन की प्रहस्तन दर नहीं दर्शाई है। पत्तन ने बताया है कि 32 टन फ्लोटिंग क्रेन की औसत उत्पादकता 15,000 से 20,000 टन प्रतिदिन के बीच है और इसलिए इसने 17,500 टन प्रतिदिन की औसत प्रहस्तन दर पर विचार किया है। पत्तन द्वारा यथा प्रतिवेदित (17,500 टन प्रतिदिन की दैनिक उत्पादकता के आधार पर निर्धारित) 729.17 टन प्रति घंटा की प्रहस्तन दर पर विश्वास किया गया है।

- (ख). उपर्युक्त प्रहस्तन दरों के आधार पर, एमओपीटी ने 70 प्रतिशत क्षमता उध्योगिता पर क्राफ्टों की वार्षिक क्षमता परिगणित की है, 2008 के प्रशुक्क दिशानिर्देशों में निर्धारित उपयोगिता प्रतिमानक के अनुसार, जिस पर विचार किया गया है।
- (ग). प्रशुल्क निर्धारण के प्रयोजन के लिए, एमओपीटी ने उपर्युक्त परिकलित वार्षिक सर्वोत्तम क्षमता को कम किया है, यथानुपात आधार पर 8 महीनों के लिए, यह कहते हुए कि मिंह-द्रीम कार्गो परिचालन अक्तूबर से मई तक साफ मौसम के दौरान ही किए जाते हैं और जून से सिसंबर तक मानसून मौसम के दौरान इसकी अनुमति नहीं होती है। तथापि, मार्च 2012 के संशोधित लागत पत्रक में, पत्तन ने पिछले दो वर्षों में मानसून अवधि के दौरान प्रहस्तित किए जाने की संमावना वाले कार्गों के लिए पोतांतरण तथा फ्लोटिंग क्रेन के लिए क्रमशः 2 लाख टन प्रतिवर्ष और 3 लाख टन प्रतिवर्ष की अतिरिक्त क्षमता पर विचार किया है। पत्तन द्वारा प्रतिवेदित स्थित पर विश्वास करते हुए, यथानुपात आधार पर 8 महीनों के लिए सर्वोत्तम क्षमता परिकलित करने में एमओपीटी द्वारा अंगीकृत दृष्टिकोण और ऊपर यथा उल्लिखित पत्तन द्वारा अनुमानित मानूसन मौसम के लिए अतिरिक्त क्षमता पर विचार किया गया है।
- (घ). सक्षेप में, 14 मार्च 2012 के संशोधित लागत पत्रक में पत्तन द्वारा प्रतिवेदित मानसून मौसम के दौरान काफ्टों के परिचालन के लिए साफ मौसम और अनुमानित मात्रा के दौरान 70 प्रतिशत उपयोगिता पर, 30 टन पोतविणक के लिए 53,10,000 टन प्रतिवर्ष और 32 टन फ्लोटिंग क्रेन के लिए 32,80,833 टन प्रतिवर्ष की सर्वोत्तम क्षमता पर इस विश्लेषण में विचार किया गया है।
- (x). (क). एमओपीटी ने 30 टन पोतवणिक की पूंजी लागत रू० 14654.14 लाख का अनुमान लगाया है, जिसमें रू० 1286.74 लाख की सीमाशुल्क डयूटी (मूल लागत के 10 प्रतिशत पर) और रू० 500 लाख की टोइंग लागत (माड़ा) शामिल है। पोतवणिक की मूल लागत एमओपीटी द्वारा प्रेषित बजटीय कोटेशन द्वारा समर्थित की गई है। अमेरिकी डॉलर में बजटीय कोटेशन के परिवर्तन के लिए एमओपीटी द्वारा इस मामले के विश्लेषण के समय प्रचलित विनिमय दर दर्शाने के लिए रू० 49.49 को अद्यतन कर रू० 52.88 किया गया है।

पोतविणक और फ्लोटिंग क्रेन की पूंजी लागत में सीमाशुल्क डयूटी और टोइंग लागत को शामिल करने पर जीएमओईए द्वारा की गई आपित्तयों के संदर्भ में, पत्तन ने अक्तूबर 2011 में फ्लोटिंग क्रेन के आयात से संबंधित प्रवेश के सीमाशुल्क बिल की प्रति के साथ अपनी स्थित को प्रमाणित किया है जो सीमाशुल्क की वसूली मूल लागत का लगभग 16 प्रतिशत और मालभाड़ा लागत लगभग 3.66 प्रतिशत दर्शाता है। एमओपीटी ने पोतविणक के मामले में सीमाशुल्क डयूटी और टोइंग लागत के समर्थन में कोई दस्तावेजी साक्ष्य नहीं भेजा है। फ्लोटिंग क्रेनके लिए प्रतिवेदित स्थिति को लेखा में लेते हुए, मूल लागत के 10 प्रतिशत की दर से सीमाशुल्क डयूटी और रूठ 500 लाख (जोिक मूल लागत का 3.88 प्रतिशत परिगणित होता है) जिसे एमओपीटी द्वारा पोतविणक की पूंजी लागत के अनुमानन में शामिल किए गए हैं को स्वीकार किया गया है। तथापि, सीमाशुल्क डयूटी की सांश पोतविणक की अद्यतन की गई मूल लागत के आधार पर संशोधित की गई है। तदनुसार पोतविणक की संशोधित पूंजी लागत रूठ 15623.68 लाख परिगणित होती है।

(ख). एमओपीटी ने 32 टन क्रेनकी पूंजी लागत रु० 7050.00 लाख का अनुमान लगाया है जिसमें रु० 937.34 लाख की सीमाशुल्क डयूटी, रु० 215.28 लाख की टोइंग लागत (मालभाड़ा) और रु० 13.02 लाख का बीमा शामिल है। पत्तन द्वारा सुविचारित मूल लागत, सीमाशुल्क डयूटी, टोइंग लागत और बीमा लागत

अक्तूबर 2011 में 32 टन फ्लोटिंग क्रेन के आयात से संबंधित प्रवेश के सीमाशुल्क बिल द्वारा समर्थित किए गए हैं। इस मामले के विश्लेषण के समयं प्रचलित विनिमय दर दर्शाने के लिए अमेरिकी डॉलर में मूल्यवर्गित मूल लागत और मालभाड़ा लागत के परिवर्तन के लिए एमओपीटी द्वारा लागू की गई विनिमय दर रूठ 49.49 को अद्यतन कर रूठ 52.88 किया गया है। इसी प्रकार, सीमाशुल्क डयूटी की गणना के लिए सुविचारित रूठ 49.60 प्रति अमेरिकी डॉलर की विनिमय दर, प्रवेश के बिल के अनुसार, को भी अद्यतन कर रूठ 52.88 प्रति अमेरिकी डॉलर किया गया है। तदनुसार, फ्लोटिंग क्रेन की संशोधित पूंजी लागत रूठ 7529.81 लाख परिगणित किया गया है।

जीएमओईए ने बताया है कि पोतविणक / फ्लोटिंग क्रेन के लिए बजटीय कोटेशनों में क्रॉफ्टों के विस्तृत तकनीकी विशेषताएं शामिल नहीं की गई हैं। इस सबंध में एमओपीटी के प्रतिसाद से, यह प्रकट होता है कि क्रॉफ्टों जिनके लिए बजटीय कोटेशन प्राप्त किए गए हैं पहले से परिचालन में क्रॉफ्टों से तुलनीय हैं। यह अनुमान लगाया गया है कि एमओपीटी ने क्रॉफ्टों तकनीकी विशेषताओं का पूरी तरह विश्लेषण , किया है और समान अधिकतम दरें निर्धारित करने के लिए अपना अंगीकरण प्रस्तावित करने से पहलें स्वयं संतुष्ट हुआ है।

(xi). (क). एमओपीटी ने कार्य घंटों के लिए 175 लिटर प्रति घंटा और पोतवणिक के मामले में निष्क्रिय घंटों के लिए 50 लिटर प्रति घंटा के ईंघन उपभोग का अनुमान लगाया है। इसी तरह, इसने कार्य घंटों के लिए 96 लिटर प्रति घंटा और फ्लोटिंग क्रेनके मामले में निष्क्रिय घंटों के लिए 12 लिटर प्रति घंटा के उपभोग का अनुमान लगाया है। पूर्व वर्षों में समान क्षमता क्रॉफ्टों के वास्तविक ईंघन उपभोग के संदर्भ में ईंघन उपभोग अनुमानों का औचित्य बताने के लिए पत्तन से विशिष्ट पूछे जाने पर, पत्तन ने बताया है कि ऐसे ब्योरे सेवा प्रद्मताओं द्वारा व्यवस्थित नहीं किए जाते हैं और पत्तन द्वारा सुविचारित ईंघन उपभोग अनुमान उनके पूर्व अनुभव के आधार पर सेवा प्रदाताओं द्वारा प्रेषित किए गए हैं। पत्तन ने बताया है कि उसने सेवा प्रदाताओं द्वारा प्रेषित सूचना पर विश्वास किया है। चूंकि पोतवणिक/फ्लोटिंग क्रेन द्वारा ईंघन उपभोग के लिए कोई पृथक मानक 2008 के प्रशुक्क दिशानिर्देशों में उपलब्ध नहीं हैं और इसे मद्देनजर रखते हुए कि किसी भी उपयोक्ता ने पत्तन द्वारा सुविचारित ईंघन उपभोग पर कोई आपत्ति नहीं उठाई है, इसलिए कार्य घंटों और निष्क्रिय घंटों के लिए क्रमशः 175 लिटर प्रति घंटा और 50 लिटर प्रति घंटा और फ्लोटिंग क्रेन के लिए कार्य घंटों और निष्क्रिय घंटों के लिए क्रमशः 96 लिटर प्रति घंटा और 12 लिटर प्रति घंटा के अनुमानित ईंघन उपभोग पर इस विश्लेषण में विश्वास किया गया

एमओपीटी ने कार्य घंटों के लिए ईंघन लागत के अनुमानन में पोतविणक तथा फ्लोटिंग क्रेन के लिए क्रमशः 4248 घंटे प्रतिवर्ष और 4499 घंटे प्रतिवर्ष कार्य घंटों पर विचार किया है जोकि पोतविणक और फ्लोटिंग क्रेनों के लिए पत्तन द्वारा सुविचारित सर्वोत्तम वार्षिक क्षमता और प्रहस्तन दर के अनुसार पाई है। 14 मार्च 2012 को प्रेषित संशोधित लागत पत्रक में, एमओपीटी ने निष्क्रिय घंटों के लिए ईंघन लागत के अनुमानन में पोतविणिक तथा फ्लोटिंग क्रेन के लिए 2628 घंटे प्रतिवर्ष प्रत्येक की दर से निष्क्रिय समय पर विचार किया है। पत्तन द्वारा परिगणित निष्क्रिय घंटे एक वर्ष में उपलब्ध कुल कार्य घंटों (365 x 24 = 8170) घंटा 70 प्रतिशत उपयोगिता की दर से कार्य घंटे (365 x 24 x 70% = 6132), जो 2628 घंटे (8170 – 6132) परिगणित होते हैं।

इंधन की इकाई लागत को इस मामले के विश्लेषण के समय प्रचलित रुठ 43.39 प्रति लिटर में अद्यतन किया गया है, इसके सापेक्ष एमओपीटी द्वारा रुठ 42.67 प्रति लिटर पर विचार किया गया है। तदनुसार, कार्य घंटों और निष्क्रिय घंटों के लिए संशोधित ईंधन लागत पोतविणक तथा फ्लोटिंग क्रेन के लिए क्रमश रुठ 379.58 लाख प्रतिवर्ष और रुठ 201.09 लाख प्रतिवर्ष परिगणित होती है।

- (ख). एमओपीटी ने पूंजी लागत के 5 प्रतिशत की दर मरम्मत और अनुरक्षण लागत का अनुमान लगाया है, जोकि 2008 के दिशानिर्देशों में बहुउद्देशीय बर्थ पर अभियांत्रिक और बिजली उपरकर के लिए निर्धारित प्रतिमानक के अनुसार है। तथापि, मरम्मतों और अनुरक्षण की राशि पोतवणिक तथा फ्लोटिंग क्रेन की अद्यतन पूंजी लागत के आधार पर संशोधित की गई हैं।
- (ग). पूंजी लागत के 1 प्रतिशत की दर से बीमा लागत बहुउद्देशीय बर्थ के लिए 2008 के दिशानिर्देशों में निर्धारित प्रतिमानक के अनुसार भी पाया गया है। तथापि, बीमा लागत की राशि पोतवणिक और फ्लोटिंग क्रेन की अद्यतन पूंजी लागत के आधार पर संशोधित की गई है।

(घ) एमओपीटी ने कम्पनी अधिनियम, 1956 के प्रावधानों के अनुसार पोतविणक और फ्लोटिंग क्रेन की पूंजी लागत के 10.34 प्रतिशत पर मूल्यहास परिगणित किया है, जोकि प्रशुक्क दिशानिर्देशों में शामिल प्रावधानों के अनुसार पाया गया है। पोतविणक के लिए मूल्यहास की गणना में सांख्यिकी तृटि को शोधित किया गया है और पोतविणक तथा फ्लोटिंग क्रेन का मूल्यहास पोतविणक तथा फ्लोटिंग क्रेन की अद्यतन पूंजी लागत के आधार पर संशोधित किया गया है।

जीएमओईए के दावे के संदर्भ में कि पोतविणिक तथा फलोटिंग क्रेनें पोतों के रूप में वर्गीकृत की गई हैं और इसिलए, कम्पनी अधिनियम के अनुसार जलयानों पर लागू 5 प्रतिशत वार्षिक की दर से मूल्यहास पर विचार किया जाना चाहिए, एमओपीटी ने यह कहते हुए स्पष्ट किया है कि ये क्रॉफ्ट कार्गों को उसी तरह एक जलयान से दूसरे जलयान तक स्थानांतिरत करते हैं जैसे तट क्रेनें ना कि जलयान, क्राफ्ट कार्गों नहीं ढोते हैं। तदनुसार, पत्तन ने पोतविणिक तथा फलोटिंग क्रेनों को संयंत्र एवं मशीनरी रूप में वर्गीकृत किया है और कम्पनी अधिनियम के अनुसार 10.34 प्रतिशत वार्षिक दर से मूल्यहास लागू किया है।

- (ङ). एमओपीटी ने 'अन्य व्यय' के अधीन प्रत्यक्ष लेबर और प्रबंधन तथा प्रशासन उपिरव्ययों पर विचार किया है। जबिक प्रबंधन तथा प्रशासन उपिरव्यय मूल्यहास तथा पत्तन प्रभारों के सिवाय पिरेचालन व्ययों के 10 प्रतिशत पर पत्तन द्वारा अनुमान लगाया गया है, पत्तन ने अपने द्वारा अनुमानित प्रत्यक्ष लेबर लागत के लिए कोई आधार नहीं भेजा है। लौह अयस्क टर्मिनल एवं अन्य कार्गों टर्मिनल सिवाय लिक्वड बल्क अन्य व्ययों के अनुमानन के लिए सकल अचल पिरसंपत्तियों के मूल्य के 5 प्रतिशत का प्रतिमानक निर्धारित करता है। पत्तन द्वारा अनुमानित प्रत्यक्ष लेबर लागत और प्रबंधन तथा प्रशासन उपिरव्ययों का जोड़ पोतविणिक और फ्लोटिंग क्रेन की पूंजी लागत के क्रमशः 4.16 प्रतिशत और 2.16 प्रतिशत परिगणित होता है जोकि प्रतिमानकों में निर्धारित सीमा के भीतर है। अतः एमओपीटी द्वारा प्रतिवेदित अनुमानित अन्य व्ययों पर इस विश्लेषण में विचार किया गया है, परन्तु संशोधित परिचालन व्ययों के आधार पर प्रबंधन तथा प्रशासन उपिरव्ययों के समायोजन के अधीन। तदनुसार, संशोधित अन्य व्यय पोतविणिक के मामले में रूठ 615.70 लाख और फ्लोटिंग क्रेनके मामले में रूठ 176.56 लाख परिगणित होती है।
- (च). 14 मार्च 2012 को प्रेषित संशोधित लागत पत्रक में, एमओपीटी ने पोत संबंधित प्रभारों के लिए (पत्तन देयताएं, पाइलटेज, लंगरभाड़ा, बर्थ किराया आदि राशि रु० 15.37 लाख) रु० 941.34 लाख और कार्गों संबंधित प्रभार, अर्थात सीएचएलडी लेवी (रु० 627.11 लाख) और उसपर पेंशन लेवी (रु० 298.86 लाख) सिंहत प्राथमिक लदाई तथा अपटॉपिंग प्रभारों पर विचार किया है। इसी प्रकार, फ्लोटिंग क्रेन के मामले में, एमओपीटी ने पोत संबंधित प्रभारों के लिए (पत्तन देयताएं, पाइलटेज, लंगरभाड़ा, बर्थ किराया आदि राशि रु० 5.42 लाख) और कार्गों संबंधित प्रभार, अर्थात सीएचएलडी लेवी (रु० 387.47 लाख) और उसपर पेंशन लेवी (रु० 184.65 लाख) सिंहत प्राथमिक लदाई तथा अपटॉपिंग प्रभारों पर विचार किया है

एमओपीटी द्वारा सुविचारित पोत संबंधित प्रभार वर्ष 2010—11 के दौरान फ्लोटिंग क्रेन विशेष और पोतविणक विशेष से इसके द्वारा वास्तव में वसूल की गई राशि हैं। यह कार्यवाही क्राफ्ट की मानक क्षमता के आधार पर एमओपीटी में पोतविणक / फ्लोटिंग क्रेन का उपयोग करने के लिए अधिकतम दर के आधार पर संयुक्त टनभार निर्धारित करने के लिए हैं। चूंकि पोत संबंधित प्रभार विभिन्न घटकों जैसे पोतों का जीआरटी पर निर्भर करता है, इसलिए कई बार पोत स्थानांतित किया गया है, तत्सबंधी क्राफटों की सर्वोत्तम क्षमता अर्जित करने के लिए पोतविणकों / फ्लोटिंग क्रेन द्वारा देय पोत संबंधित प्रभारों का ठीक प्रकार से अनुमान लगाना संभव नहीं होगा। अतः 2010—11 के वास्तविक आंकड़ों के आधार पर एमओपीटी द्वारा सुविचारित पोत संबंधित प्रभारों पर विश्वास किया गया है।

वर्तमान में, सीएचएलडी लेवी और प्राथमिक लदाई तथा अपटॉपिंग प्रभार क्रॉफ्टों का इस्तेमाल करते हुए मिडस्ट्रीम में प्रहस्तित वास्तविक यातायात के लिए देय हैं। जैसाकि पहले बताया गया है, यह कार्यवाही क्रॉफ्टों की मानक क्षमता के आधार पर पोतवणिक/फ्लोटिंग क्रेन के उपयोग के लिए संयुक्त अधिकतम दर का निर्धारण है। तदनुसार, एमओपीटी ने क्राफ्टों की सर्वोत्तम क्षमता के लिए सीएचएलडी लेवी और प्राथमिक लदाई तथा अपटॉपिंग प्रभारों से अनुमानित राजस्व की गणना की है और संयुक्त अधिकतम दरों के परिकलन में लागत रूप में इसपर विचार किया गया है।

एमओपीटी ने यह सुनिश्चित करने के लिए पोतविणिक / फ्लोटिंग क्रेन के लिए अधिकतम दर के पिरकलन में उपर्युक्त प्रभार शामिल किए हैं कि अधिसूचित दरमान के अनुसार पोतविणिकों / फ्लोटिंग क्रेनों द्वारा देय सभी पत्तन प्रभार विधिवत् लागू किए गए हैं। तदनुसार, पत्तन पोतविणिक के मामले में रुठ 941.34 लाख के पत्तन प्रमार और फ्लोटिंग क्रेन के मामले में रुठ 577.54 लाख, जैसािक इस विश्लेषण में पत्तन द्वारा विचार किया गया है, वसूल करता है।

- (Xii). इस प्राधिकरण ने वर्ष 2012–13 में निर्णीत किए जाने वाले प्रशुल्क मामलों के लिए 16 प्रतिशत की दर से आरओसीई अंगीकृत किया है। एमओपीटी ने प्रथम 3 वर्षों के लिए तत्संबंधी क्रॉफ्टों केओसत लिखित मूल्य पर 16 प्रतिशत क्रमशः पोतवणिक और फ्लोटिंग क्रेन के लिए रुठ 1924.35 लाख और रुठ 829.15 लाख के आरओसीई का अनुमान लगाया है। एमओपीटी द्वारा परिगणित पोतवणिक तथा फ्लोटिंग क्रेन के औसत लिखित मूल्य के. परिकलन में पाई गई सांख्यिकी त्रुटि को शोधित किया गया है। इसके अलावा, आरओसीई पोतविणिक और फ्लोटिंग क्रेन की अद्यतन की गई पूंजी लागत के आधार पर संशोधित किया गया है। पोतविणिक और फ्लोटिंग क्रेन के लिए संशोधित अनुमानित आरओसीई क्रमशः रुठ 1982.83 लाख और रुठ 955.62 लाख परिगणित होता है जिसपर विचार किया गया है।
- (xiii). एमओपीटी में पोतविणक और फ्लोटिंग क्रेन के परिचालन के लिए कुल वार्षिक राजस्व अपेक्षा क्रमशः रू० 6472.36 लाख और रू० 3141.18 लाख परिगणित होता है। इस प्रकार, एमओपीटी की पत्तन सीमाओं के भीतर कार्गो परिचालनों के लिए पोतविणक और फ्लोटिंग क्रेन का इस्तेमाल करने के लिए दर एमओपीटी द्वारा प्रस्तावित दरों क्रमशः रू० 115.72 और रू० 89.30 के विपरीत क्रमशः रू० 121.89 प्रति टन और रू० 95.74 प्रति टन परिगणित होता है। दर में वृद्धि अमेरिकी डॉलर के विनिमय दर में अद्यंतन और ईंधन दर की वजह से है।
- (xiv). एमओपीटी द्वारा जमा किए गए पोतविणक तथा फ्लोटिंग क्रेन के उपयोग के लिए प्रति टन दर निर्धारित करने के लिए लागत विवरण उपर्युक्त विश्लेषण के अनुसार संशोधित किए गए हैं और संशोधित विवरण क्रमशः अनुबंध— I और II रूप में संलग्न किए गए हैं।
- (XV). मार्च 2005 के प्रशुक्क दिशानिर्देशों का खंड 4.3 तटीय कार्गों के लिए रियायती प्रशुक्क का निर्धारण विनिर्दिष्ट करता है। उक्त खंड में यह भी विनिर्दिष्ट किया गया है कि सभी तटीय कार्गों, ताप कोयले से इतर और कच्चे तेल सित पीओएल, लौह अयरक और लौह अयरक गुट्टिकाओं के लिए कार्गों संबंधित प्रभार सामान्य कार्गों संबंधित प्रभारों के 60 प्रतिशत से अधिक नहीं होने चाहिए। चूंकि तटीय रियायत लौह अयरक के लिए लागू नहीं है और चूंकि एमओपीटी पर तैनात पोतवणिक और फ्लोटिंग क्रेनें लौह अयरक के प्रहस्तन के साधन हैं, एमओपीटी ने पोतवणिक तथा फ्लोटिंग क्रेन के इस्तेमाल के लिए शुरू में प्रस्तावित की गई तटीय दरों को वापिस ले लिया है। हालांकि इस मामले में लागत विश्लेषण वैयक्तिक कार्गों या कार्गों समूह के संदर्भ के बिना पोतवणिक /फ्लोटिंग क्रेन के इस्तेमाल के लिए किया गया है, विदेशी कार्गों के प्रहस्तन के लिए दर में उपयुक्त समायोजन और तटीय कार्गों के प्रहस्तन के लिए क्रॉफ्टों की अनुमानित क्षमता के हिस्से पर विचार करते हुए तटीय कार्गों के लिए रियायती दर निर्धारित किए जाने की आवश्यकता है। ऐसी स्थिति में, लागत विविक्षाओं को लेखा में लिए बिना, तटीय कार्गों के लिए रियायती दर इस मामले में निर्धारित नहीं की गई है। तथापि, यह स्मिंगोपीटी पर है कि वह तटीय कार्गों के लिए रियायती दर इस मामले में निर्धारित नहीं की गई है। तथापि, यह स्मिंगोपीटी पर है कि वह तटीय कार्गों के लिए दर के निर्धारण हेतु उपयुक्त प्रस्ताव लेकर आए यदि तटीय रियायत के लिए पात्र कार्गों पोतवणिक /फ्लोटिंग क्रेन का इस्तेमाल करते हुए प्रहरितत किए जाने की संभावना हो।
- (xvi). 2005 के प्रशुक्क दिशानिर्देशों का खंड 5.9 तलियहन स्तरों से कम निष्पादन के लिए बेहतर निष्पादन और हतोत्साहन के लिए प्रोत्साहन देते हुए उत्पादकता के तलियहन स्तरों से प्रशुक्क को जोड़ने के लिए हैं। कार्यनिष्पादन से जुड़े मानक दृष्टिकोण के आधार पर प्रशुक्क का निर्धारण परिचालकों में कुशलता लाने में परिचालक को प्रोत्साहित करेगा और अकुशल परिचालकों से उपयोक्ताओं को सुरक्षा प्रदान करेगा। चूंकि यह दर मानक क्षमता के लिए निर्धारित की गई है, इसलिए कार्यनिष्पादन से जुड़ी दर के निर्धारण का भी ध्यान रखने की उम्मीद है यदि सेवा प्रदाता द्वारा तैनात किए गए क्रॉफटों की वास्तिविक क्षमता प्रशुक्क के निर्धारण के लिए सुविचारित मानक क्षमता के दायरे में भिन्न रहती है। पत्तन को विशेष सलाह के बावजूद, उपर्युक्त बिन्दुओं को उल्लिखित करते हुए, कार्यनिष्पादन संबंधित प्रशुक्क के निर्धारण के लिए प्रस्ताव के साथ आने के लिए, एमओपीटी पूर्व कार्यनिष्पादन आंकड़ों की अनुपलब्धता के आधार पर ऐसे प्रस्ताव को लेकर नहीं आया है। पत्तन द्वारा प्रेषित ब्योरों के अभाव में, कार्यनिष्पादन संबंधित प्रशुक्क निर्धारित करना संभव नहीं पाया गया है। एमओपीटी को सलाह दी जाती है कि इस संबंध में सुविश्लेषित प्रस्ताव लेकर आए।

- (xvii). जीएमओईए द्वारा मांगे गए स्पष्टीकरण के संदर्भ में क्या प्रस्तावित प्रशुल्क मौजूदा अथवा नए पोतों के लिए लागू होगा, एमओपीटी ने यह कहते हुए प्रत्युत्तर दिया है कि प्रस्तावित प्रशुल्क एमओपीटी पर प्रचालित नए पोतविणकों/फ्लोटिंग क्रेनों पर लागू होगा। मार्च 2005 के प्रशुल्क नीति दिशानिर्देशों के खंड 7.2 के अनुसार, पत्तन न्यास द्वारा चिहिनत और अधिकृत सेवा प्रदाताओं द्वारा अधिकृत सेवाओं के लिए अंगीकृत दरें किसी विशेष सेवा प्रदाता के संदर्भ के बिना पत्तन पर समान रूप से लागू होगी। अतः यह प्रश्न ही नहीं उठता है कि क्या अनुमोदित दरें नए परिचालक अथवा मौजूदा परिचालक पर लागू होगी। अथवा नहीं। यह स्पष्ट किया गया है कि अनुमोदित दरें वैयक्तिक परिचालक अथवा विशिष्ट क्राफ्ट पर ध्यान दिए बिना लागू होगी।
- (xviii). 2005 के प्रशुक्क दिशानिर्देश 3 वर्षों का प्रशुक्क वैधता चक्र विनिर्दिष्ट करता है। तदनुसार, इस प्राधिकरण द्वारा निर्धारित पोतवणिक / फ्लोटिंग क्रेन के इस्तेमाल के लिए प्रभार आदेश के कार्यान्वयन की तारीख से तीन वर्षों के लिए वैध होगा।
- (xix). एमओपीटी ने केवल पोतवणिक / फ्लोटिंग क्रेन के लिए दरें प्रस्तावित की हैं। इसने दरों को लागू करने को शासित करने वाली कोई विशिष्ट शर्ते प्रस्तावित नहीं की हैं। अतः एमओपीटी को सलाह दी जाती है कि दरों को लागू करने वाली शर्तों के लिए प्रस्ताव, यदि अपेक्षित हो, लेकर आए।
- 14.1. परिणामस्वरूप, और उपर्युक्त कारणों से, और समग्र विचार-विमर्श के आधार पर, यह प्राधिकरण मुरूगांव पत्तन न्यास के मौजूदा दरमान में अध्याय IV (खंड ग विविध प्रभार) के अधीन खंड IV एमओपीटी में कार्गो परिचालनों के लिए पोतविणक/फ्लोटिंग क्रेन के प्रयोग के लिए प्रभार रूप में शामिल किए जाने के लिए निम्नलिखित अनुमोदित करता है:-
 - "IV. कार्गो परिचालनों के लिए अधिकृत निजी परिचालकों द्वारा उपलब्ध करवाई गई पोतवणिक / फ्लोटिंग क्रेन के उपयोग के लिए प्रभार--

विवरण	अधिकतम दर प्रति टन (विदेशी)
पोतवणिक 30 टन	121.89
फ्लोटिंग क्रेन 32 टन	95.74

- 14.2. अब निर्धारित की गई अधिकतम दरें भारत के राजपत्र में इसकी अधिसूचना की तारीख से 30 दिनों की समाप्ति के बाद प्रभावी होंगी और 3 वर्षों के लिए वैध रहेंगी।
- 14.3. प्रशुल्क दिशानिर्देशों के खंड 7.2 के अनुसार, पोतविणक / फ्लोटिंग क्रेन के लिए इस प्राधिकरण द्वारा अनुमोदित दर अधिकतम दर है और किसी सेवा प्रदाता विशेष का संदर्भ लिए बिना पत्तन पर ऑफर की गई सेवाओं /चिहिनत सुविधा के लिए पत्तन पर समान रूप से लागू होगी। प्रशुल्क दिशानिर्देशों के खंड 7.3 के अनुसार, अधिकरण व्यवस्था में जरूरी शर्त उपयुक्ततः शामिल करते हुए, पत्तन न्यास सुनिश्चित करे कि अधिकृत सेवा प्रदाता निर्धारित अधिकतम दरों से ज्यादा प्रभार वसूल नहीं करें।

टी.एस. बालासुब्रह्मण्यन, सदस्य (वित्त)

[विज्ञापन]]]/4/143/12/असा.]

क्ष्माव पत्तन न्यास में प्राधिकृत सेवा प्रदाताओं हारा उपलब्ध करवाए गए चौतबणिक (३० टीमीडी) के चरवोग के लिए कार्गो प्रइस्तन प्रमारों के निर्धारण हेत लगात गणना

<u> </u>		युक्तमाच घटनम न्यास हारा क	थ। प्रेमित	200 प्रमुक्त दिशानिर्देशों में निर्धारित प्रेटिमानक, यदि कोई हो (बहुतव्देशीय काम वर्ष के लिए)	भंदोपित गणना 	(४० लाखाँ मे)
æ.₩.	विवयण	नणनाएं		वय कालए)	<u> </u>	_
T	पूंजी सामत	17784	 		गेवनाए	
	मूल तागत	⊒ ≈ 26,000,000 x 49.49	12867.4			
	जांड सीमागुल्क	यून तामत का 10%			এল 26,000,000 x 52.88	13748.
	जोंबे टोइम लागत	एकपुरत	1286.7		यून नागत का 10%	1374.
	कुम पूंजी सागत		500.00 14654.14		एकपुरत	500.
		T	14034.14	' 	 	15623.0
71	सम्मा परिकासन	*		∤		
	उपलब्द पारिशा धतिवर्ष	365 दिन 🔻 3 पारिका प्रसिदिन	109		 	
	उपयोगिता हो लिए प्रतिमानक	303 is : 3 silve yilli.4	70%		365 दिन * 3 परिया प्रतिदिन	10
	पारियों में अमना प्रतिवर्ष	1095 ਸ਼ਾਇਰ * 70%	766.5		<u> </u>	70
	कार्य घटो की संगावित मख्या प्रतिवर्ष	766.5 पारिका * 8 पर	6132		1095 m/m * 70%	766
	साफ भौतम ने ६ महीनों के लिए नार्च पंदा की समादित संख्या	6132 + 8 / 12			766.5 पारिण * 8 पर	61
	दरित क्षमता प्रति पंटा (टर्ना में)	30000/24	4088		6132 * 8 / 12	10
	दरिस क्षमता प्रतिवर्ष	1250 * 24 * 365	1250		30000/24	12:
	eपहोनों के सिए सुविधारित क्षमता – साफ मासन (टन)	4088 * 1250	10958000		1250 * 24 * 365	109500
\neg	जोडे - गनमून पीसम के दौरान प्रहासिन किया जाने वासा पातायल	पूर्व निष्पादन पर अध्यक्ति	5110000		4088 * 1250	51100
	दर की भणना क लिए मुर्विधारित मन्त्रा (टन)	5110000 + 200000	200000		पूर्व निष्यातन पर आधारित	2000
	वर्षिक समता (टर्ना वे)	3110000 + 200000	53 (0000		5110000 + 200000	53100
		- 	5310000			531000
T	परिचालन लागत			-		
		कार्य परं				
		175 ਜਿਵਨ /ਬਣ * 4248 ਵਾਂ (4088 ਜਸ			कार्ग परे	
	क). ईंधन सागत	र्थमम + 160 बानगुन) * क 42.67 प्रति सिटा	317.21		175 तिरुप /परे * 4248 परे (4088 ताप गोराम + 160 माना(म) * का 43.39 प्रापे तिरुप	327. !
		<u>ਗਿਊਜ਼ਰ ਪਟੋ:</u> 50 ਜਿਵਣ /ਹੁਣੇ * 2628 ਹਵੇਂ * ੨ _{0.42 ਨ} । ਪ੍ਰੀਰ ਬਿਣਤ	56.07		ਜਿਲਿਸ਼ ਸੁਫੇ: 50 ਜਿਸਟ /ਬਏ * 2628 ਬਣੇ * ਅ ਕਤਤਮ ਪਹਿ ਜਿਟਰ	57.0
		उप जोड इंग्रन लागन	373.28		ত⊍ জার ঠ⊍ৰ লালে	
- Ir	ख). मरम्पर्वे कथा अनुस्थम लागत	पूर्ण सागत का 5% (रू. 14654.14 ताल *		ऑभवाविक उपस्कर को नायभ पर 5%	5% * 15623.68 me	379.5
		5%)	732.71	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	576 - M 15023.08 MB	781.1
- (ग्) बीमा	पूजी सामा का 1% (२० 14654.14 साछ * 1%)	146.54	अभियातिक वृधक्का की समाप्त का 1%	1% • ≈ 15623.68 ਜਾਤ	156.2
	र्ग) मृत्यक्षास	@ 10.34% offer	1417.23	कष्णनी अधिनगम म किर्जातिन प्रतिमानका के अभूतार	10.34% * № 15623.68 लाख	1615.4
	•	पोर सर्वित्र प्रभार (पत्तन तवतीर, पास्ट्राटक) ,शंगरपावपुरक, रूथं किराया आदि) - बाक पास्पीरते। क नामते में 2010–11 के वास्तिक आकृत्व पर अधारीत	15.37		एवसप्रेमी द्वारा क्ष्मा क्षेत्रेत	15.37
¢	इ), पत्तन क्षार	गांत्रपणिक अकार्य तथा (तीएवएतर्यः तथा) - 5310000 * 11.81	627.11	· •	एमप्राकृति द्वारा सदा प्राकृत	677.11
		प्राह्मणे सराई ∕अपराधिः। प्रभार और उपनार वसन संसे [5310000 ° ≈ 5.26 (असन) ° 1.07 (कान संधी]	298.86		प्रमुक्तानिक द्वाना क्षणा ध्य न त	298.86
		उप जांड पत्नन क्यार	941.34		On dischery write	
Ţ.) अन्य व्यय				and one make water	941.34
Щ.	- प्रत्यक्ष संबर		440.00		एक मोपीती तारा एकः क्षावेत	
- [पूरवागम तथा पत्तनं प्रभातं के शिवाद परिवासन था।		गकल अवास धरिसपील मूज्य का 5%		148.00
1	- एकंपन तथा प्रशासन उपरिव्यय	□ 10% (373.28 + 732.71 + 146.54 + 440) * 10%	169.25		एपप्पणिति दास अवीकृति दृष्टिकीण का अनुसामा करन हुए पुरस्कास तथा पत्ता प्रभाग के सारसम् वीरास्तन व्यापा का स्ट्राप्तिकास	125.70
-		্যত জাত মান্ত আছ	609.25		ाव आहे असा व्यक्त	615.70
+	कुत (क) से (व)	 	4220.34			4489.52
191	पंजित पूंजी पर प्रतिसाम	ग्त्री तामत का 16%	1924.35		त्यान ५ वर्षों के आसान तथन्युर्वत्ये पर ४, प्रतिकार	1982.83
		 -		(टियाफी 1)	
		,				
130	त्र तान्व जमा निर्वेश पर प्रतिसाम		6144.69			6472.36

ाटप्पणा १ : निवास्त्रतं पूर्णां के सिरं गणनाए			
मोतवनिक की मूंजी आयत	70 15073.68 7	ener	
कम्पनी अक्षिनिवमं के प्राक्यानों के अपुसार भूस्यहाल की दर		•	
	वर्ष 1	FI 2	84 3
वर्ष की शुक्रभाष्ठ ने पातवांशक का मृत्य	15623.68	14008.19	17392.70
<i>मृ</i> त्यहाम	1615.49	1615.49	1615.49
वर्ष के आप ने निरिवत मूल्य	14008.19	12392.70	10777.21
pun 3 वर्ष के निए औसत सिखित मूस्य		12392.70	10

अनुका - II

पुरुतार परतन न्यारा में प्राधिकत तेवा प्रदासकों हारा उपलब्ध करकाए गए फ्लोटिंग क्रेन (32 हन) के उपधीन के लिए कार्यों बहस्तन धनारों के निर्धारण हेतु सामह यजना

(का साम्बर्ध 4)

		मुक्तगांव पत्तान न्यास द्वारा प्रथा (Per	,500 प्रमुक्त दिस्तनिर्देशों में निमारिश प्रतिमानक सदि कोई हो (बहुददरेगीय कामी क्ष्म के तिए)	संगोधिय रचना	
∌.₹L	विवरण	वणनाए			गणक(
1	पूंजी सानत					
	पुत सापत	.a≠ 11,890,000 x 49.49	5884.36		a # 11,890,000 x 52.88	6287.4
	जोट सीमास्ट्रक		937.34		937.34 / 49.60 * 52.88	999.3
	बोडे टोइय लागत (भारत	a.a 435,000 x 49.49	215.28		s # 435,000 x 52.88	230.0.
	लाई बेक	and taspecs x 15115	13.02		एमध्येष्ट्री हुन्छ स्थ्य प्रेमित	13.0
	कृत मूंबी लापत		7050.00			7529.8
	क्ष्मचा परिकतन					·
<u> </u>	स्थलकः प्रतिसर्व	365 दिन " 3 परोवा पविदेन	1095		365 दिन " 3 मारेवा प्रतिदेन	109
	तक्ताविता के दिए प्रतिवासक	262 ted 2 alter attail	70%			70*
	वारंका में समता प्रतिनर्ष	1095 ਜਾਇਸ * 70%	766.5		1095 আমিল ° 70%	766
	बर्ग पर) की सम्बद्धित राज्या प्रतिवर्ष	766.5 water * 8 set	6132	3	766.5 परिल * 8 घटे	613
	सार भीतम प 8 पदीनों के लिए जार्ग घटः की सभावेत सहया	6132 * 8 / 12	4088		6132 * 0 / 12	408
			729.17		17500/24	729.1
	दौरत धगना प्रति घटा (टनी भ)	17500/24			729.17 * 24 * 365	638750
	दोश्य रूपना प्रतिपर्व	729.17 * 24 * 365	6387500	· · · · · · · · · · · · · · · · · · ·		
	डमादीनों के लिए सुनिवासित क्षणतः - सत्तक भीताम (,५५)	4088 * 729.17	2980833		4088 * 729.17	298083
	बोटे भावसूर गीसर के दौरान पहरितंत किया जाने कता सातामात	पूर्व क्लाइटन पर जन्मक्त	300000		पूर्व निष्पादन पर आधारित	30000
	दर की गणना के लिए सुनिवासित महात्र दिन्छ	2980833 + 300000	3280833		2980833 + 300000	328083
	वार्षिक समता (टर्नो में)		3280833			328083
iii -	परिवात-र तागर					
	हुं। देख नामव	<u>काट परं</u> 96 किटर /घटे.* 4499 ाहे (4088 साम चीतन + 411 बावसूब) * स्व 42.67 वरि लिटर	184.29	,	<u>कार्य घटे.</u> 96 तिरा /पटे = 44 99 घटे (4088 साम्ब गीसम + 411 गानसून) = स्त 43.39 प्रति तिरा	187.4
	for and short	दिक्षिण प्रदे! 12 तिदर प्रदरं * 2628 घटे * २० अक्ष प्रति	13.46		<u>ਸਿਵਿਸ਼ ਬਟੇ:</u> 12 ਸਿਵਸ <i>਼ਬਣ</i> * 2628 ਬਟੇ * ਵਰ 4339 ਬਰਿ ਜਿਵਨ	13.0
]	दय और देवन नागत	197.75		त्य आहेत ईवन सागत	201.0
	(आ) श्वरमाने तथा अनुस्तम नागत	ਪੂਰੀ ਮਾਸਕ ਕਰ 5% (੨੦ 7050.00 ਜਾਰ * 5%)	352.50	अभेगात्रिक सम्बन्ध की लागत पर 5%	5% ° ≈ 7529.81 ਜਾਬ	376.4
	(न) बीमा	ਪ੍ਰਮੀ ਕਾਵਰ ਜਾ 1% (+o 7050.00 ਕਾਰ * 1%)	70.50	अभिगात्रिक जयस्कर की लागक या 1%	1% * 10 7529.81 ਜਸਰ	75.3
	(प) भूलकात	@ 10.34% ndts	728.97	कच्चनी अधिनियन ये निर्वासित इतियानका के अनुसार	10.34% " to 7529.01 mm	778.5
		पोत सबीत अपर (प्यतन देपताए जातहरेज, सगरमाहकु:क, बर्च क्षेत्रसण आदि) - ओना पांजुरी के मानले ने 2010-119ये असहवेज आकड़ी पर अधारित	5.42		एमओपीटी दास पना प्रेमिन	5.4
	(इ) पत्तान प्रभार	पोत्तविक अकार लेडी (सीएपएसओ शेवी) - 3260833 * 11.81	387.47		एम्ब्रोबीटी हात क्या प्रेपित	387
		प्राह्मकी लहांह्/ अचटाविण प्रभार और एसवर पेगन तेवी [3280833 = रूद 5.26 (औसन) = 1.07 (पेतन तेवी]	184.65		एनामेपीटी द्वात क्या प्रेषित	184.6
		क्रम और पत्तन प्रभार	577.54		सम्बद्धि परतन प्रभार	577.5
	(a) a-n mu					
	पत्रका लेक	· · · · · · · · · · · · · · · · · · ·	101.16	1	एनडोपीटी द्वारा प्रया प्रीपेत	101
	पकतः .णश्च प्रश्नासीर त्यारकाथः	मृत्यास्य तथा पलन प्रभावे के शिक्षंध परिवातन व्यव यर 10% (197.75 + 352.50 + 70.50	72.19	सकत अवत परिस्थित मूल्य का 5%	एपओबीटी इन्स प्रमीकृत दृष्टिकीय की अनुसास करते हुए कृत्यकार स्थ्य प्रकार क्यारे के तिवाध धीरेवालर एको का 10 अतिकत	75.
	ļ	+ 101.16) * 10%	173.35		रूप अपेक्ष अन्य व्याप	176.
				 		2185.5
٠.	बुत (क) में (व)		2100.61		}	4103.
B	निर्माजित पूजी पर प्रतिनाम	पूजी लायत का 16%	029.15		pun 3 वर्षे के जीवल तस्त्रवृतियों वर 16 प्रतिकत (टिज्यमा 1)	955.
٠, ٠.	कुत लागत जमा निवेश <i>व</i> ः प्रतितल		2929.76			3141
11	(बहस्तन प्रमार पति टन (केवेश)	ru 2929.76 #ru/3280833 <u><</u> -	09.30	il .	то 3141.1 8 ана/32808<u>3</u>3 г ч	95.

िप्पनी : निवोक्तिः पूंजी के लिए नणनाएं भोतर्गिक जी पुजी समात	च्छ 7529.8 1 लॉ	u 10.34%	
कम्पनी अधिनिधम के प्राथमनों ने अनुसार मून्यप्रास की दर	सर्वे :	10.3476 Et 2	वर्ष ३
			•
उर्ष की शुरुवात में पोत्तविक का प्रत्येत	7529.81	6751.22	5972.64
9,84514	778.58	7 7 8.58	778.58
्के अं का के दिवाला पुरुष	6751.22	5972.64	5194.06
द्वार र एवं के लिए चौरान लिएक कर्य	•	5972.64	

TARIFF AUTHORITY FOR MAJOR PORTS

NOTIFICATION

Mumbai, the 28th May, 2012

No. TAMP/30/2011-MOPT.—in exercise of the powers conferred by Section 48 of the Major Port Trusts Act, 1963 (38 of 1963), the Tariff Authority for Major Ports hereby disposes of the proposal from the Mormugao Port Trust for fixation of Cargo Handling Charges for transhippers/floating cranes as in the order appended hereto.

TARIFF AUTHORITY FOR MAJOR PORTS

Case No. TAMP/30/2011-MOPT

Mormugao Port Trust

Applicant

ORDER

(Passed on this 2nd day of May, 2012)

- 2.1. The MOPT, during the revision of its cargo related charges in the year 2000, had stated that transhipper vessels (4 numbers) are operating in the port limits with the approval of the (then) Ministry of Surface Transport. In this regard, this Authority in paragraph 13 (vii) of its Order No.TAMP/4/2000-MOPT dated 2 June 2000 alerted the MOPT that the transhipper vessel operations would come under the purview of Section 42 of the Major Port Trusts Act, 1963 and the charges levied by the transhippers for topping up / primary loading need to be regulated by this Authority. Subsequently, this Authority in its Order No.TAMP/24/2001-MOPT dated 9 August 2001 vide paragraph 9 (xxxix) reiterated the position and advised the MOPT to come up with a proposal for fixation of ceiling rates for all the services covered under Section 42 which are authorized by the port.
- 2.2. Chapter 7 of the Tariff guidelines notified in March 2005 contains the provisions relating to regulation of tariff for the different services authorized by the Major Port Trust under Section 42 (3) of the MPT Act, 1963. Clause 7.2 of the tariff guidelines of 2005 states that in cases where authorisation arrangement u/s 42(3) is other than by way of a BOT concession agreement, ceiling rates will be prescribed for such services to be applied commonly at the concerned ports without reference to individual service provider. While processing the general revision of the SOR of MOPT in the years 2006 and 2010 also this Authority advised the port to initiate action with reference to Chapter 7 of the tariff guidelines. While in the year 2006, the MOPT had clarified that the guidelines under Chapter 7 are being complied with, in the year 2010, it stated that the guidelines under Chapter 7 are not applicable to its port.
- 2.3. Subsequently, the MOPT vide its letter No.CPT(98)/2010/800 dated 15 October 2010 addressed to the Ministry with a copy endorsed to this Authority informed the Ministry that proper fixation of tariff on "cost plus" basis is not possible in the case of transshipers / floating cranes for the reasons explained therein. In response, the Ministry vide its letter No.PT-11033/46/2010-PT dated 6 January 2011 directed the MOPT to follow the provisions of MPT Act, 1963 and TAMP guidelines in this regard.
- 3.1. Based on the directions contained in Ministry's letter cited above, the MOPT, vide its letter dated 28 June 2011, filed a proposal for fixation of charges for cargo handled through transhippers and floating crane owned and managed by private parties. The proposal filed by the MOPT solely relied upon the cost details/ position furnished by the existing service providers of floating crane and transhipper without any independent analysis from the port side on the cost of operating, capital cost, etc. of such crafts. Since clause 7.2 of the tariff guidelines of March 2005 calls for prescription of a common ceiling rate without reference to individual service provider, as stated above, the MOPT was advised, vide letter dated 6 July 2011 to review its proposal and file a well analysed proposal with reference to the standard capacity of the crafts and for normative cost of operation instead of solely relying on the cost position reported by the existing operators.
- 3.2. In letter dated 6 July 2011, the MOPT was also informed that in the case of the proposals filed by Paradip Port Trust (PPT), New Mangalore Port Trust (NMPT) and V.O. Chidambaranar Port Trust (VOCPT) for fixation of hire charge of Harbour Mobile Crane provided by service provider authorised by the respective Port Trust, the tariff has been determined by this Authority as per clause 7.2 of the tariff guidelines without any reference to the individual service provider. In these cases ceiling rate of hire charges have been determined for a standard capacity of the HMC and for this purpose the norms prescribed in the guidelines of 2008 for assessing the capacity of the equipment and operating cost have been taken into consideration to the extent relevant for arriving at the rate.

- 4.1. In this backdrop, the MOPT has, vide its letter dated 19 August 2011 filed the proposal for fixation of the cargo handling charges for transhippers and floating crane. The main points made by the port are summarized below:
 - (i). The norms prescribed in the 2008 guidelines for assessing the capacity of equipment and the operating cost have been considered for computing the proposed rates.
 - (ii). Transhippers (TV) and Floating Cranes (FC) are two different types of equipment and as such different rates are proposed. The MOPT furnished a note on difference between TV and FC, which is given below:

Description	Floating crane	Transhipper
Capital cost inclusive	₹6660.75 lakhs	₹13370.00 lakhs
of towing and duty		
No. of Crew	26	24
Fuel consumption	115 litres/hour on full load	Operation 175 litres/hr
1	Generator 12 litres /hr.	Generator 50 litres/hr.
Labour Cost	₹ 101.16 lakhs per annum	₹ 440.00 lakhs per annum
Performance	Average daily rate 15,000 to 20,000 tonne per day (AVR: 17,500 per day)	Capable of loading & unloading of vessel at an average daily rate of 30,000 tonnes per day
Technology	The concept is based on a single crane system in which only 1 crane is mounted on a pontoon and the crane picks cargo from one vessel and loads into the other. There is no storage facility on board both the pontoons. Both pontoons are self-propelled.	The concept to have two cranes to unload cargo from a vessel, transfer the same to a hopper which in turn conveys the cargo directly to the loading vessel by conveyor system and ship loader arm or to the storage hold. The Pontoon is self propelled.

- (iii). Capital costs and technical specifications for both the equipment have been considered based on quotations obtained for this purpose. The MOPT furnished a copy each of the two quotations both dated 10 July 2011.
- (iv). As both the equipments are engaged in loading iron ore during the period October to May, the traffic for eight months is taken into account for computing the handling charges.
- (v). A summary of the working furnished by the port to arrive at the proposed rates is given below:

	T	Transhipper v	/essel	Floating cra	ane
Sr. No	Particulars	Working	Amount (₹ in lakhs)	Working	Amount (₹ in lakhs)
(i).	Capital cost	(US\$ 26 million x ₹ 45 per US\$) + 10% for customs duty & ₹ 500 lakhs for towing cost	13370.00	(US\$ 12.85 million x ₹ 45 per US\$) + 10% for customs duty and ₹ 300 lakhs for towing cost	6660.75
(ii).	A. Capacity computed				
	Available shifts per annum	365 * 3	1095.00	365 * 3	1095.00
	Available working shifts per annum (85%)	310 * 3	930.75	310 * 3	930.75
	Norms for utilisation		60%		60%
	Capacity in shifts per annum	930.75 * 60%	558.45	930.75 60%	558.45
	Expected number of working hours per annum	558.45 * 8	4467.60	558 * 8	4467.60
	Expected nos. of working hours for 8 months in fair season	558.45 * 8 * 8 /12	2978.40	4467.60 *8/ 12	2978.40
	Rated capacity per hour (in tonnes)	30000/24	1250.00	17500/24	729.17
	Rated capacity per annum	·	10950000		6387500
	. Volume considered for calculation of rate (tonnes) (8 months)	TPH * 4467.6	3723000	TPH * 2978.40	2171750

_		Transhipper v	ressei	Floating cr	ane .
Sr. No.	Particulars	Working	Amount (₹ in iakhs)	Working	Amount (₹ in lakhs)
(Hi).	Operating Cost				
	(a). Fuel Cost @ ₹43.22 : Working (175) * 2978.40 + idie (50) * 24 * 365	225.27 + 189.30	414.57	148.04 + 45.43	193.47
	(b). Repairs & Maintenance Cost 5% of capital cost		668.50		333.04
	(c). insurance 1% of capital cost		133.70		66.61
	(d). Depreciation @ 10.34%		1293.04		688.72
	(e). Port Charges		9.70		5.71
	(f). Direct Labour		440.00		101.18
·	(g) Management & Administrative Overheads @ 10% on operating expenditures except depreciation and port charges		165.68		69.43
	Total (a) to (g)		3125.19		1458.13
(iv).	ROCE 16% of capital cost		2139.20		1065.72
(v).	Total Cost plus Return on Investment	· <u></u>	5264.39		2523.85
(vi).	Hire charges per tonne (Foreign)	. <u> </u>	141.40		116.21
(vii).	Hire charges per tonne (Coastai)		84.84		69.73

4.2. The MOPT has proposed the following charges:

(Rate per tonne)

		(**************************************
	Transhipper	Floating Crane
Foreign Cargo	₹ 141/-	₹ 116/-
Coastal Cargo	₹ 85/-	₹ 70/-

- 5. In accordance with the consultation process prescribed, the proposal dated 19 August 2011 received from the MOPT was circulated to the concerned users / user organisations and additional users furnished by the port for their comments. The comments received from the users / user organisations were forwarded to the MOPT as feedback information. The MOPT has furnished its remarks on comments of the users / user organisations.
- 6. Based on a preliminary scrutiny of the proposal, the MOPT was requested to furnish additional information/clarifications vide our letter dated 25 November 2011. The MOPT has submitted its reply on 19 January 2012 vide its letter dated 5 January 2012. A summary of the queries raised and reply furnished by MOPT thereon are juxtaposed below:

SI. No.	Queries raised	Reply furnished by MOPT
(1).	The port has in its proposal stated that the norms prescribed in the 2008 guidelines are borrowed for estimating the capacity, operating cost, etc. for arriving at the proposed charge for hire of transhipper and floating crane for iron ore handling operations in mid-stream. Since the 2008 guidelines do not prescribe any specific norms for similar operation by floating crane/ transhipper, the reasonableness of various parameters adopted in the calculation particularly with reference to handling rate of craft, number of hours of operation by the craft for calculation of the capacity of craft as well as fuel consumption and other cost items assumed by the port need to be justified individually with reference to actual parameters achieved for	The MOPT has not furnished any response.

	-							
	similar operations carried out by the service providers authorised by the port reportedly with necessary approval of the Ministry of							
	Shipping.							
(ii).	(a). Number of transhippers and floating cranes presently operated by the service providers authorised by port, the capacity and age of each of the craft, number of	The data presently of The details below:	perated	by s	ervice p	providen	s are fu	
	hours of operation in a year and the iron ore traffic handled by these craft may be furnished for the years 2008-09, 2009-10,	Name of Transhipper/ Cranss	Capacity p.a. (MN)	Age	2008-09	2009-10	2018-11	2011-12 (upto Dec.
	2010-11 and 2011-12 (upto October 2011)	Cianos			Qty	Oty	City	2011) Qty
	for each of the craft. Statistical data may be	Orissa (8 77)	3.00	31	handled 4147271	4716013	3702243	2485286
	obtained by the port from the service providers who are already providing this	Maratha Deep (B 75)	1.50	38	811260	815494	1106507	309739
1	service, wherever necessary.	Sweti Rani (B 73)	1.50	38	1748611	1321792	1211940	509852
	,	Priyamvada (B 74)	1.50	36	1284029	2166070	1624930	690163
		Bulk Prosperity (B 76)	2.00	4	· .	95185	2028255	1001440
		Floating Cranes			1490128	2284121	2776569	2298871
		* Fleating Cranes addition to *Dona	Paula"		-			
		(The MOF operation of						nours of
	(b). Iron ore traffic estimated to be	Iron ore tra						nshipper
	handled by the transhippers and floating	and Floating	ng Cran	es up	oto 2014	4-15 is	furnishe	d. Two
1	cranes in the current financial year 2011-12 (actuals upto October 2011 and estimates	more floati 2011 onwa						
	for the remaining period), and estimates for							
	the years 2012-13 to 2014-15 to be	Ltd. The expected traffic in case of transhipper for the year 2013-14 and 2014-15 are not furnished by the						
	furnished along with details of number of							
	transhippers/ floating craft envisaged, their capacity and the productivity	which is to be decided after release of report from Shaha Commission on Goan Mining Operation.						
		Subsequer 2012 state	d that th	ne es	timated	traffic to	o be ha	ndled by
	•	transhippe million toni				14 ano	2014-1	3 IS 1.5U
		The detail	s furnisi	hed 1	by the	MOPT	are sun	nmarized
		Type of vestel	Ne, ef vessel	Upto Dec. 11	2611- 12	2812-13	2013-14	2614-16
		Transhippers Floetin		01,440	11,00,000 15,00,000	5,00,000 30,00,000	15,00,000 30,00,000	15,00,000 30,00,000
(iii).	Capacity:							
	(a). Average productivity rate achieved for handling iron ore in tonnes/ hour by 30 T Transhipper and 32 T Floating Crane in the	The detail providers.	ils are	not	yet fur	nished	by the	service
	last three years 2008-09 to 2010-11 and 2011-12 (upto October 2011) to be	(The MOP	T has no	ot furr	nished th	ne requi:	site deta	ils).
	furnished. (b). The basis of adopting the rated	The rated	capacity	y of t	ranship	pers an	d floatin	g cranes
}	capacity of transhipper at 1250 tonnes/ hour and floating crane at 729.17 tonnes / hour in	was cons tonnes/ he	idered i	at 12 ectiv	250 Tor elv. Th	nnes/ h le detai	our and led work	1 /29.1/ · king was
	the capacity calculation to be explained and	furnished t	to the Au	ıthori	ty vide o	our lette	r of ever	number
-	justified with reference to actual productivity	36 dated 2011 con	19 Augu	st 20	11. (Th	e letter	dated 1	9 August
	achieved by similar crafts presently in operation.	optimal ca	pacity co	vorkil Sasidi	igs for ered by	MOPT i	n which	the rated .
	opolation.	capacity p	er hour i	s one	of the	paramet	ers cons	sidered in
1		the working						ntain any
		workings to port).	or the ra	ited h	ourly ca	pacity o	consider	ed by the
ц							. ——	· · · ·

Subsequently, the MOPT vide its letter dated 14 March 2012 stated that the rated capacity of 30,000 tonnes per day and 32,000 tonnes per day have been considered based on the technical details furnished in the quotations obtained.

(The rated capacity of 1250 tonnes / hour for Transhipper is found to be based on the rated capacity of 30,000 tonnes / day indicated in the quotation. However, in respect of Floating Crane, the copy of the quotation furnished by MOPT does not indicate the rated capacity in terms of daily productivity).

The floating cranes are operated at about 5 to 7 nautical miles in mid sea, where the forces acting on the vessel and equipment can vary according to weather conditions. So as a matter of safety, the design of crane working in sea was set to maximum 32 tonnes. Transhipper can have cranes of higher capacities also, however, in case barge feed rate to transhipper is low, it is not commercially justified to install further higher capacity cranes.

is not commercially justified to install further higher capacity cranes.

The service providers have not yet furnished on linking standard capacity to the productivity achieved.

The MOPT has reiterated its position vide its letter dated 14 March 2012 stating that in the absence of past performance data, the port cannot formulate the Scheme on ELTS linking tariff to the benchmark levels of productivity.

(c). The MOPT to explain the reason for restricting the capacity of the craft to be deployed at 30 T / 32 T. Confirm whether this is the standard capacity of transhipper / floating crane deployed for similar operations elsewhere in India or in other ports in the world. Higher capacity craft can possibly achieve higher productivity. The MOPT to clarify whether it is technically feasible to deploy higher capacity craft.

In the tariff fixation cases relating to (d). deployment of Harbour Mobile Crane (HMC) by authorized service provider at the New Mangalore Port Trust (NMPT), V.O. Chidambaranar Port Trust (VOCPT), Paradip Port Trust (PPT) and Kandla Port Trust (KPT), the Authority has prescribed tariff for a standard capacity of HMC of 100 Tonnes capacity and prescribed the tariff linked to the performance of the crane to take care if the actual capacity of the crane deployed by service provider varies within the range of the standard capacity of HMC. Flowing from the decision in the HMC cases, in the instant case for determining tariff for transhipper and floating crane also the MOPT may consider to propose tariff for a standard capacity of craft and the tariff to be linked to the productivity of the craft to take care of a situation if the craft actually deployed by individual service provider varies within the range of the standard capacity of these craft.

(e). As per the formula prescribed in the 2008 guidelines, the number of working hours will be 6132 (i.e. 365 days x 70% utilisation x 24 hours). The guidelines of 2008 do not prescribe cushion in each parameters for arriving at number of working hours while assessing the capacity. As against the above position in the guidelines of 2008, the MOPT has considered working hours at 2978.40 for arriving at the capacity of each of the craft viz. transhipper and floating crane. For this purpose, MOPT has considered 310 days per annum, then applied 60% utilisation norm and arrived at 558.45 shifts (i.e. 310 days x 60% x 3 shifts per annum). Then

The port has peculiar iron ore handling operation by TV's and floating cranes in mid sea. The operation takes place during fair season, only 8 months in a year from October to May. The operation is also affected due to weather conditions in mid sea. The calculation furnished by the port is appropriate. The actual quantity handled by Transhippers and Floating Cranes during the year 2010-11 and upto December 2011 is furnished: [The details furnished by MOPT in this regard are already brought out in para (ii) (a) above.]

Subsequently, in the revised cost sheet furnished by the MOPT vide its letter dated 14 February 2012 (after the joint hearing), considered an additional quantity of 2 lakh tonnes per annum and 3 lakhs tonnes per annum for transhipper and floating crane respectively, for the

recognising that the cargo handling operation will be carried out only 8 hours a day and that too only during fair season May to October (i.e. 8 out of 12 months), it has further scaled down the number of working hours to 2978.40 hours (i.e. 558.45 shifts x 8 hours x 8/12 months).

It thus appears that the port has provided cushion at various places for arriving at the number of working hours which is not envisaged in the guidelines. The port may review the capacity calculation of the transhipper and floating craft in the light of the above observation and allowance, if any, to be provided in view of peculiarity of the iron ore handling operations by these craft to be justified with reference to the actual parameters achieved at the port in the last three financial years.

As suggested by the Authority, the productivity parameters will be revised after receipt of actual data from the service providers.

monsoon period, reportedly based on the actual traffic

handled by such crafts during the monsoon period in the

years 2010 and 2011. Further, the MOPT vide its letter

dated 14 March 2012 revised the annual optimal

capacity for Transhippers and Floating Cranes from

39.23 lakh tonnes and 24.72 lakh tonnes to 53.10 lakh

tonnes and 32.81 lakh tonnes respectively, adopting the

70% utilization norm prescribed in the 2008 guidelines.

The letter dated 28 April 2011 of CGU Logistics Limited (one of existing service providers of transhipper) addressed to MOPT attached as Annex-II under the cover of MOPT's letter dated 28 June 2011 states that the said service provider has achieved an average loading rate for transhipper at 14000 tonnes per day (i.e. for 8 hours of working) during the year 2010-11 Even the statistical data provided by the service provider indicates the gross achie ved by productivity rate transhipper is in the range of 11000 to 14000 tonnes/ day on most of the occasions for the period from November 2010 to It is notable that the March 2011 transhipper deployed by the existing service provider may be old craft whereas the tariff proposed by the port is with reference to a new craft (as per the capital cost Advancement in estimation). technology and new equipment is expected to deliver higher productivity than an old In the light of the above used craft. observation, the productivity of 1250 tonnes/ hour (i.e. 10,000 tonnes/ day for 8 hours operation assumed by the port) needs to be reviewed and reassessed upwards.

(The port has not furnished any further details in this regard till the finalization of this case and also not revised the productivity parameters.)

(g). Basis of assuming the rated capacity of 32 tonne floating craft at 17500 tonnes per day may be explained. The actual productivity achieved by floating crane of similar size deployed in the port for handling iron ore mid-stream to be fumished for the years 2008-09 to 2010-11 and 2011-12 (upto September 2011). For the reasons explained in the previous query, the productivity achieved by the old floating crane may have to be upgraded considering that the new craft can deliver higher productivity than the old one.

The 32 tonne floating crane is capable of loading and unloading of vessel at an average daily rate in the range 15,000 to 20,000 tonnes/ per day. The average works out to 17,500 tonnes per day.

1		
_ (iv)		
L	(a). Fuel cost:	
	(i). The basis of assuming fue	The MOPT in the cost sheet furnished vide its letter
	consumption for transhipper at 175 litres.	Idated 14 February 2012 has revised the fuel
	hour and floating crane at 115 litres/ hour	consumption of floating crane for working hours to oc
1.	during the working hours of these craft and	litres per hour. Further, the MOPT vide its letter dated
1	50 litres/ day for transhipper and 12 litres/	14 March 2012 has stated that the service providers
	day for floating craft during the idle period	have furnished the fuel consumption for working and idle
1	as well to be explained.	hours separately for Transhipper and Floating Crane,
		based on their past experience).
	(ii). The average actual fuel	The details on fuel commence).
	consumption by transhipper and floating	The details on fuel consumption are not furnished by the
1		Service Provider.
	operation of these crafts and in the idle	0.5
ĺ	condition may be obtained from	
	condition may be obtained from service	2012 stated that the data on fuel consumption by TV /
	providers for the last three years 2008-09 to	FC, as required by the Authority, is not maintained by
ł	2010-11 and 2011-12 (upto September	the service providers. However, the service providers
	2011) and furnished to justify the fuel	have furnished the fuel consumption for working and idle
ĺ	consumption assumed by the port in the	hours separately for Transhipper and Floating Crane
	calculation	based on their past experience. The MOPT has
		furnished a statement indicating details of fuel
1		consumption for the year 2010-11 in respect of Floating
		Crane. (The details furnished by the MOPT in the
ĺ		statement could not be correlated to the fuel
ľ		consumption of 96 litres and 12 litres per hour for
ĺ		working hours and idle hours respectively for the floating
<u> </u>		crane considered by the port).
	(iii). Fuel cost during the idle period of	During idle period, Transhippers/ Floating cranes
	craft is estimated for 365 days x 24 hours.	remains in stream. The generators installed on the
	Since the craft is expected to be in	crafts have to work round the clock for providing lighting
	operation for 8 hours a day for 8 months	lan anana anana anana ana ta
	during the fair season (i.e. eight months in a	conditioning, etc. The fuel consumption during idle
	year) for which fuel cost is already	period is considered separately and there is no
	estimated in the calculation. The MOPT to	duplication of cost and fuel.
	confirm that there is no duplication in the	aduptication of cost and fuel.
	estimation of fuel cost for the idling period.	(Subsequently, in the revised cost sheet furnished vide
	to the second to	letter dated 14 March 2012, the MOPT has revised the
		idle hours to 2628 hours each for Transhipper and
*		Floating Crane, excluding the working hours).
	(iv). Confirm that the fuel rate of ₹43.22	The estual rate of fuel per litre is \$40.00.
	per litre adopted for estimating fuel cost is	The actual rate of fuel per litre is ₹42.63, a copy of which is furnished.
	the prevailing rate and substantiate it with a	is lumished.
	copy of the recent bill.	(The smit arts of facility for the
	Sopy of the recent bill.	(The unit rate of fuel is further revised to ₹42.67 in the
		revised cost sheet furnished by the port vide its letter
	(b). Repairs and maintenance cost is	dated 14 March 2012).
	()	Repairs and Maintenance cost estimates @ 5% on
	estimated at 5% of the relevant capital cost	capital cost as per the tariff guidelines. Although the
	at ₹668.50 lakhs for a transhipper and	actual expenditure on Repairs and Maintenance for the
	₹333.04 lakhs for a floating crane. This cost	year 2010-11 was less as compared to the estimates,
	item appears to be on the higher side in	this cost will increase subsequently on account of wear
	comparison to the actual repairs and	and tear of the craft.
	maintenance cost of ₹484.45 lakhs in	
.	respect of existing old transhipper and	
	₹88.50 lakhs for floating crane indicated by	
	the port for the year 2010-11 in the cost	
	statement furnished vide its letter dated 28	
	June 2011. The estimation of repairs and	
	maintenance cost to be justified with	
	reference to the actual repairs and	
	maintenance cost incurred for similar craft in	·
	operation for the last three years 2008-09 to	
	2010-11 and 2011-12 (upto October 2011).	

The expenses estimated under the nomenclature of port Explain the nature of the expense (c). charges are port dues and anchorage charges payable estimated under the nomenclature of 'port to the port as per Scale of Rates. It is confirmed that the charges'. The basis of estimating this cost royalty or revenue share payable by service provider is item may be explained with workings. not included under port charges. Please confirm this expense is not akin to royalty or revenue share payable by the service provider to the port. In the work sheet for computation of rate per tonne in The port has estimated direct labour (d). respect of transhipper, we have considered ₹668.50 cost at ₹440 lakhs for transhipper and lakhs (5% of capital cost) toward Repairs and ₹101.16 lakhs for floating crane. Apart from Maintenance, ₹440.00 lakh, direct labour and ₹165.68 this, management and general overheads at lakhs, Management and General Overheads (10% of 10% of the asset value of these respective operating expenditure except Depreciation and port crafts is separately estimated. In this regard charges). The total works of ₹1,274.17 lakhs. In case the following points to be clanfied: of Paradip Port Trust, TAMP has allowed 5% each on The guidelines for iron ore terminal capital cost for Repairs and Maintenance and other as well as other cargo terminal except liquid expenses. The gross value of TV is estimated at bulk prescribe a norm of 5% of gross asset ₹13,370 lakhs, 10% of the gross value of TV works out value for estimating the other expense. As to ₹1,337 lakhs, which is higher than the expenditure against the above position, estimation of estimated by us. There is no duplication of expenditure other expense at 10% of the asset value is on labour cost as noticed by the Authority. not in line with the guideline provision. Reasons, if any, for deviating from the prescribed norm may be explained. As per the guidelines of 2008, the estimation of other expense at the prescribed norm of 5% of the gross asset value covers salaries and wages of the operating and maintenance staff as well as the management & administration staff and other miscellaneous expense. The approach adopted by the port of estimating direct labour cost as well as management and general overheads separately amounts to duplication of the employee cost and is not found to be in line with the guidelines. The duplication in the wage cost of labour and staff needs to be eliminated in the light of the above observation. The existing charges of primary loading and up-topping The existing Scale of Rates of iron ore prescribed in the Scale of Rates will continue prescribe levy of primary loading and upto be payable by the shippers. topping of iron ore through transhipper which shall be collected from transhipper vessel owner @ ₹7.02 and ₹3.51 per tonne respectively as agreed by both the parties through consent terms before the Supreme Court of India in September 1996. Now under the proposed arrangement a composite rate is to be prescribed for handling iron ore through transhipper I floating crane operated by service provider. In this scenario clarify whether the existing charge primary loading and up-topping of iron ore prescribed in the SOR will continue and if so from whom this tariff will be collected. Capital Cost: The capital cost of the floating crane is based on (v). The quotation provided by MOPT (a). specifications such as accommodation, propulsion, for a 32 Tonne floating crane indicates the engine design, equipments and crane system base rate at 128.50 lakh US dollars (i.e. The budgetary quotations are not ₹5782.50 lakhs assuming exchange rate of installation, etc. furnished by the service providers. 1US\$ = ₹45). In another proposal received

from Kandla Port Trust relating to the upfront tariff fixation for barge handling (Subsequently, the MOPT vide its letter dated 14 facility, the port has envisaged deployment February 2012 furnished a copy of the Customs Bill of of a floating crane and has furnished Entry in respect of floating crane "M.V.MIRAMAR" to quotation of 36 T floating crane of Liebherr substantiate the capital cost considered by it.) with genset, grab at 24.75 lakh Euro (i.e. ₹1901.39 lakhs considering the prevailing Euro rate of 1 Euro = ₹71.08). In view of vast difference observed in the capital cost estimated by the MOPT, the port is advised to obtain budgetary quotations for both the craft from other suppliers as well to have a reasonable assessment of the capital cost which is a vital input in determination of the tariff and accordingly update the capital The capital costs estimates will be revised after The capital cost estimates to be updated with the current exchange rate for obtaining budgetary quotations from the service US dollar. providers. (The MOPT has not furnished budgetary quotations.) (Subsequently, the MOPT in the revised cost sheet furnished vide its letter dated 14 March 2012 updated the exchange rate with ₹49.49 per US\$.) Customs duty on the craft It is informed by the service providers that no considered in the estimates needs to be concession/exemption in duty is granted to them under reviewed after ascertaining whether any EPCG. concession / exemption in duty is available to these kind of imports under EPCG, etc. (The MOPT vide its letter dated 14 February 2012 furnished a copy of the Customs Bill of Entry in support of the customs duty paid in respect of floating crane "M.V.MIRAMAR"). As per the tariff guidelines of 2005, As advised by the Authority, computation of rate per the tariff approved by the Authority will have tonne will be revised. - < three years validity. Flowing from this provision, the return on the asset value has (The revised cost sheets furnished by MOPT vide its been allowed on the average Written Down letter dated 14 March 2012 complies with the Value of the HMC for the three years period observation.) while fixing hire charge of HMC at PPT, NMPT, VPT and VOCPT. The same approach needs to be followed in the instant case. As already brought out earlier vide our letter (vi). The inputs for deciding the performance linked tariff for of even number dated 6 July 2011, the the equipments with reference to the benchmark level of fixation of tariff for transhipper and floating productivity for a standard capacity of transhippers/ crane will be governed by clause 7.2. of the floating cranes are not yet received from the service tariff guidelines of 2005 which states that in providers. cases where authorization arrangement under section 42 (3) is other than by way of Subsequently, the MOPT vide its letter dated 14 March a BOT concession agreement, ceiling rates 2012 stated that in the absence of past performance will be prescribed for such services to be data, the port cannot formulate the Scheme on ELTS applied commonly at the concerned port linking tariff to the benchmark levels of productivity. without reference to individual service provider. Clause 5.9 of the tariff guidelines of March 2005 recommends linking tariff to the benchmark levels of productivity, providing incentive for better performance and disincentive for performance below the benchmark levels. In view of that and for the reasons explained at para 3(iii)(d) above, the port may propose performance linked tariff for these equipments with

	reference to the benchmark level of productivity for a standard capacity of transhipper / floating crane.	
(vii)	Though the port has proposed concessional handling rate for coastal cargo, the revenue impact of allowing such concession is not considered while arriving at the proposed rates. The workings may have to be modified to capture the revenue impact of coastal cargo if any envisaged. The basis of considering the share of foreign / coastal cargo may be explained and justified with reference to past actuals for similar operations in the port.	It is confirmed by the service providers that, they are only handling foreign going vessels and therefore the rates for coastal cargo need not be prescribed.

- 7.1. A joint hearing in this case was fixed on 19 January 2012 and the notice of joint hearing was issued to the stakeholders accordingly. In response, GMOEA vide its letter dated 9 January 2012 stated that the clarifications such as the scope and applicability of the guidelines, etc. sought by them vide their earlier letter dated 28 October 2011 were not received by them and therefore, suggested for deferring the joint hearing scheduled to be held on 19 January 2012.
- 7.2. In this connection, the GMOEA was informed vide letter dated 11 January 2012 that the subject proposal filed by MOPT will be governed by clause 7.2 of the tariff guidelines of March 2005 and joint hearing in this case would be held as scheduled. The GMOEA was also informed that the comments fumished by it vide its letter dated 28 October 2011 was already forwarded to the MOPT for its remarks; and, the MOPT has furnished its comments on the comments of GMOEA.
- 8.1. A joint hearing in this case was held on 19 January 2012 at the MOPT premises. The MOPT made a power point presentation of its proposal. The GMOEA also made a power point presentation of its views on the proposal of MOPT. At the joint hearing, the MOPT and the concerned users/ organisation bodies have made their submissions.
- 8.2. The additional submissions made by the GMOEA in its power point presentation, mentioned in paragraph 8.1 above, are summarized hereunder:
 - (i) Transhippers are total investment of private parties. They have been in operation before the commission of berth No.9. These facilities complement port operations and thereby enhance volumes and revenues to the port.
 - (ii). GMOEA has no objection to fix a ceiling rate.
 - (iii). The existing transhipper agreements provide for a ceiling rate to be specified.
 - (iv). Some of these agreements provide a maximum limit of Berth No.9 handling charge.
 - (v). If necessary the Berth No.9 handling charges could be taken as a ceiling rate for T/V / F/C loading (excluding the levies/ charges payable to the MOPT on transhipper loading which is an additional cost and will raise the tariff). The MOHP B/9 being a shore-based facility, costs will be much lower. Besides, B/9 has guaranteed cargo volume provided by the port, which directs vessels to MOHP, if idle, before permitting any vessel to load by TV / FC.
 - (vi). The Scheme of transhipper charges as per some transhipper agreements with MOPT have been filed under the Consent Terms in the Hon ble Supreme Court. Any changes can have legal implications that need to be considered.
 - (vii). MOPT already levies charges on transhipper loading by way of transhipper levy, CHLD levy and wharfage and also earns revenue by CRC like pilotage, anchorage charges, etc. Therefore additional revenue share to MOPT on the transhipper loading tariff is not justified.

- (viii). There is substantial variation in capital and operational costs among different TVs/ FCs based on the capacity, equipment, safety, certification/ class, pontoon/ vessel on which the equipment is installed, etc. Standardizing the costs is therefore difficult. In any case, costs have been provided to the port by the TV / FC owners.
- (ix). In case of fresh data called for by TAMP (such as a revised tariff proposal) or significant change in the basis of determining the tariff, we request TAMP to inform us and provide us an opportunity to give our comments.
- 9.1. Based on the decisions taken at the joint hearing, the MOPT was advised to initiate action and furnish the requisite information / clarifications vide letter dated 24 January 2012. The MOPT vide its letter dated 14 February 2012 furnished its response. The decisions taken at the joint hearing and response of MOPT are tabulated below:

SI. No.	Decisions taken at the joint hearing	Response of MOPT
(i).	The reply dated 5 January 2012 furnished by MOPT does not address some of the important issues like justifications for the norms adopted, capital cost, capacity determination, etc. The port to have a comprehensive re-look its response and furnish pointed response to the queries raised.	As advised by the Authority, the cost sheets for computation of rate per tonne in respect of transhipper and floating crane have been reworked. The capital cost of floating crane has been considered as per bill of entry documents submitted by the service provider. (MOPT furnished a copy of the Customs Bill of entry dated 14 October 2011 in respect of import of 32 T Floating Crane "M.V. MIRAMAR" in support of the capital cost of floating crane.)
(ii).	The port to have a re-look at the tariff calculations to ensure that all the port charges payable by the transhippers/ floating cranes as per the notified Scale of Rates are duly factored	The capacity determination of transhipper/ floating crane has been revised taking into account the actual working hours during monsoon period of previous year (June to September). The additional quantity in metric tonne expected to be handled by transhipper and floating crane would be 2 lakhs metric tonne and 3 lakhs metric tonne respectively during monsoon period. This is adopted considering the actual quantity handled by transhipper and floating crane during the monsoon period from June 2010 to September 2010 and June 2011 to September 2011. During the year 2010 on trail basis, port allowed T.V. Bulk Prosperity, T.V. Priyamvada and floating crane Dona Paula. These vessels handled the total quantity of 97,690 tonne, 69,015 tonne and 1,85,360 tonne respectively, as the vessels were allowed to operate on rotation basis. In the year 2011, only floating crane Dona Paula was allowed to operate at Mooring Dolphin during monsoon which handled a total quantity of 2,89,301 M.T. In the revised cost statement of transhipper all port charges namely port dues/ anchorage (₹15.37 lakhs), transhipper charges (₹220.79 lakhs) (primary and up-topping charges) CHLD
	in.	levy (₹463.31 lakhs) and in case of floating crane port dues (₹5.42 lakhs) transhipper charges (₹139.11 lakhs) CHLD levy (₹291.91 lakhs) are accounted for and rate per tonne is worked out accordingly.

(iii). The port to confirm that the transhippers/ floating cranes in question can operate only for 8 months in a year and they cannot be allowed to operate elsewhere during the remaining 4 months. In this regard, some of the users point out at the joint nearing about operations that take place at the mooring dolphins on an adhoc tariff basis by inviting quotations by the port. The port to furnish a detailed note in this regard explaining the statutory validity of the tariff, if any, realised by the port based on bidding.

(Subsequently, the MOPT vide its letter dated 14 March 2012 revised the port charges considered in the computation of cargo handling charges for transhippers and floating cranes. The details furnished by MOPT are brought out in a subsequent paragraph.)

During the monsoon period due to bad weather conditions, it is not possible to handle the iron ore traffic at mid stream/ west of break water and hence there is a demand from the trade to handle iron ore traffic at mooring dolphins. During the monsoon season of 2011, port allowed the floating crane Dona Paula to operate at Mooring Dolphin which handled a total traffic of 2,89,301 M.T. Due to nonavailability of iron ore cargo and other restrictions, it is not feasible to handle iron ore traffic by transhippers throughout the monsoon period of 4 months. Therefore, 3 months have been considered for handling iron ore during monsoon period and accordingly the capacity of Transhipper / Floating crane has been increased in the revised statements, as mentioned in reply at (i) above.

With reference to the points made by the users on the recovery of adhoc tariff by the port for handling of iron ore at mooring dolphin, the MOPT has furnished a detailed note. The main points made by MOPT in the said note are summarized below:

- Iron ore is being loaded in four different locations at MOPT, viz. Mechanical Ore Handling Plant (MOHP) Berth No.9, Mooring Dolphins, Transhipper / Floating Cranes and loading by ship's own gears at outer anchorage (WOB).
- During the monsoon period (June to September) the transhipper / floating crane operations and ship's own gear loading is closed at outer anchorage.
- In order to meet the demand due to closure of outer anchorage operations, operable transhippers / floating cranes were allowed for cargo operations at Mooning Dolphons since June 2010 by collecting consolidated charges of ₹ 65/- per tonne which includes CHLD levy, wharfage and transhipper charges.
- The proposal was submitted to TAMP for sanction vide letter No.CPT(98)/2010/1335 dated 30 August 2010.
 The clarifications sought by the Authority was furnished vide our letter of even no.78 dated 24 November 2010.
- The Port users, viz. CGU Logistics Ltd., M/s.Prime Mineral Exports Pvt. Ltd., M/s.Fomento Industries Pvt. Ltd. and M/s.Hiralal & Co. Ltd. had agreed the then fixed tariff by the port.
- In view of the constant demand, the MOPT has taken action to construct two additional mooring dolphins, viz. MD4&5 and MD5&6 which was completed on 8 March 2011 and 11 May 2011 respectively. To increase the ship day output, it was decided to allow the operations by transhippers / floating cranes at the new MD positions.
- A tender was invited for the operations of MD4&5 (MD5&6 not included as dredging was not completed) for the subsequent monsoon period (17 June 2010 to 16 October 2010) on revenue share basis.
- The successful bidder Ms.Marine infrastructure (Goa) Pvt. Ltd. quoted the highest revenue share of ₹ 34.95 for the operations of their floating crane M.V. Dona Paula at MD4&5 apart from CHLD levy and transhipper

			charges. [The MOPT stated that a copy of the letter from the successful bidder is enclosed for reference. However, no such enclosure was received by us with MOPT's letter dated 14 February 2012.]
	-	•	 in the meantime, cargo handling charges for the operations of floating crane and transhipper by following the tariff guidelines of TAMP was worked out and forwarded to the Authority for its approval.
			Further, a tender was invited for the operations of floating crane and transhipper at MD4&5 and MD5&6 on revenue share basis based on the proposed cargo handling charges sent to TAMP for the last monsoon and the proposed cargo.
L	·		season from 17 June 2011 to 16 October 2011, but there was no response to this tender.
	(iv).	The port has mentioned that the levy of certain charges from the transhippers/ floating cranes at present is based on the consent terms	(a) The proposal under consideration, is only for fixation of ceiling rate for cargo handling charges to be collected from the shippers by
-		recorded before Hon'ble Supreme Court earlier.	the transhippers/ floating crane operators. As
- }		The port to furnish a detailed note in this regard	per the Scale of Rates, the existing rates i.e.
1		and confirm that the present proposal do not in	charges for primary loading and up-topping of
		any way alter the said consent terms.	iron ore through transhippers shall be collected from the transhipper vessel / floating crane
			owners @ ₹7.02 and ₹3.51 per tonne
			respectively. The above rates were agreed upon by the transhipper owners and the port in
			the consent terms before the Hon'ble Supreme Court of India during September 1996. The
			present proposal does not in any way alter the said consent terms filed before the Hon'ble
			Supreme Court. However, existing licenses to
	.		operate transhippers will be reviewed and fresh
			licensing will be made through tendering,
ĺ			revenue share being the sole determinant so as
ŀL		·	to be transparent in the selection of operator.

- 9.2. The MOPT along with its response to the decisions taken at the joint hearing also furnished revised cost sheets for transhipper and floating crane. The main modifications made by the MOPT in the revised cost sheet are summarized below:
 - (i). The optimal capacity of transhipper and floating crane has been increased with 2 lakh tonnes per annum and 3 lakh tonnes per annum respectively due to inclusion of estimated cargo handling during the monsoon period.
 - (ii). The capital cost of the floating crane has been revised from ₹66.61 crores to ₹70.64 crores reportedly based on the actual cost of 32 tonne floating crane 'M.V.MIRAMAR' imported during October 2011.
 - (iii). In the estimation of fuel cost, the working hours of transhipper and floating crane each has been increased from 2978.40 hours to 4095.30 hours which appears to be based on the increased capacity considered by the port. The idle hours in respect of floating crane has been reduced from 8760 hours to 2628 hours.
 - (iv). The unit rate of fuel has been revised from ₹43.22 per litre to ₹42.67 per litre.
 - (v). The port charges in respect of transhipper has been increased from ₹9.70 lakhs to ₹699.47 lakhs, by including port dues / anchorage charges, primary loading and uptopping charges, CHLD levy, etc. Likewise, the port charges in respect of floating crane have been increased from ₹5.71 lakhs to ₹436.45 lakhs.
 - (vi). The management and administration overheads of transhipper has been revised to ₹173.49 lakhs from ₹165.68 lakhs based on 10% of the modified operating expenditure less depreciation and port charges. Likewise, the management & administration overheads of floating crane has been revised from ₹69.43 lakhs to ₹70.77 lakhs.

- (vii). As per the revised cost sheets, the MOPT has proposed handling rates at ₹154/- and ₹124/- per tonne in respect of transhipper and floating crane respectively as compared to the earlier proposed rates of ₹141/- and ₹116/- per tonne respectively.
- 10.1. At the joint hearing, the users were allowed one week time to furnish their written comments, if any, on the subject proposal to this Authority with a copy endorsed to MOPT. CGU Logistics Ltd. and Goa Mineral Ore Exporters' Association furnished their written comments. The MOPT has also furnished its response.
- 10.2. The Goa Mineral Ore Exporters' Association (GMOEA) vide their letter dated 13 March 2012 have furnished further comments on the MOPT's response vide their letter dated 14 February 2012.
- 11. After an officer level meeting with a TAMP officer at MOPT premises, the MOPT vide its letter dated 14 March 2012 furnished additional information/ clarifications and also revised the cost sheets. The additional information / clarifications along with the modifications made in the cost sheet are summarized below:
 - (i). The Iron Ore Traffic estimated to be handled by transhippers for the year 2013-14 and 2014-15 is 1.5 million tonnes each.
 - (ii). The rated capacity is 30000 tonnes per day & 32000 tonnes per day of transhippers and floating crane respectively. This capacity has been considered based on the quotations obtained.
 - (iii) The optimal capacity of the transhipper and floating crane have been revised to 53.10 lakh tonnes and 32.81 lakh tonnes respectively, based on 70% capacity utilization prescribed in the norms, as against the actual quantity of 20.28 lakhs tones (Bulk Prosperity) and 22.77 lakhs tones (Dona Paula) for the year 2010-11.
 - (iv). The Authority is comparing Transhipper/Floating cranes deployed at this Port with the Harbour Mobile Crane at NMPT, PPT & KPT. It is informed that these cranes are of different specification to that of operated at MOPT. These equipments have unique working conditions, and hence same may be not comparable.
 - (v). The actual vessel related charges i.e. Port dues, pilotage, anchorage, shifting charges, berth hire, etc. for the year 2010-11 in respect of transhipper (Bulk Prosperity) and floating crane (Dona Paula) is adopted. Similarly, in respect of Cargo related charges i.e. transhipper levy (CHLD levy), primary/ uptopping charges including pension levy thereon is also considered as Port charges. The details of Port charges considered in the computation of cargo handling charges are furnished below:

(₹ in lakhs) Floating Crane **Particulars** Transhipper Optimal Capacity (in lakh tonnes) 53.10 32.81 Vessel related charges Port dues, Anchorage charges, etc. (based 15.37 5.42 on actuals for the year 2010-11 Cargo related Charges: (i). Transhipper accord levy (CHLD levy) @ 627.11 387.47 ₹11.81 per tonne 279.31 (ii). Primary loading and uptopping charges 172.57 @ ₹5.26 per tonne (average) (iii). Pension levy @ 7% on (ii) above 19.55 12.08 Total 941.34 577.54

(vi). The data on fuel consumption by Transhipper / Floating Crane is not maintained by the service providers. However, the service providers have furnished the fuel consumption for working and idle hours separately for Transhipper & Floating crane, based on their past experience. The MOPT has furnished a copy of

statement indicating details of fuel consumption for the year 2010-11 in respect of floating crane. The working hours for fuel consumption in respect of transhippers and floating cranes have been considered based on the optimal capacity and handling rate per hour. The idle hours for fuel consumption has been revised by excluding the operating hours and considered at 2628 hours each for the transhipper and floating crane.

- (vii). The budgetary quotations for the both the crafts submitted earlier may be considered for the purpose of tariff fixation. The capital cost of floating craft is updated based on recently imported floating crane of 32 tonnes capacity. The capital cost is also updated with current exchange rate of ₹49.49 / US\$.
- (viii). For the purpose of ROCE, average Written Down Value for the 3 years is considered as suggested by the Authority.
- (ix). As regards to the linking of tariff to the bench mark level of productivity, in the absence of past performance data, Port cannot formulate the scheme on ELTS.
- (x). The MOPT furnished revised cost sheets for transhipper & floating crane. The revised working furnished by the port to arrive at the proposed rates is given below:

Sr.		Transhipper vessel (30 TPD)		Floating crane (32 Tonnes)	
No.	Particulars	Working	Amount (₹ in lakhs)	Working	Amount (₹ in lakhs)
(i).	Total Capital cost	(US\$ 26 million x	14654.14	(US\$ 118.90 million x	7050.00
		₹49.49 per US\$) +		₹49.49 per US\$) +	ļ
		10% for customs		₹937.34 lakhs for	
		duty & ₹500 lakhs		customs duty +	
		for towing cost		₹251.28 lakhs for	
				towing cost + ₹13.02	
	ļ <u> — , </u>			lakhs för insurance	
(ii).	A. Capacity computed			970) 1787 - 40	
	Available shifts per annum	365 * 3	1095.00	365 * 3	1095.00
	Norms for utilisation		70%		70%
	Capacity in shifts per annum	1095 * 70%	766.50	1095 * 70%	766.50
	Expected number of working hours per annum	766.50 * 8	6132.00	766.50 * 8	6132.00
	Expected number of working hours for 8 months in fair season	6132 * 8/12	4088.00	6132 *8/12	4088.00
	Rated capacity per hour (in tonnes)	30000/24	1250.00	17500/24	729.17
	Rated capacity per annum	30000 * 365	10950000	17500 * 365	6387500
	Volume considered for calculation of rate (tonnes) (8 months)	1250 TPH * 4088	5110000	729.1 7 TPH * 4088	2980833
	Add: Traffic to be handled in Monsoon period (June September)		200000		300000
	Total volume		5310000		3280833
(iii).	Operating Cost				
		(175) * (4088 + 160		(96) * (4088 + 411	-
	<u> </u>	monsoon operating		monsoon operating	
	(a) First Coat @ \$40.07	hrs.) + Idle @	070.00	hrs.) + Idie @ ₹42.67	407.75
	(a). Fuel Cost @ ₹42.67	₹42.67 * 50 * 2628	373.28	12 * 2628	197.75
		= 317.21 + 56.07		= 184,29 + 13.46	
	(b). Repairs & Maintenance Cost 5% of capital cost		732.71		352.50
	(c). Insurance 1% of capital cost		146.54		70.50
	(d). Depreciation @ 10.34%		1417.23		728.97
	(e). Port Charges		941.34		577.54
	(f). Direct Labour		440.00		101.16
	(g), Management & Administrative				
	Overheads @ 10% on operating expenditures except depreciation		169.25		72.19
	and port charges	•			
	Total (a) to (g)		4220.35		2100,61
(iv).	ROCE 16% of capital cost		1924.35		829.15
(v).	Total Cost plus Return on Investment		6144.70		2929.76
(vi).	Hire charges per tonne (Foreign)		115.72		89.30

2006 90/12-6

- 12. The proceedings relating to consultation in this case are available on records at the office of this Authority. An excerpt of the comments received and arguments made by the concerned parties will be sent separately to the relevant parties. These details will also be made available at our website http://tariffauthority.gov.in.
- 13. With reference to totality of the information obtained during the proceedings of this case, the following position emerges:
 - The MOPT has permitted deployment of Transhipper Vessel (TV) for loading of (i). iron ore at the Outer Anchorage within the port limits since the year 1981 by entening into agreement with the owners of such crafts with the approval of the Central Government. When the position that the transhipper owners charge the exporters for the services provided in midstream for topping of vessels was brought to the notice of this Authority during the proceedings relating to the general revision of Scale of Rates at MOPT in the year 2000, this Authority immediately alerted the MOPT that these services come under the purview of Section 42 (3) of the MPT Act, 1963 and the charges levied by the transhippers are to be regulated by this Authority. After the notification of March 2005 tariff guidelines, the MOPT was again informed that the charges for the transhipper operations are to be fixed as per clause 7.2 of the said tariff guidelines. The MOPT has finally filed its proposal for fixation of rate by this Authority for transhipper operations at midstream in the year 2011 that too after a direction was received by it from the Ministry of Shipping in this regard.
 - Section 42(4) of the Major Port Trusts Act, 1963 read with Section 48 requires this (ii). Authority to fix the rates in respect of identified services provided by persons authorised under Section 42(3) of the MPT Act. In cases where the authorization arrangement under Section 42 (3) is other than by way of a BOT Concession Agreement, Clause 7.2 of the tariff guidelines of March 2005 requires this Authority to fix ceiling rates for such services to be applied commonly at the concerned ports without reference to the individual service provider. arrangement between the MOPT and the Transhipper / Floating Crane operators is reportedly not a BOT arrangement. But, provision of transshipment operations is one of the services listed under Section 42 of the MPT Act and, therefore, the tariff for providing transshipment services needs to be regulated by this Authority. This position will not undergo a change whether the port itself provides this service or has permitted a private operator to do so. This case is, therefore, taken up for prescription of ceiling rates for the cargo handling services provided at midstream using transhipper / floating cranes, following Clause 7.2. of the tariff guidelines of March 2005.
 - (iii). Clause 2.4.1. of the tariff guidelines of March 2005 calls for attempts to evolve normative cost of each component of port operations. Since no such norms are evolved under Clause 2.4.1. so far, the MOPT has formulated its proposal only to the extent of borrowing the norms and parameters prescribed in tariff guidelines of 2008, wherever relevant, for assessing the capacity of the crafts and operating cost. It is relevant here to mention that this Authority has adopted a similar approach in the fixation of hire charges for use of Harbour Mobile Cranes deployed by the authorized service providers at the Major Port Trusts like Paradip Port Trust, V.O. Chidambaranar Port Trust, New Mangalore Port Trust, Visakhapatnam Port Trust under clause 7.2 of the tariff guidelines of March 2005. Further, this Authority has decided to fix tariff in terms of clause 7.2 of the tariff guidelines of March 2005 in the case relating to fixation of tariff for the services rendered by the private authorized service provider at the CFS and Buffer Yard of JNPT, as recorded in tariff Order dated 30 December 2009.
 - (iv). The proposal filed by the MOPT in August 2011 along with the revised cost sheets furnished by the port vide its letter dated 14 March 2012 and additional information/ clarification furnished by the port during the processing of the case is considered in this analysis.

- (v). The proposal filed by the MOPT in August 2011 was taken into consultation with the relevant users. At the joint hearing, the GMOEA has, inter-alia, made a request that it should be given an opportunity if the MOPT files a revised proposal or there is significant change in the basis of determining the tariff. After the joint hearing, the MOPT has revised some of the parameters like utilization factor leading to increase in optimal capacity, fuel consumption, fuel rate, apart from including port charges like CHD levy, primary loading / uptopping charges in the computation of ceiling rate. Since the changes made by the MOPT in its proposal has resulted in reduction of proposed ceiling rates, it may not substantially affect the interest of the users.
- (vi). The GMOEA during the proceedings has stated that charges levied at Mooring Dolphin is adhoc and requested this Authority to fix the rate. When requested to explain the above position, the MOPT has, inter-alia, stated that it had filed a proposal for fixation of rate for cargo handling charges for use of Transhipper/Floating at Mooring Dolphin during monsoon period of the year 2010. In this connection, it is stated that the above said proposal filed by the port was in complete deviation of the tariff setting arrangement envisaged in the statute which was also pointed out to the port and the port was requested to file a well analysed proposal. While responding to the request, the MOPT admitted vide its letter dated 24 November 2010 that its proposal was not in accordance with the tariff guidelines. MOPT should ensure that tariff for use of mooring dolphins is fixed at the earliest.
- (vii). During the proceedings of this case, the users have made a plea that the MOPT should not resort to revenue share model for authorization of the service providers since the authorization is not through BOT agreement. It is further stated that since the port is levying charges like transhipper levy (primary loading / uptopping charges), CHLD levy and wharfage and also earns vessel related charges, additional revenue share to MOPT on the transhipper loading tariff is not justified The GMOEA has even gone to the extent of claiming that it was confirmed in the joint hearing that MOPT is not allowed revenue sharing as the tariff is fixed following the March 2005 guidelines, which is not factual. The scope of the proceedings in this case is limited to fixation of a common ceiling rate for transhipper / floating crane deployed for midstream cargo operations within the port limits of MOPT and as stipulated in clause 2.8.1 of the tariff guidelines of March 2005, the royalty / revenue share would not be allowed as pass through in the computation of ceiling rate. It is for the MOPT to follow the mechanism/ modalities for authorization of the individual transhipper / floating crane operators in line with the Government directions / instructions in vogue.
- (viii). For fixation of a common ceiling rate for transhipper / floating crane operations, the MOPT has considered the standard capacity of 30 tonnes transhipper and 32 tonnes floating crane, reportedly taking into account barge feed rate, weather conditions, etc., as brought out earlier. The position reported by the MOPT is relied upon and this analysis proceeds further for fixation of common ceiling rate for a 30 tonne transhipper and a 32 tonne floating crane.
- (ix). The MOPT had initially estimated the optimal annual capacity of the 30 T transhipper and 32 T floating crane at 37.23 lakh tonnes and 21.72 lakh tonnes respectively based on certain assumed norms and parameters. Subsequently, in the revised cost sheet furnished on 14 March 2012, the port revised upward the optimal annual capacity to 53.10 lakh tonnes and 32.80 lakh tonnes for transhipper and floating crane respectively by modifying some of the norms and assumptions based on the queries raised. The optimal capacity considered by the port in the revised cost sheet of 14 March 2012 is discussed below:
 - (a). The MOPT has considered a handling rate of 1250 tonnes per hour for transhipper and 729.17 tonnes per hour for floating crane in the computation of optimal capacity. The tariff guidelines of 2008 do not prescribe norms for handling rate in respect of transhippers and floating cranes. Despite specific request, the port has not justified the handling

rates considered by it with reference to the actual performance of similar capacity cranes during the past period. However, the port has reported that it has considered the handling rates based on the technical specifications mentioned in the budgetary quotation.

The handling rate of 1250 tonnes per hour (arrived based on the daily productivity of 30,000 tonnes per day) for transhipper is supported by the technical specification indicated in the copy of the budgetary quotation furnished by the port. In respect of floating crane, the budgetary quotation for the 32 tonne crane does not indicate the handling rate of the crane. The port has stated that the average productivity of a 32 tonne floating crane is in the range of 15,000 to 20,000 tonnes per day and hence it has considered the average handling rate at 17,500 tonnes per day. The handling rate of 729.17 tonnes per hour (arrived based on the daily productivity of 17,500 tonnes per day) as reported by the port is relied upon.

- (b). Based on the handling rates mentioned above, the MOPT has worked out the annual capacity of the crafts at 70% of the capacity utilization, as per the utilisation norm prescribed in the tariff guidelines of 2008, which is considered.
- (c). For the purpose of tariff fixation, the MOPT has reduced the annual optimal capacity computed as mentioned above, for 8 months on pro-rata basis, stating that the midstream cargo operations take place only during the fair season from October to May and no such operations are permitted during the monsoon season from June to September. However, in the revised cost sheet of March 2012, the port has considered an additional quantity of 2 lakh tonnes per annum and 3 lakh tonnes per annum for transhipper and floating crane respectively towards cargo likely to be handled during the monsoon period also, reportedly based on actual performance during the monsoon period in the past two years. Relying on the position reported by the port, the approach adopted by the MOPT in computing the optimal capacity for 8 months on pro-rata basis and the additional quantity for monsoon season estimated by the port as stated above is considered.
- (d). To sum up, the optimal capacity of 53,10,000 tonnes per annum for the 30 T Transhipper and 32,80,833 tonnes per annum for the 32 T Floating crane, at 70% utilization during fair season and quantity estimated for operation of the crafts during monsoon season, reported by the port in the revised cost sheet of 14 March 2012 is considered in this analysis.
- (x). (a). The MOPT has estimated the capital cost of the 30 T Transhipper at ₹14654.14 lakhs, which includes customs duty of ₹1286.74 lakhs (at 10% of the basic cost) and towing cost (freight) of ₹500 lakhs. The basic cost of the Transhipper is supported by budgetary quotation furnished by the MOPT. The exchange rate applied by MOPT for conversion of budgetary quotation in US\$ at ₹49.49 is updated to ₹52.88 to reflect the exchange rate prevailing at the time of analysis of this case.

With reference to the objections made by GMOEA on the inclusion of customs duty and towing cost in the capital cost of the Transhipper and Floating crane, the port has substantiated its position with a copy of the Customs Bill of Entry pertaining to import of a Floating Crane in October 2011, which shows levy of customs duty at around 16% of the basic cost and also freight cost at around 3.66% of the basic cost. The MOPT has not furnished any documentary evidence in support of the customs duty and towing cost in respect of transhipper. Taking into the account the position reported for floating crane, the customs duty @ 10% of the basic cost and freight of ₹500 lakhs (which works out to 3.88% of the basic cost) which are included in the estimation of capital cost of transhipper by

(xi).

(a).

MOPT are recognised. The amount of customs duty, however, is modified based on the updated basic cost of Transhipper, as stated above. The modified capital cost of the Transhipper accordingly works out to ₹15623.68 lakhs.

(b). The MOPT has estimated the capital cost of the 32 T Floating Crane at ₹7050.00 lakhs, which includes customs duty of ₹937.34 lakhs, towing cost (freight) of ₹215.28 lakhs and insurance of ₹13.02 lakhs. The basic cost, customs duty, towing cost and insurance cost considered by the port are supported by the Customs Bill of Entry pertaining to import of a 32 T Floating Crane in October 2011.

The exchange rate applied by MOPT for conversion of basic cost and freight cost denominated in US\$ at ₹49.49 is updated to ₹52.88 to reflect the exchange rate prevailing at the time of analysis of this case. Likewise, the exchange rate of ₹49.60 per US\$ considered for calculation of customs duty, as per the bill of entry, is also updated to ₹52.88 per US\$. The modified capital cost of the Floating crane accordingly works out to ₹7529.81 lakhs.

The GMOEA has pointed out that the budgetary quotations for Transhipper / Floating crane do not contain detailed technical specifications of the crafts. From the response of the MOPT in this regard, it appears that the technical specifications of the crafts for which budgetary quotations have been obtained are comparable to the crafts already in operation. It is presumed that MOPT has fully analysed the technical specifications of the crafts and satisfied itself before proposing their adoption for fixing common ceiling rates.

The MOPT has estimated the consumption of fuel at 175 litres per hour for working hours and 50 litres per hour for idle hours in respect of transhipper. Likewise, it has estimated a consumption of 96 litres per hour for working hours and 12 litres per hour for idle hours in respect of Floating Crane. To a specific query posed to the port to justify the fuel consumption estimates with reference to the actual fuel consumption of similar capacity crafts in the past years, the port has stated that no such details are maintained by the service providers and the fuel consumption estimates considered by the port are furnished by the service providers based on their past experience. The port has reportedly relied upon the information furnished by the service providers. Since no separate norm for fuel consumption by Transhipper / Floating crane is available in the tariff quidelines of 2008 and also keeping in view that none of the users have objected to the fuel consumption considered by the port, the fuel consumption estimated by the port for Transhipper at 175 litres per hour and 50 litres per hour for working hours and idle hours respectively and for Floating Crane at 96 litres per hour and 12 litres per hour for working hours and idle hours respectively are relied upon in this analysis.

The MOPT has considered the working hours for Transhipper and Floating Crane at 4248 hours per annum and 4499 hours per annum respectively in the estimation of fuel cost for working hours, which is found to be in line with the optimal annual capacity and handling rate considered by the port for Transhipper and Floating Cranes. In the revised cost sheet furnished on 14 March 2012, the MOPT has considered the idle time at 2628 hours per annum each for Transhipper and Floating Crane in the estimation of fuel cost for idle hours. The idle hours worked out by the port is seen to be calculated based on total working hours available in a year $(365 \times 24 = 8170)$ minus the working hours at 70% utilization $(365 \times 24 \times 70\% = 6132)$, which works out to 2628 hours (8170 - 6132).

The unit cost of fuel is up-dated to ₹43.39 per litre prevailing at the time of analysis of this case, vis-à-vis ₹42.67 per litre considered by MOPT. Accordingly, the modified fuel cost for working hours and idle hours work out to ₹379.58 lakhs per annum and ₹201.09 lakhs per annum for Transhipper and Floating Crane respectively.

- (b). The MOPT has estimated repairs and maintenance cost at 5% of the capital cost, which is in line with the norm prescribed for mechanical & electrical equipment at multipurpose berth in the guidelines of 2008. The amount of repairs and maintenance cost is, however, modified based on the updated capital cost of Transhipper and Floating Crane.
- (c). The insurance cost estimated at 1% of the capital cost is also found to be in line with the norm prescribed in the guidelines of 2008 for multipurpose berth. The amount of insurance cost is, however, medified based on the updated capital cost of Transhipper and Floating Crane.
- The MOPT has calculated the depreciation at 10.34% of the capital cost (d). of the Transhipper and Floating Crane as per the provisions of the Companies Act, 1956, which is found to be in line with the provisions contained in the tariff guidelines. An arithmetical error in the calculation of depreciation for Transhipper is rectified and the depreciation of Transhipper and Floating Crane has been modified based on the updated capital cost of Transhipper and Floating Crane. With reference to the contention of the GMOEA that the Transhippers and Floating Cranes are classified as vessels and therefore, depreciation @ 5% p.a. applicable to ships as per Companies Act should only be considered, the MOPT has clarified stating that these crafts transfer cargo from one ship to another ship similar to the shore cranes and unlike ships. the crafts do not carry cargo. Accordingly, the port has classified the Transhippers and Floating Cranes as Plant & Machinery and applied the depreciation @ 10.34% p.a. as per Companies Act.
- The MOPT has considered direct labour and management and (e). administration overheads under 'other expenses'. While the management and administration overheads are estimated by the port at 10% of the operating expenses excluding depreciation and port charges, the port has not furnished any basis for the direct labour cost estimated by it. The guidelines of 2008 for Iron ore terminal as well as other cargo terminal except liquid bulk prescribe a norm of 5% of the value of the gross fixed assets for estimation of other expenses. The aggregate of direct labour cost and management and administration overheads estimated by the port works out to 4.16% and 2.16% of the capital cost of Transhipper and Floating crane respectively, which is well within the limit prescribed in the The estimated other expenses reported by the MOPT is, therefore, considered in this analysis, subject to adjustment of management and administration overheads based on the modified operating expenses. Accordingly, the modified other expenses work out to ₹615.70 lakhs in respect of Transhipper and ₹176.56 lakhs in respect of Floating crane.
- (f). In the revised cost sheet furnished on 14 March 2012, the MOPT has considered the port charges at ₹941.34 takhs for transhipper, towards vessel related charges (Port dues, pilotage, anchorage, berth hire, etc. amounting to ₹15.37 takhs) and cargo related charges, viz. CHLD levy (₹627.11 takhs) and Primary loading and uptopping charges including pension levy thereon (₹298.86 takhs). Likewise, in respect of Floating crane, the MOPT has considered the port charges at ₹577.54 takhs towards vessel related charges (Port dues, pilotage, anchorage, berth hire, etc. amounting to ₹5.42 takhs) and cargo related charges, viz. CHLD levy (₹387.47 takhs) and Primary loading and uptopping charges including pension levy thereon (₹184.65 takhs).

The vessel related charges, considered by the MOPT are the actual amount realized by it from a particular Transhipper and a particular Floating crane during the year 2010-11. The exercise on hand is to prescribe a common tonnage based ceiling rate for using transhipper / floating crane at MOPT based on the standard capacity of the craft. Since the vessel related charges depends on various factors like GRT of vessels, the no. of times a vessel is shifted, etc., it may not be possible to accurately estimate the vessel related charges payable by the transhippers / floating crane to achieve the optimal capacity of the respective crafts. The vessel related charges considered by the MOPT on the basis of actuals of 2010-11 is, therefore, relied upon.

At present, the CHLD levy and primary loading and uptopping charges are payable for the actual traffic handled at the midstream using the crafts. As brought out earlier, the exercise on hand is fixation of a common ceiling rate for use of Transhipper / Floating crane based on the standard capacity of the crafts. Accordingly, the MOPT has calculated the estimated revenue from CHLD levy and Primary loading and uptopping charges for the optimal capacity of the crafts and considered the same as cost in the computation of common ceiling rates.

The MOPT has included the above said charges in the computation of ceiling rate for transhipper / floating crane to ensure that all port charges payable by the transhippers / floating cranes as per the notified SOR are duly factored in. Accordingly, the port charges of ₹941.34 lakhs in the case of Transhipper and ₹577.54 lakhs in the case of Floating Crane as reported by the port is considered in this analysis.

- (xii). This Authority has adopted the ROCE at 16% for the tariff cases to be decided in the year 2012-13. The MOPT has estimated the ROCE for Transhipper and Floating crane at ₹1924.35 lakhs and ₹829.15 respectively, calculated at 16% on the average written down value of the respective crafts for the first 3 years. The arithmetical error found in the computation of average written down value of Transhipper as well as Floating crane worked out by the MOPT is rectified. Further, the ROCE is modified based on the updated capital cost of Transhipper and Floating crane respectively. The modified estimated ROCE for Transhipper and Floating crane works out to ₹1982.83 lakhs and ₹955.62 lakhs respectively which is considered.
- (xiii). The total Annual Revenue Requirement for operation of Transhipper and Floating crane at MOPT works out to ₹6472.36 lakhs and ₹3141.18 lakhs respectively. Thus, the rate for using Transhipper and Floating crane for cargo operations within the port limits of MOPT works out to ₹121.89 per tonne and ₹95.74 per tonne respectively as against the rates proposed by the MOPT at ₹115.72 and ₹89.30 respectively. The increase in rate is on account updation of the exchange rate for US\$ and fuel rate.
- (xiv). The cost statements for fixing rate per tonne for use of Transhipper and Floating crane submitted by MOPT are modified in line with the above analysis and the modified statements are attached as Annex I and II respectively.
- (xv). Clause 4.3. of the tariff guidelines of March 2005 stipulates prescription of concessional tariff for coastal cargo. The said clause further stipulates that the cargo related charges for all coastal cargo, other than thermal coal and POL including crude oil, iron ore and iron ore pellets should not exceed 60% of the normal cargo related charges. Since coastal concession is not applicable for iron ore and since Transhipper and Floating cranes deployed at MOPT are meant for handling iron ore, the MOPT has withdrawn the coastal rates proposed initially for use of Transhipper and Floating crane. Though the cost analysis in this case is done for the use of Transhipper / Floating crane without reference to individual cargo or cargo group, the concessional rate for coastal cargo requires to be

determined taking into consideration the share of the estimated capacity of the crafts for handling coastal cargo and suitable adjustment in the rate for handling foreign cargo. That being so, prescription of concessional rate for coastal cargo, without taking into account the cost implications, may not serve any purpose. Accordingly, concessional rate for coastal cargo is not prescribed in this case. It is, however, open for MOPT to come up with a suitable proposal for prescription of rate for coastal cargo in case cargo eligible for coastal concession is likely to be handled using Transhipper / Floating crane.

- (xvi). Clause 5.9. of the tariff guidelines of 2005 calls for linking tariff to the benchmark levels of productivity, providing incentive for better performance and disincentive for performance below the benchmark levels. Fixation of tariff based on normative approach linked to performance would encourage an operator to bring efficiency in operations and protects the users from inefficient operations. Since the rate is fixed for the standard capacity, prescription of rate linked to performance is also expected to take care if the actual capacity of the crafts deployed by the service provider varies within the range of standard capacity considered for fixation of tariff. Despite specific advice to the port, highlighting the above points, to come up with a proposal for prescription of performance linked tariff, the MOPT has not come up with such a proposal on the ground of non-availability of past performance data. In the absence of details furnished by the port, it is found not possible to prescribe performance linked tariff. The MOPT is advised to come up with a well analysed proposal in this regard at the earliest.
- (xvii) With reference to a clarification sought by GMOEA whether the proposed tariff will be applicable to existing or new vessels, the MOPT has responded stating that the proposed tariff shall be applicable to the new transhippers / floating cranes operated at MOPT. As per clause 7.2 of the tariff policy guidelines of March 2005, the rates approved for the services identified by the port trust and provided by authorized service providers will apply commonly at the port without reference to any particular service provider. Therefore, the question whether the approved rates will be applicable to new operator or existing operator does not arise. It is clarified that the rates approved will be applicable irrespective of the individual operator or specific craft.
- (xviii) The tariff guidelines of 2005 stipulate a tariff validity cycle of 3 years. Accordingly, the charge for use of Transhipper / Floating crane fixed by this Authority will be valid for three years from the date of implementation of the Order.
- (XIX). The MOPT has only proposed rates for Transhipper / Floating crane. It has not proposed any specific conditions governing application of rates. Therefore, the MOPT is advised to come up with a proposal for conditionalities governing the
- 14.1 In the result, and for the reasons given above, and based on a collective application of mind, this Authority approves the following to be inserted as Section IV Charges for use of Transhipper / Floating crane for cargo operations at MOPT under Part IV (Section C Sundry Charges) in the existing Scale of Rates of the Mormugao Port Trust:

"IV. Charges for use of Transhipper / Floating Crane provided by the authorized private operators for cargo operations:

Particulars Particulars	Ceiling rate per tonne
Transhipper 30 T	(Foreign)
Floating Crane 32 T	121.89 95.74

14.2. The ceiling rates fixed now shall come into effect after expiry of 30 days from the date of its notification in the Gazette of India and shall remain valid for 3 years.

14.3. As per clause 7.2, of the tariff guidelines, the rate approved by this Authority for Transhipper / Floating Crane is a ceiling rate and will apply commonly at the port for identical facility / service offered at the port without reference to any particular service provider. As per clause 7.3 of the tariff guidelines, the Port Trust may ensure, by suitably including a necessary condition in the authorisation arrangement that the authorised service providers do not charge more than the prescribed ceiling rates.

T. S. BALASUBRAMANIAN, Member (Finance)

[ADVT. III/4/143/12/Exty.]

ANNEX - I

Cost calculation for fixation of cargo handling charges for use of Transhipper (30 TPD) provided by authorised service providers at the Mormugao Port Trust

(Rs. in Lakha)

		As furnished by Mormugae Port Trust		Norms if any prescribed in 2008 tariff guidelines (for multipurpose cargo berth)	Modified Calculation	
Sr. No.	Particulars	Workings	1.5.	Der Dr.1	Workings	•
-, 	Carolital Cost					
	Basic cost	US\$ 26,000,000 x 49.49	12867.40		US4 26,000,000 x 52,88	1374B.I
	Add: Customs duty	10% of basic cost	1286.74		10% of basic cost	1374.
	Add: Towing Cost	Lumpsum	500.00		Limpsum	500.
- 8	Total Capital cost		14654,14			15623.0
						
	Capacity computation	365 days * 3 shifts per day	1095		365 days * 3 shifts per day	10
	Available shifts per annum	363 0ays - 3 sm (s per (a)	20%		203 0012 0 0 0012	70
	Norms for utilisation	1095 shifts * 70%	766.5		1095 shifts * 70%	760
	Capacity in shifts per annum	766,5 shifts * 8 hours	6132		766.5 shifts * 8 hours	61
	Expected number of working hours per annum Expected no. of working hours for 8 months in fair	6132 ° 0 / 12	4088		6132 * 8 / 12	40
	expected no. or working nours for a months in law season.	0132 0/12	1,000	<u> </u>		<u> </u>
	Rated capacity per hour (in tonnés)	30000/24	1250		30000/24	12
	Rated capacity per annum	1250 * 24 * 365	10950000		1250 * 24 * 365	109580
	Capacity considered for 8 months - fair season	4088 * 1250	5110000		4080 1250	51100
	(tonnes) Add: Traffic to be handled during monsoon season	Based on past performance	200000		Based on past performance	2000
	Volume considered for calculation of rate (tonnes)	5110000 + 200000	5310000		5110000 + 200000	53100
	Annual Cagacity (in tennes)		5310000	·		53100
-	· · · · · · · · · · · · · · · · · · ·					
111	Operating Cost	Madden became			Worlding hours:	
		Working hours: 175 litres / hour * 4248 hours			175 litres / hour * 4248 hours	
	•			['	(4888 fair season + 160 monsoon)	322
		(4088 fair season + 168 monsoon)	1		* Rs.43.39 per libre	
	(a). Fuel cost	* Rs:42.67 per litre	l			
Į	•	Idle hours:]		Idle hours:	57.
		50 litres / hour * 2628 hours *	56.07		50 litres / hour * 2628 hours *	37.
		Rs.42.67 per litre	373.28		Rs.43.39 per litre Sub total fuel cost	379.
		Sub total fuel cost	3/3.28	5% on cost of mechanical	5% * Rs.15623.68 lakhs	
Ţ	(b), Repairs & Mainténance cost	5% of capital cost (Rs.14654.14 lakhs * 5%)	732.71		37g - R3.13023.00 IBM13	781.
4	(0). 1210 0 1 10	1% of capital cost (Rs.14654.14		equioment 1% on cost of mechanical	1% * Rs.15623.68 talchs	
	(c). Insurance	lakhs * 1%)	146.54	equipment		156.
	(d). Depreciation	Ø 10.34% p.a.	1417.23	As per norms prescribed in Companies Act	18.34% • Rs.15623.68 lakhs	1615
		Vessel related charges (Port dues,				
		Pilotage, Anchorage, Berth hire			As furnished by MOPT	15
` `	•	etc.) - based on actuals of 2818-11	15.37	· ·	AS IMPOSITED BY INDEX	
		in respect of Bulk prosperity				
		Transhipper accord levy (CHLD)	637.11		As furnished by MOPT	627
	(e). Port charges	lew) 5310000 11.81	627.11			VI
l	·	Primary loading / uptopping			·	
ľ		charges and Pension levy thereon	298.86		As furnished by MOPT	298
		[5310000 * Rs.5.26 (average) *	250.00	.	AS IUITISHED BY INOT I	250
		1.07 (pension levy)]	<u> </u>			
\Box	70. Oh - E	Sub total port charges	941.34		Sub Jotal port charges	941
	(n. Other Expenses	- ·	440.08	1	As furnished by MOPT	440
	- Direct Labour	10% on operating exp. Except	1	CO4 C 6 4 12-1 -	10% of operating expenses	-
		depreciation & port charges		5% of Gross fixed Asset Value	excluding depreciation and port	175
	 Management and Administration Overheads 	(373,28 + 732,71 + 146.54 + 440)	169.25	•	charges following the approach	. 1/3
.		10%			adopted by MOPT	
		Sub total other expenses	609.25		Sub total other expenses	615
	Total (a) to (f)	SAD WAS AN A SAME LAND	4220.34			4489
					<u> </u>	
-			1924.35	i	16% on average WOV of first 3	1982
17	Return on Capital Employed	16% of capital cost	<u> </u>	ļ	vears (Note 1)	· ·
		ļ	6144.69		 	6472
. Y.	Total Cost plus Return on investment	 -	.9477.07			

Note 1 : Workings for capital employed				
Capital cost of Transhipper	Rs. 15623.68 lakks Act 10.34%			
Rate of Depreciation as per provisions of Companies Act				
	Year 1	Year 2	Year 3	
Value of Transhipper at the beginning of the year	15623.69	14008.19	12392.70	
Depreciation	1615.49	· 1615.49	1615.49	
Written down value at the end of the year	14008.19	12392.70	10777.21	
4				

ANNEX - II

Cost calculation for fixation of cargo handling charges for use of Floating Crane (32 Tonnes) provided by authorised service providers at the Mormugao Port Trust

		As furnished By Mormugae Port Trust		Norms if any prescribed in 2000 tartif guidelines (for multipurpose cargo	(Rs. in Lakhs) Modified Calculation	
Sr. No.	Particulars	Workings		berth)	<u> </u>	
		morangs		i	Workings	
	Capital Cost				<u>. </u>	
	Basic cost	U5\$ 11,890,000 x 49.49	5884.3		US\$ 11,890,000 x 52.88	6287.4
	Add: Customs duty	 	937.3		937.34 / 49.60 * 52.88	999.3
	Add: Towing Cost (freight)	US\$ 435,000 x 49.49	215.2		US\$ 435,000 x 52.88	230.0
	Add: Insurance		13.0		As furnished by MOPT	13.0
	Total Capital cost	 	7950.00	<u> </u>		7529.8
п	Capacity computation		<u> </u>			
	Available shifts per annum	765 do 1 2 3 1 10		<u> </u>		
	Norms for utilisation	365 days * 3 shifts per day	109		365 days * 3 shifts per day	109
	Capacity in shifts per annum	1005 chills # 700/	709			70%
	Expected number of working hours per annum	1095 shifts * 70% 766.5 shifts * 8 hours	766.		1095 Shifts * 70%	766.
	Expected no. of working hours for 8 months in fair	6132 * 8 / 12	6137		766.5 shifts * 8 hours	
	season	9132 0711	408	'[6132 * 8 / 12	408
	Rated capacity per hour (in tonnes)	17500/24	729.1	 	17500/24	
	Rated capacity per annum	729.17 * 24 * 365	638750		729.17 * 24 * 365	729.1
	Capacity considered for 8 months - fair season	4088 = 729.17	298083		4088 * 729.17	638759 298083
	(tonnes)			<u> </u>	1000 /23.1/	£9608.5.
	Add: Traffic to be handled during monston season	Based on past performance	30000		Based on past performance	30000
	Volume considered for calculation of rate (tonnes)	2980833 + 300000	326083		2980833 + 300000	328083
	Annual Capacity (In tonnes)		3289833			3280833
711	Operating Cost		· · · · · ·	·		
	ODD STATE OF THE PROPERTY OF T	Single- b-		<u> </u>		
		Working hours:		I	Working hours:	
ĺ	İ	96 ktres / hour * 4499 hours (4088	184.29	il i	96 litres / hour * 4499 hours (4088	107.4
	(a). Fuel cost	fair season + 411 monsoon) •		1	fair season + 411 monsoon)	187.4
- 1	(a). The cost	Rs.42.67 per litre			Rs.43.39 per litre	
		Idle hours:			Idle hours:	
i		12 litres / hour ▼ 2628 hours ▼	13.46		12 Abres / hour * 2628 hours *	13.66
_		Rs.42.67 per titre			Rs.43.39 per litre	_
		Sub total (vel cost 5% of capital cost (Rs.7050.00	197.75		Sub total fuel cost	201.09
1	(b). Repairs & Maintenance cost	lakhs * 5%)	352.50		5% • Rs.7529.91 lakhs	376.49
		1% of capital cost (Rs.7050.00	··	equipment		
- 1	(c). Insurance	lakhs * 1%)	70,50	1% on cost of mechanical	1% * Rs.7529.81 lakhs	75.30
	/d) Demonstra	@ 10.34% p.a.		equipment	10 240/ 1 7 7 7 7 7	
	(d). Depreciation	e 10.5 1.0 p.a.	728.97	As per norms prescribed in Companies Act	10.34% * RS.7529.91 lakts	778,58
		Vessel related charges (Port dues,		Companies Act	· · · · · · · · · · · · · · · · · · ·	
		Pilotage, Anchorage, Berth hire		i		
		etc.) - based on actuals of 2010-11	5.42		As furnished by MOPT	5.42
- 1		in respect of Dona Paula				
l.	(e). Port charges	Transhipper accord levy (CHLD	387.47	1	As furnished by MOPT	
[(-/ 	levy) - 3280833 * 11.81			- Claimaned by Fior (387.47
		Primary loading / uptopping		Į i		
		charges and Pension levy thereon	184.65			
- 4		[3280833 * Rs.5.26 (average) *	104.05		As furnished by MOPT	164 .65
-+		1.07 (pension levv))				
-	(f), Other Expenses	Sub total port charges	577.54		Sub total port charges	577.54
- ∤		F· ~				
	- Direct Labour	1004 on operation our Euro	101.16	!	As furnished by MOPT	101.16
		10% on operating exp. Except depreciation & port charges		5% of Gross fixed Asset Value	10% of operating expenses	
- 1	 Management and Administration Overheads 	(197.75 + 352.50 + 70.50 +	72.19		excluding depreciation and port	75.40
1		101.16) • 10%			charges following the approach	/3.90
\exists		Sub total other expenses			adopted by MOPT	
	Total (a) to (f)	TON WIND OTHER CYTICASES	173.35 2100.61		Sub total other expenses	176.56
			- TTA-01			2185.56
IV I	Return on Capital Employed	16% of capital cost	829.15		16% on average WDV of first 3	
			UL3.13	4		955.62
					vears (Note 1)	
v	Total Cost plus Return on Investment		2929.76			34'44
\rightarrow						3141.18
V1	Handling Charge per tonne (Foreign)	2929.76 takhs / 3280833 tonnes				
	2 6- h (1 oresida)	2223.70 minus / 3280033 (Onnes	69.30		Rs.3141.18 lakhs/3280833 tonnes	95,74

Note 1 : Workings for capital employed Capital cost of Transhipper Rate of Deprecialion as per provisions of Companies Act	Rs.7529.8	l lakhs 18.34%	
	Year 1	Tear 2 ,	Year 3
Value of Transhipper at the beginning of the year	7529.81	6751.22	5972.64
Depreciation	77 8.5 8	778.58	778.58
Written down value at the end of the year	6751.22	5972.64	5194.86
Average written down value of first 3 years		5972.64	